

LIROS V-Plus Zero

00099-0370

lity is critical (outhaul, backstay, dinghy shrouds). Also

Ø 10 mm 7000 daN

Price:

00099-0370-228
V-Plus Zero, 10mm,
white



4046882061124

		LIROS Lowering Rope		00099-0441
		The LIROS Arborist Rope with special coating is the ideal working rope for arborists. The combination of Polyester with special coating delivers highest abrasion resistance and perfect splicability. It is very flexible and easy to handle.		
Ø 12 mm		4500 daN		
Price:				
00099-0441-010 Lowering Rope, 12mm, blue				
		4046882061513		

		LIROS Lowering Rope		00099-0442
		The LIROS Arborist Rope with special coating is the ideal working rope for arborists. The combination of Polyester with special coating delivers highest abrasion resistance and perfect splicability. It is very flexible and easy to handle.		
Ø 14 mm		5500 daN		
Price:				
00099-0442-059 Lowering Rope, 14mm, yellow				
		4046882061544		

 LIROS Lowering Rope 00099-0443 The LIROS Arborist Rope with special coating is the ideal working rope for arborists. The combination of Polyester with special coating delivers highest abrasion resistance and perfect splicability. It is very flexible and easy to handle.				
Ø 16 mm 6700 daN Price: 00099-0443-171 Lowering Rope, 16mm, red  4046882061599				

LIROS Throw Line

00099-0846

Professional arborist throw line.

- very abrasion resistant
- incredible weight savings
- kink-free
- unmatched precision; Cover: impregnated Dyneema [®], Core: monofilament

Ø 1,8
mm

200
daN

Price:

00099-0846-010
Throw Line, 1,8mm,
blue



4046882176255

Ø 1,8
mm

200
daN

Price:

00099-0846-171
Throw Line, 1,8mm,
red



4046882062671



LIROS Semi-Static Rope

00099-1116

The LIROS semi-static rope is a strong and durable rope for life safety/rescue applications, or rope access/scaffolding. The unique abrasion-resistant braided cover protects the core from external weather conditions and dirt.

Manufactured according to EN 1891.

- working stretch 4.3%
- long-lasting construction
- highly abrasion resistant
- easy to handle
- good knot hold
- extremely low cover-core movement

**Ø 10,5
mm**

**3300
daN**

**Ø 10,5
mm**

**3300
daN**

Price:

Price:

00099-1116-188
Semi-Static Rope,
10.5mm, black



4046882176262

00099-1116-382

Semi-Static Rope,
10,5mm, white-blue-
black



4046882063500

LIROS Safety Line

00099-1192

LIROS Safety Line was specially engineered for safety equipment applications, and is optimised for stretch and shock loading compensation. Developed to deliver the ultimate in safety.

- working stretch < 25%
- excellent damping capabilities
- good spliceability

Ø 1,7 mm 350 daN Price: 00099-1192-228 Safety Line Dyneema, 17mm, white  4046882063838			

LIROS Throw Line

00099-1813

Professional arborist throw line.

- very abrasion resistant
- incredible weight savings
- kink-free
- unmatched precision; Cover: Polyester, Core: monofilament

Ø 1,8
mm

100
daN

Price:

00099-1813-010
Throw Line, 1,8mm,
blue



4046882148177

Ø 1,8
mm

100
daN

Price:

00099-1813-171
Throw Line, 1,8mm,
red



4046882176286

		LIROS Nylon Rope		00110
		Classic rope for mooring, with high stretch and 3-strand twist make it easy to splice. High strength and excellent resistance to abrasion. 100% Nylon manufactured to DIN 83330/EN696, heat set, white with green or marine blue marker yarn. Stretch characteristics 20% ▪ very easy to splice ▪ high strength and excellent resistance to abrasion ▪ UV-stabilised ▪ many industrial applications		
Ø 4 mm 380 daN Price: _____ 0010-0400-130 Polyamide Rope, 4mm, navy  4046882018746	Ø 4 mm 380 daN Price: _____ 0010-0400-228 Polyamide Rope, 4mm, white  4046882018739	Ø 5 mm 600 daN Price: _____ 0010-0500-130 Polyamide Rope, 5mm, navy  4046882018760	Ø 5 mm 600 daN Price: _____ 0010-0500-228 Polyamide Rope, 5mm, white  4046882018753	
Ø 6 mm 900 daN Price: _____ 0010-0600-130 Polyamide Rope, 6mm, navy  4046882018784	Ø 6 mm 900 daN Price: _____ 0010-0600-228 Polyamide Rope, 6mm, white  4046882018777	Ø 8 mm 1440 daN Price: _____ 0010-0800-130 Polyamide Rope, 8mm, navy  4046882018807	Ø 8 mm 1440 daN Price: _____ 0010-0800-228 Polyamide Rope, 8mm, white  4046882018791	
Ø 10 mm 2400 daN Price: _____ 0010-1000-130 Polyamide Rope, 10mm, navy  4046882018838	Ø 10 mm 2400 daN Price: _____ 0010-1000-228 Polyamide Rope, 10mm, white  4046882018821	Ø 12 mm 3300 daN Price: _____ 0010-1200-130 Polyamide Rope, 12mm, navy  4046882018548	Ø 12 mm 3300 daN Price: _____ 0010-1200-228 Polyamide Rope, 12mm, white  4046882018531	
Ø 14 mm 4400 daN Price: _____ 0010-1400-130 Polyamide Rope, 14mm, navy  4046882018579	Ø 14 mm 4400 daN Price: _____ 0010-1400-228 Polyamide Rope, 14mm, white  4046882018562	Ø 16 mm 5600 daN Price: _____ 0010-1600-130 Polyamide Rope, 16mm, navy  4046882018593	Ø 16 mm 5600 daN Price: _____ 0010-1600-228 Polyamide Rope, 16mm, white  4046882018586	
Ø 18 mm 7000 daN Price: _____ 0010-1800-130 Polyamide Rope, 18mm, navy  4046882018616	Ø 18 mm 7000 daN Price: _____ 0010-1800-228 Polyamide Rope, 18mm, white  4046882018609	Ø 20 mm 8140 daN Price: _____ 0010-2000-130 Polyamide Rope, 20mm, navy  4046882018630	Ø 20 mm 8140 daN Price: _____ 0010-2000-228 Polyamide Rope, 20mm, white  4046882018623	

		LIROS Nylon Rope		00110			
Classic rope for mooring, with high stretch and 3-strand twist make it easy to splice. High strength and excellent resistance to abrasion. 100% Nylon manufactured to DIN 83330/EN696, heat set, white with green or marine blue marker yarn. Stretch characteristics 20% ▪ very easy to splice ▪ high strength and excellent resistance to abrasion ▪ UV-stabilised ▪ many industrial applications							
Ø 22 mm9800 daN Price: 00110-2200-130 Polyamide Rope, 22mm, navy  4046882018654		Ø 22 mm9800 daN Price: 00110-2200-228 Polyamide Rope, 22mm, white  4046882018647		Ø 24 mm11800 daN Price: 00110-2400-130 Polyamide Rope, 24mm, navy  4046882018678		Ø 24 mm11800 daN Price: 00110-2400-228 Polyamide Rope, 24mm, white  4046882018661	
Ø 30 mm17400 daN Price: 00110-3000-130 Polyamide Rope, 30mm, navy  4046882018722		Ø 30 mm17400 daN Price: 00110-3000-228 Polyamide Rope, 30mm, white  4046882018715					

LIROS Polyester Rope

00111

Classical rope for mooring and anchoring, made of 100% Polyester, very easy to splice, high strength and abrasion resistance. Retains flexibility throughout its life. 3-strand made of 100% Polyester according to DIN 83331/EN697, heat set. Stretch characteristics 15%

- very easy to splice
- extremely tensile and abrasion resistant
- does not stiffen up
- heat set
- available pre spliced see page 18/19

Ø 3 mm 280 daN Price: _____ 00111-0300-228 Polyester Rope, 3mm, white  4046882012072	Ø 4 mm 400 daN Price: _____ 00111-0400-228 Polyester Rope, 4mm, white  4046882012089	Ø 5 mm 600 daN Price: _____ 00111-0500-228 Polyester Rope, 5mm, white  4046882012096	Ø 6 mm 800 daN Price: _____ 00111-0600-228 Polyester Rope, 6mm, white  4046882012102
Ø 8 mm 1400 daN Price: _____ 00111-0800-228 Polyester Rope, 8mm, white  4046882036498	Ø 10 mm 2000 daN Price: _____ 00111-1000-228 Polyester Rope, 10mm, white  4046882012133	Ø 12 mm 2600 daN Price: _____ 00111-1200-228 Polyester Rope, 12mm, white  4046882012157	Ø 14 mm 3600 daN Price: _____ 00111-1400-228 Polyester Rope, 14mm, white  4046882012164
Ø 16 mm 5000 daN Price: _____ 00111-1600-228 Polyester Rope, 16mm, white  4046882012188	Ø 18 mm 6000 daN Price: _____ 00111-1800-228 Polyester Rope, 18mm, white  4046882012201	Ø 20 mm 7000 daN Price: _____ 00111-2000-228 Polyester Rope, 20mm, white  4046882012218	Ø 22 mm 9000 daN Price: _____ 00111-2200-228 Polyester-Rope, 22mm, white  4046882012225
Ø 24 mm 10500 daN Price: _____ 00111-2400-228 Polyester-Rope, 24mm, white  4046882012232	Ø 30 mm 14800 daN Price: _____ 00111-3000-228 Polyester Rope, 30mm, white  4046882012263		

		LIROS Polypropylene Rope		00112
		Low-priced, floating all-purpose line, available in many different diameters. UV-resistant Polypropylene Split-fibre.		
Ø 6 mm 590 daN Price: _____ 00112-0600-150 Polypropylene Rope, 6mm, orange  4046882032513	Ø 6 mm 590 daN Price: _____ 00112-0600-188 Polypropylene Rope, 6mm, black  4046882068444	Ø 6 mm 590 daN Price: _____ 00112-0600-228 Polypropylene Rope, 6mm, white  4046882068451	Ø 8 mm 1040 daN Price: _____ 00112-0800-150 Polypropylene Rope, 8mm, orange  4046882032520	
Ø 8 mm 1040 daN Price: _____ 00112-0800-188 Polypropylene Rope, 8mm, black  4046882068482	Ø 8 mm 1040 daN Price: _____ 00112-0800-228 Polypropylene Rope, 8mm, white  4046882068499	Ø 10 mm 1530 daN Price: _____ 00112-1000-150 Polypropylene Rope, 10mm, orange  4046882032537	Ø 10 mm 1530 daN Price: _____ 00112-1000-188 Polypropylene Rope, 10mm, black  4046882068512	
Ø 10 mm 1530 daN Price: _____ 00112-1000-228 Polypropylene Rope, 10mm, white  4046882068529	Ø 12 mm 2170 daN Price: _____ 00112-1200-150 Polypropylene Rope, 12mm, orange  4046882032544	Ø 12 mm 2170 daN Price: _____ 00112-1200-188 Polypropylene Rope, 12mm, black  4046882068536	Ø 12 mm 2170 daN Price: _____ 00112-1200-228 Polypropylene Rope, 12mm, white  4046882068543	
Ø 14 mm 2990 daN Price: _____ 00112-1400-150 Polypropylene Rope, 14mm, orange  4046882039215	Ø 14 mm 2990 daN Price: _____ 00112-1400-188 Polypropylene Rope, 14mm, black  4046882068567	Ø 14 mm 2990 daN Price: _____ 00112-1400-228 Polypropylene Rope, 14mm, white  4046882068574	Ø 16 mm 3700 daN Price: _____ 00112-1600-188 Polypropylene Rope, 16mm, black  4046882039222	
Ø 16 mm 3700 daN Price: _____ 00112-1600-228 Polypropylene Rope, 16mm, white  4046882068598				

	Sisal Ropes				00113		
	100% sisal, natural, shorn Stretch characteristics: 15%						
Ø 6 mm310 daN Price: _____ 00113-0600-140 Sisal Rope, 6mm, nature  4046882035460		Ø 8 mm425 daN Price: _____ 00113-0800-140 Sisal Rope, 8mm, nature  4046882030359		Ø 10 mm560 daN Price: _____ 00113-1000-140 Sisal Rope, 10mm, nature  4046882030366		Ø 12 mm840 daN Price: _____ 00113-1200-140 Sisal Rope, 12mm, nature  4046882030373	
Ø 14 mm1100 daN Price: _____ 00113-1400-140 Sisal Rope, 14mm, nature  4046882068901		Ø 16 mm1490 daN Price: _____ 00113-1600-140 Sisal Rope, 16mm, nature  4046882068918					

	Hemp Ropes				00114		
	100% natural hemp, DIN 83325						
Ø 6 mm 260 daN Price: _____ 00114-0600-140 Hemp Rope, 6mm, nature 4046882035552		Ø 8 mm 410 daN Price: _____ 00114-0800-140 Hemp Rope, 8mm, nature 4046882157759		Ø 10 mm 640 daN Price: _____ 00114-1000-140 Hemp Rope, 10mm, nature 4046882157766		Ø 12 mm 980 daN Price: _____ 00114-1200-140 Hemp Rope, 12mm, nature 4046882157773	
Ø 14 mm 1250 daN Price: _____ 00114-1400-140 Hemp Rope, 14mm, nature 4046882042024		Ø 16 mm 1660 daN Price: _____ 00114-1600-140 Hemp Rope, 16mm, nature 4046882035477		Ø 18 mm 2050 daN Price: _____ 00114-1800-140 Hemp Rope, 18mm, nature 4046882042031		Ø 20 mm 2530 daN Price: _____ 00114-2000-140 Hemp Rope, 20mm, nature 4046882042048	
Ø 22 mm 2950 daN Price: _____ 00114-2200-140 Hemp Rope, 22mm, nature 4046882042062		Ø 24 mm 3620 daN Price: _____ 00114-2400-140 Hemp Rope, 24mm, nature 4046882157780					

LIROS Prestretch

00121

For use as halyards and control lines for yachts up to 11 m – heat set. 3-strand or 8-plait Polyester. White with guarantee yarn in blue/gold or coloured with LIROS blue/gold fleck.

- Stretch characteristics 4%
- low stretch, inexpensive Polyester halyard for smaller boats and ; traditional cruising yachts
- 3-strand, very easy to splice

Ø 4
mm

420
daN

Price:

00121-0400-228

Prestretch, 4mm,
white



4046882030922

Ø 5
mm

600
daN

Price:

00121-0500-228

Prestretch, 5mm,
white



4046882030601

Ø 6
mm

820
daN

Price:

00121-0600-228

Prestretch, 6mm,
white



4046882030663

Ø 8
mm

1400
daN

Price:

00121-0800-228

Prestretch, 8mm,
white



4046882030748

Ø 10
mm

2300
daN

Price:

00121-1000-228

Prestretch, 10mm,
white



4046882030793

Ø 12
mm

2800
daN

Price:

00121-1200-228

Prestretch, 12mm,
white



4046882030847

Ø 14
mm

4250
daN

Price:

00121-1400-228

Prestretch, 14mm,
white



4046882030878

				LIROS Prestretch		00122
For use as halyards and control lines for yachts up to 11 m – heat set. 3-strand or 8-plait Polyester. White with guarantee yarn in blue/gold or coloured with LIROS blue/gold fleck. ▪ Stretch characteristics 4% ▪ low stretch, inexpensive Polyester halyard for smaller boats and traditional; cruising yachts						
Ø 4 mm 420 daN Price: _____ 00122-0400-010 Prestretch, 4mm, blue  4046882031097	Ø 4 mm 420 daN Price: _____ 00122-0400-171 Prestretch, 4mm, red  4046882031080	Ø 4 mm 420 daN Price: _____ 00122-0400-188 Prestretch, 4mm, black  4046882031127	Ø 4 mm 420 daN Price: _____ 00122-0400-228 Prestretch, 4mm, white  4046882031110			
Ø 5 mm 580 daN Price: _____ 00122-0500-010 Prestretch, 5mm, blue  4046882029223	Ø 5 mm 580 daN Price: _____ 00122-0500-171 Prestretch, 5mm, red  4046882036559	Ø 5 mm 580 daN Price: _____ 00122-0500-188 Prestretch, 5mm, black  4046882029254	Ø 5 mm 580 daN Price: _____ 00122-0500-228 Prestretch, 5mm, white  4046882029247			
Ø 6 mm 800 daN Price: _____ 00122-0600-010 Prestretch, 6mm, blue  4046882028288	Ø 6 mm 800 daN Price: _____ 00122-0600-171 Prestretch, 6mm, red  4046882028271	Ø 6 mm 800 daN Price: _____ 00122-0600-188 Prestretch, 6mm, black  4046882028295	Ø 6 mm 800 daN Price: _____ 00122-0600-228 Prestretch, 6mm, white  4046882028264			
Ø 8 mm 1500 daN Price: _____ 00122-0800-010 Prestretch, 8mm, blue  4046882029278	Ø 8 mm 1500 daN Price: _____ 00122-0800-171 Prestretch, 8mm, red  4046882029261	Ø 8 mm 1500 daN Price: _____ 00122-0800-188 Prestretch, 8mm, black  4046882029308	Ø 8 mm 1500 daN Price: _____ 00122-0800-228 Prestretch, 8mm, white  4046882029292			
Ø 10 mm 2300 daN Price: _____ 00122-1000-010 Prestretch, 10mm, blue  4046882036825	Ø 10 mm 2300 daN Price: _____ 00122-1000-171 Prestretch, 10mm, red  4046882029315	Ø 10 mm 2300 daN Price: _____ 00122-1000-188 Prestretch, 10mm, black  4046882029346	Ø 10 mm 2300 daN Price: _____ 00122-1000-228 Prestretch, 10mm, white  4046882029322			



LIROS Bolt Rope

00124

High quality bolt rope. High twist 3-strand Polyester with low shrink properties in white with black fleck. round

- compact
- low-shrinking

Ø 5 mm 500 daN Price: _____ 00124-0500-228 Bolt Rope, 5mm, white  4046882039055	Ø 6 mm 870 daN Price: _____ 00124-0600-228 Bolt Rope, 6mm, white  4046882032452	Ø 7 mm 870 daN Price: _____ 00124-0700-228 Bolt Rope, 7mm, white  4046882032469	Ø 8 mm 1190 daN Price: _____ 00124-0800-228 Bolt Rope, 8mm, white  4046882032438
Ø 9 mm 1260 daN Price: _____ 00124-0900-228 Bolt Rope, 9mm, white  4046882028301	Ø 10 mm Price: _____ 00124-1000-228 Bolt Rope, 10mm, white  4046882032476	Ø 11 mm Price: _____ 00124-1100-228 Bolt Rope, 11mm, white  4046882039062	Ø 12 mm Price: _____ 00124-1200-228 Bolt Rope, 12mm, white  4046882032483

LIROS Moorex 12

00132

A new generation of mooring warp. Extremely flexible combining great handling and ease of use. Very stretchy which removes the need for a mooring shock absorber. Special construction – a hollow braid for ease splicing together with high for a mooring shock absorber. Stretch characteristics 20%

- very easy to handle
- quick splice construction
- high stretch removes need for mooring rubber
- available pre spliced

Ø 10 mm 2400 daN Price: _____ 00132-1000-130 Moorex 12, 10mm, navy  4046882023610	Ø 10 mm 2400 daN Price: _____ 00132-1000-188 Moorex 12, 10mm, black  4046882023627	Ø 12 mm 3000 daN Price: _____ 00132-1200-130 Moorex 12, 12mm, navy  4046882023641	Ø 12 mm 3000 daN Price: _____ 00132-1200-188 Moorex 12, 12mm, black  4046882023658
Ø 14 mm 4000 daN Price: _____ 00132-1400-130 Moorex 12, 14mm, navy  4046882023672	Ø 14 mm 4000 daN Price: _____ 00132-1400-188 Moorex 12, 14mm, black  4046882023689	Ø 16 mm 4600 daN Price: _____ 00132-1600-130 Moorex 12, 16mm, navy  4046882023702	Ø 16 mm 4600 daN Price: _____ 00132-1600-188 Moorex 12, 16mm, black  4046882023719
Ø 18 mm 5300 daN Price: _____ 00132-1800-130 Moorex 12, 18mm, navy  4046882023733	Ø 18 mm 5300 daN Price: _____ 00132-1800-188 Moorex 12, 18mm, black  4046882023740	Ø 20 mm 7200 daN Price: _____ 00132-2000-130 Moorex 12, 20mm, navy  4046882023764	Ø 20 mm 7200 daN Price: _____ 00132-2000-188 Moorex 12, 20mm, black  4046882023771
Ø 22 mm 8600 daN Price: _____ 00132-2200-130 Moorex 12, 22mm, navy  4046882037112	Ø 22 mm 8600 daN Price: _____ 00132-2200-188 Moorex 12, 22mm, black  4046882023795		

LIROS Porto

00133

Very easy to handle mooring and anchor line in a cover-core construction made of 100% Polyester. Extremely tensile and resistant to abrasion, will not stiffen up. Special twine construction assures high elasticity. Stretch characteristics 15 %

- very easy to splice
- very easy to handle
- high strength and excellent abrasion resistance
- the construction gives excellent flexibility and high stretch characteristics

Ø 8
mm

1650
daN

Price:

00133-0800-130
Porto, 8mm, navy



4046882038720

Ø 8
mm

1650
daN

Price:

00133-0800-188
Porto, 8mm, black



4046882038737

Ø 8
mm

1650
daN

Price:

00133-0800-239
Porto, 8mm, white-black



4046882025676

Ø 8
mm

1650
daN

Price:

00133-0800-529
Porto, 8mm, silver without flecks



4046882057189

Ø 10
mm

2300
daN

Price:

00133-1000-130
Porto, 10mm, navy



4046882038805

Ø 10
mm

2300
daN

Price:

00133-1000-188
Porto, 10mm, black



4046882025706

Ø 10
mm

2300
daN

Price:

00133-1000-239
Porto, 10mm, white-black



4046882025690

Ø 10
mm

2300
daN

Price:

00133-1000-529
Porto, 10mm, silver without flecks



4046882057196

Ø 12
mm

2900
daN

Price:

00133-1200-130
Porto, 12mm, navy



4046882038812

Ø 12
mm

2900
daN

Price:

00133-1200-188
Porto, 12mm, black



4046882025768

Ø 12
mm

2900
daN

Price:

00133-1200-239
Porto, 12mm, white-black



4046882025751

Ø 12
mm

2900
daN

Price:

00133-1200-529
Porto, 12mm, silver without flecks



4046882038829

Ø 14
mm

3700
daN

Price:

00133-1400-130
Porto, 14mm, navy



4046882038553

Ø 14
mm

3700
daN

Price:

00133-1400-188
Porto, 14mm, black



4046882025836

Ø 14
mm

3700
daN

Price:

00133-1400-239
Porto, 14mm, white-black



4046882025829

Ø 14
mm

3700
daN

Price:

00133-1400-529
Porto, 14mm, silver without flecks



4046882025805

Ø 16
mm

4900
daN

Price:

00133-1600-130
Porto, 16mm, navy



4046882038577

Ø 16
mm

4900
daN

Price:

00133-1600-188
Porto, 16mm, black



4046882025867

Ø 16
mm

4900
daN

Price:

00133-1600-239
Porto, 16mm, white-black



4046882025850

Ø 16
mm

4900
daN

Price:

00133-1600-529
Porto, 16mm, silver without flecks



4046882038584

LIROS Porto

00133

Very easy to handle mooring and anchor line in a cover-core construction made of 100% Polyester. Extremely tensile and resistant to abrasion, will not stiffen up. Special twine construction assures high elasticity. Stretch characteristics 15 %

- very easy to splice
- very easy to handle
- high strength and excellent abrasion resistance
- the construction gives excellent flexibility and high stretch characteristics

Ø 18
mm

5300
daN

Price:

00133-1800-130
Porto, 18mm, navy



4046882038836

Ø 18
mm

5300
daN

Price:

00133-1800-188
Porto, 18mm, black



4046882025904

Ø 18
mm

5300
daN

Price:

00133-1800-239
Porto, 18mm, white-black



4046882025898

Ø 18
mm

5300
daN

Price:

00133-1800-529
Porto, 18mm, silver without flecks



4046882038843

Ø 20
mm

6300
daN

Price:

00133-2000-130
Porto, 20mm, navy



4046882025959

Ø 20
mm

6300
daN

Price:

00133-2000-188
Porto, 20mm, black



4046882025973

Ø 20
mm

6300
daN

Price:

00133-2000-239
Porto, 20mm, white-black



4046882025966

Ø 20
mm

6300
daN

Price:

00133-2000-529
Porto, 20mm, silver without flecks



4046882045933

Ø 22
mm

8900
daN

Price:

00133-2200-130
Porto, 22mm, navy



4046882038867

Ø 22
mm

8900
daN

Price:

00133-2200-188
Porto, 22mm, black



4046882026024

Ø 22
mm

8900
daN

Price:

00133-2200-239
Porto, 22mm, white-black



4046882026000

Ø 22
mm

8900
daN

Price:

00133-2200-529
Porto, 22mm, silver without flecks



4046882071178

Ø 24
mm

9600
daN

Price:

00133-2400-130
Porto, 24mm, navy



4046882038874

Ø 24
mm

9600
daN

Price:

00133-2400-188
Porto, 24mm, black



4046882026055

Ø 24
mm

9600
daN

Price:

00133-2400-239
Porto, 24mm, white-black



4046882026048

Ø 24
mm

9600
daN

Price:

00133-2400-529
Porto, 24mm, silver without flecks



4046882071185

LIROS Handy Elastic

00136

New type of highly elastic rope in a cover-core construction for mooring, anchoring and towing. Its special construction and the use of highly elastic fibres allow this line to be used in extreme situations, even without shock absorbers. Abrasion resistant 1:1-plait made of 100% Polyamide, highly elastic. Stretch characteristics 20%

- very easy to splice
- highly elastic
- very tensile and abrasion resistant
- very easy to handle
- by request available up to 40 mm Ø

Ø 8 mm 1600 daN Price: _____ 00136-0800-142 Handy-Elastic, 8mm, navy-yellow  4046882010245	Ø 8 mm 1600 daN Price: _____ 00136-0800-188 Handy-Elastic, 8mm, black  4046882010269	Ø 10 mm 2500 daN Price: _____ 00136-1000-142 Handy-Elastic, 10mm, navy-yellow  4046882010290	Ø 10 mm 2500 daN Price: _____ 00136-1000-188 Handy-Elastic, 10mm, black  4046882010306
Ø 12 mm 3900 daN Price: _____ 00136-1200-142 Handy-Elastic, 12mm, navy-yellow  4046882047036	Ø 12 mm 3900 daN Price: _____ 00136-1200-188 Handy-Elastic, 12mm, black  4046882010344	Ø 14 mm 4800 daN Price: _____ 00136-1400-142 Handy-Elastic, 14mm, navy-yellow  4046882010368	Ø 14 mm 4800 daN Price: _____ 00136-1400-188 Handy-Elastic, 14mm, black  4046882010375
Ø 16 mm 6000 daN Price: _____ 00136-1600-142 Handy-Elastic, 16mm, navy-yellow  4046882010399	Ø 16 mm 6000 daN Price: _____ 00136-1600-188 Handy-Elastic, 16mm, black  4046882010405	Ø 18 mm 8500 daN Price: _____ 00136-1800-142 Handy-Elastic, 18mm, navy-yellow  4046882010436	Ø 18 mm 8500 daN Price: _____ 00136-1800-188 Handy-Elastic, 18mm, black  4046882010443
Ø 20 mm 9900 daN Price: _____ 00136-2000-142 Handy-Elastic, 20mm, navy-yellow  4046882010467	Ø 20 mm 9900 daN Price: _____ 00136-2000-188 Handy-Elastic, 20mm, black  4046882010481	Ø 22 mm 10600 daN Price: _____ 00136-2200-142 Handy-Elastic, 22mm, navy-yellow  4046882010528	Ø 22 mm 10600 daN Price: _____ 00136-2200-188 Handy-Elastic, 22mm, black  4046882010535
Ø 24 mm 12000 daN Price: _____ 00136-2400-142 Handy-Elastic, 24mm, navy-yellow  4046882010566	Ø 24 mm 12000 daN Price: _____ 00136-2400-188 Handy-Elastic, 24mm, black  4046882010573		

LIROS Handy Elastic

00137

The top performer in LIROS tests. High-stretch, extremely abrasion resistant mooring line, towline, or anchor line. Specially designed with high elasticity fibres. Can be used for shock absorption in extreme settings.

- working stretch > 20%
- very easy to splice
- highly elastic and highly UV-stable
- extremely abrasion resistant
- very easy to handle
- up to 40 mm diameter available upon request



Ø 8 mm 1600 daN Price: _____ 00137-0800-289 Handy-Elastic, 8mm, white-black-red  4046882024099	Ø 10 mm 2500 daN Price: _____ 00137-1000-289 Handy-Elastic, 10mm, white-black-red  4046882024105	Ø 12 mm 3900 daN Price: _____ 00137-1200-289 Handy-Elastic, 12mm, white-black-red  4046882024112	Ø 14 mm 4800 daN Price: _____ 00137-1400-289 Handy-Elastic, 14mm, white-black-red  4046882024129
Ø 16 mm 6000 daN Price: _____ 00137-1600-289 Handy-Elastic, 16mm, white-black-red  4046882024136	Ø 18 mm 8500 daN Price: _____ 00137-1800-289 Handy-Elastic, 18mm, white-black-red  4046882024143	Ø 20 mm 9900 daN Price: _____ 00137-2000-289 Handy-Elastic, 20mm, white-black-red  4046882024150	Ø 22 mm 10600 daN Price: _____ 00137-2200-289 Handy-Elastic, 22mm, white-black-red  4046882024167
Ø 24 mm 12000 daN Price: _____ 00137-2400-289 Handy-Elastic, 24mm, white-black-red  4046882024174			

LIROS Aramide

00144

Very low stretch and high tensile Aramide line with intermediate cover and additional Polyester plait. Stretch characteristics 1,5%

- especially tensile
- extremely low stretch quality
- optimised UV-resistance through Polyester cover

Ø 2 mm 170 daN Price: _____ 00144-0200-188 Aramid, 2mm, black  4046882041904	Ø 2 mm 170 daN Price: _____ 00144-0200-236 Aramid, 2mm, white-red  4046882041881	Ø 2,5 mm 260 daN Price: _____ 00144-0250-188 Aramid, 2.5mm, black  4046882041935	Ø 2,5 mm 260 daN Price: _____ 00144-0250-236 Aramid, 2.5mm, white-red  4046882041928
Ø 3,5 mm 500 daN Price: _____ 00144-0350-188 Aramid, 3.5mm, black  4046882071857	Ø 3,5 mm 500 daN Price: _____ 00144-0350-236 Aramid, 3.5mm, white-red  4046882041942	Ø 5 mm 800 daN Price: _____ 00144-0500-188 Aramid, 5mm, black  4046882071994	Ø 5 mm 800 daN Price: _____ 00144-0500-236 Aramid, 5mm, white-red  4046882041966
Ø 6 mm 1100 daN Price: _____ 00144-0600-188 Aramid, 6mm, black  4046882072106	Ø 6 mm 1100 daN Price: _____ 00144-0600-236 Aramid, 6mm, white-red  4046882041973	Ø 8 mm 2000 daN Price: _____ 00144-0800-188 Aramid, 8mm, black  4046882072274	Ø 8 mm 2000 daN Price: _____ 00144-0800-236 Aramid, 8mm, white-red  4046882041980
Ø 10 mm 2600 daN Price: _____ 00144-1000-188 Aramid, 10mm, black  4046882030410	Ø 10 mm 2600 daN Price: _____ 00144-1000-236 Aramid, 10mm, white-red  4046882041997	Ø 12 mm 3600 daN Price: _____ 00144-1200-188 Aramid, 12mm, black  4046882072427	Ø 12 mm 3600 daN Price: _____ 00144-1200-236 Aramid, 12mm, white-red  4046882042000
Ø 14 mm 5200 daN Price: _____ 00144-1400-188 Aramid, 14mm, black  4046882072489	Ø 14 mm 5200 daN Price: _____ 00144-1400-236 Aramid, 14mm, white-red  4046882042017		

LIROS Aramide Braided Cord

00147

Very tensile and low stretch braided line for special use in industry and leisure activities. Stretch characteristics 1,5%

- extremely heat-resistant
- especially tensile
- low stretching, excellent for replacing steel wire
- individual adaptation concerning length
- other diameters available on request

Ø 0,4 mm 45 daN Price: _____ 00147-0040-059 Aramid Cord, 0,4mm, yellow  4046882073011	Ø 0,9 mm 80 daN Price: _____ 00147-0090-059 Aramid Cord, 0,9mm, yellow  4046882073028	Ø 1 mm 100 daN Price: _____ 00147-0100-059 Aramid Cord, 1mm, yellow  4046882073035	Ø 1,5 mm 135 daN Price: _____ 00147-0150-059 Aramid Cord, 1,5mm, yellow  4046882073059
Ø 2 mm 250 daN Price: _____ 00147-0200-059 Aramid Cord, 2mm, yellow  4046882073073	Ø 2,1 mm 290 daN Price: _____ 00147-0210-059 Aramid Cord, 2,1mm, yellow  4046882073097	Ø 3 mm 560 daN Price: _____ 00147-0300-059 Aramid Cord, 3mm, yellow  4046882073110	Ø 4 mm 700 daN Price: _____ 00147-0400-059 Aramid Cord, 4mm, yellow  4046882073127
Ø 5 mm 1000 daN Price: _____ 00147-0500-059 Aramid Cord, 5mm, yellow  4046882054164	Ø 6 mm 2000 daN Price: _____ 00147-0600-059 Aramid Cord, 6mm, yellow  4046882054171		

LIROS Braided Dyneema® Cord “fine lines”

00148

LIROS offers a comprehensive range of braided Dyneema lines which can be used in industry as well as the nautical and aviation environments. Stretch characteristics 1%

- high breaking strength
- lowest stretch characteristics
- available up 0,06 mm to 2,5 mm
- custom lengths and colours on demand
- standard reel size 500-m-X-Spool

Ø 0,06 mm 3,8 daN Price: _____ 00148-0006-228 Dyneema Braid, 0,06mm, white  4046882073219	Ø 0,14 mm 8 daN Price: _____ 00148-0014-228 Dyneema Braid, 0,14mm, white  4046882073264	Ø 0,18 mm 11,5 daN Price: _____ 00148-0018-228 Dyneema Braid, 0,18mm, white  4046882073288	Ø 0,24 mm 16 daN Price: _____ 00148-0024-228 Dyneema Braid, 0,24mm, white  4046882073318
Ø 0,3 mm 25 daN Price: _____ 00148-0030-228 Dyneema Braid, 0,3mm, white  4046882073370	Ø 0,4 mm 36 daN Price: _____ 00148-0040-228 Dyneema Braid, 0,4mm, white  4046882073400	Ø 0,6 mm 60 daN Price: _____ 00148-0060-228 Dyneema Braid, 0,6mm, white  4046882073431	Ø 0,8 mm 90 daN Price: _____ 00148-0080-228 Dyneema Braid, 0,8mm, white  4046882073479
Ø 1 mm 115 daN Price: _____ 00148-0100-228 Dyneema Braid, 1mm, white  4046882032636	Ø 1,3 mm 193 daN Price: _____ 00148-0131-228 Safety Line Dyneema, 1,3mm, white  4046882073646	Ø 1,5 mm 175 daN Price: _____ 00148-0150-228 Dyneema Braid, 1,5mm, white  4046882032650	Ø 2 mm 200 daN Price: _____ 00148-0200-228 Dyneema Braid, 2mm, white  4046882073769
Ø 2,5 mm 430 daN Price: _____ 00148-0250-228 Dyneema Braid, 2,5mm, white  4046882073929	Ø 4,2 mm 800 daN Price: _____ 00148-0419-228 Surf, 4,2mm, white  4046882046718		

	LIROS Allround			00151	
	Low-cost allround sheet and spinnaker sheet made of high tenacity fibres for cruising yacht sailors, minimal water absorption, easy to handle and resistant to abrasion – heat set.				
	▪ Stretch characteristics 8% ▪ low-cost, winch suitable sheet, easy to handle ▪ cover construction with good abrasion resistance ▪ minimal water absorption, qualified for yachts up to 40 feet				
Ø 6 mm 800 daN Price: _____ 00151-0600-229 Allround, 6mm, white-blue  4046882007337		Ø 6 mm 800 daN Price: _____ 00151-0600-232 Allround, 6mm, white-green  4046882007351		Ø 6 mm 800 daN Price: _____ 00151-0600-236 Allround, 6mm, white-red  4046882007320	
Ø 8 mm 1400 daN Price: _____ 00151-0800-232 Allround, 8mm, white-green  4046882007481		Ø 8 mm 1400 daN Price: _____ 00151-0800-236 Allround, 8mm, white-red  4046882007450		Ø 10 mm 2200 daN Price: _____ 00151-1000-229 Allround, 10mm, white-blue  4046882007603	
Ø 10 mm 2200 daN Price: _____ 00151-1000-236 Allround, 10mm, white-red  4046882007597		Ø 12 mm 2600 daN Price: _____ 00151-1200-229 Allround, 12mm, white-blue  4046882007733		Ø 12 mm 2600 daN Price: _____ 00151-1200-232 Allround, 12mm, white-green  4046882007757	
Ø 14 mm 3300 daN Price: _____ 00151-1400-229 Allround, 14mm, white-blue  4046882007801		Ø 14 mm 3300 daN Price: _____ 00151-1400-232 Allround, 14mm, white-green  4046882007825		Ø 14 mm 3300 daN Price: _____ 00151-1400-236 Allround, 14mm, white-red  4046882007795	
Ø 16 mm 3900 daN Price: _____ 00151-1600-232 Allround, 16mm, white-green  4046882007894		Ø 16 mm 3900 daN Price: _____ 00151-1600-236 Allround, 16mm, white-red  4046882007870			

				LIROS Top-Cruising	00152
Very high tensile strength, nonkinking, long lasting sheet made of 100% Polyester. For use as mainsail and headsail and spinnaker sheets. Ideal for blue water sailing, easy to splice – heat set. Stretch characteristics 5% - the traditional sheet for sailing yachts of every size - nonkinking, with abrasion resistant cover, high strength - allround line, easy to splice					
Ø 4 mm 450 daN Price: _____ 00152-0400-228 Top Cruising, 4mm, white  4046882018913	Ø 4 mm 450 daN Price: _____ 00152-0400-229 Top Cruising, 4mm, white-blue  4046882018937	Ø 4 mm 450 daN Price: _____ 00152-0400-231 Top Cruising, 4mm, white-yellow  4046882018944	Ø 4 mm 450 daN Price: _____ 00152-0400-232 Top Cruising, 4mm, white-green  4046882018951		
Ø 4 mm 450 daN Price: _____ 00152-0400-236 Top Cruising, 4mm, white-red  4046882018920	Ø 4 mm 450 daN Price: _____ 00152-0400-239 Top Cruising, 4mm, white-black  4046882018968	Ø 5 mm 780 daN Price: _____ 00152-0500-228 Top Cruising, 5mm, white  4046882018975	Ø 5 mm 780 daN Price: _____ 00152-0500-229 Top Cruising, 5mm, white-blue  4046882018999		
Ø 5 mm 780 daN Price: _____ 00152-0500-231 Top Cruising, 5mm, white-yellow  4046882019002	Ø 5 mm 780 daN Price: _____ 00152-0500-232 Top Cruising, 5mm, white-green  4046882019019	Ø 5 mm 780 daN Price: _____ 00152-0500-236 Top Cruising, 5mm, white-red  4046882018982	Ø 5 mm 780 daN Price: _____ 00152-0500-239 Top Cruising, 5mm, white-black  4046882019026		
Ø 6 mm 1100 daN Price: _____ 00152-0600-228 Top Cruising, 6mm, white  4046882018845	Ø 6 mm 1100 daN Price: _____ 00152-0600-229 Top Cruising, 6mm, white-blue  4046882018869	Ø 6 mm 1100 daN Price: _____ 00152-0600-231 Top Cruising, 6mm, white-yellow  4046882018876	Ø 6 mm 1100 daN Price: _____ 00152-0600-232 Top Cruising, 6mm, white-green  4046882018883		
Ø 6 mm 1100 daN Price: _____ 00152-0600-236 Top Cruising, 6mm, white-red  4046882018852	Ø 6 mm 1100 daN Price: _____ 00152-0600-239 Top Cruising, 6mm, white-black  4046882018890	Ø 7 mm 1300 daN Price: _____ 00152-0700-228 Top Cruising, 7mm, white  4046882019033	Ø 7 mm 1300 daN Price: _____ 00152-0700-229 Top Cruising, 7mm, white-blue  4046882019057		

		LIROS Top-Cruising		00152
		Very high tensile strength, nonkinking, long lasting sheet made of 100% Polyester. For use as mainsail and headsail and spinnaker sheets. Ideal for blue water sailing, easy to splice – heat set. Stretch characteristics 5% ▪ the traditional sheet for sailing yachts of every size ▪ nonkinking, with abrasion resistant cover, high strength ▪ allround line, easy to splice		
Ø 7 mm 1300 daN Price: _____ 00152-0700-231 Top Cruising, 7mm, white-yellow  4046882019064	Ø 7 mm 1300 daN Price: _____ 00152-0700-232 Top Cruising, 7mm, white-green  4046882019071	Ø 7 mm 1300 daN Price: _____ 00152-0700-236 Top Cruising, 7mm, white-red  4046882019040	Ø 7 mm 1300 daN Price: _____ 00152-0700-239 Top Cruising, 7mm, white-black  4046882019088	
Ø 8 mm 1650 daN Price: _____ 00152-0800-228 Top Cruising, 8mm, white  4046882019095	Ø 8 mm 1650 daN Price: _____ 00152-0800-229 Top Cruising, 8mm, white-blue  4046882019118	Ø 8 mm 1650 daN Price: _____ 00152-0800-231 Top Cruising, 8mm, white-yellow  4046882019125	Ø 8 mm 1650 daN Price: _____ 00152-0800-232 Top Cruising, 8mm, white-green  4046882019132	
Ø 8 mm 1650 daN Price: _____ 00152-0800-236 Top Cruising, 8mm, white-red  4046882019101	Ø 8 mm 1650 daN Price: _____ 00152-0800-239 Top Cruising, 8mm, white-black  4046882019149	Ø 10 mm 2700 daN Price: _____ 00152-1000-228 Top Cruising, 10mm, white  4046882019156	Ø 10 mm 2700 daN Price: _____ 00152-1000-229 Top Cruising, 10mm, white-blue  4046882019170	
Ø 10 mm 2700 daN Price: _____ 00152-1000-231 Top Cruising, 10mm, white-yellow  4046882019187	Ø 10 mm 2700 daN Price: _____ 00152-1000-232 Top Cruising, 10mm, white-green  4046882019194	Ø 10 mm 2700 daN Price: _____ 00152-1000-236 Top Cruising, 10mm, white-red  4046882019163	Ø 10 mm 2700 daN Price: _____ 00152-1000-239 Top Cruising, 10mm, white-black  4046882019200	
Ø 12 mm 3200 daN Price: _____ 00152-1200-228 Top Cruising, 12mm, white  4046882019217	Ø 12 mm 3200 daN Price: _____ 00152-1200-229 Top Cruising, 12mm, white-blue  4046882019231	Ø 12 mm 3200 daN Price: _____ 00152-1200-231 Top Cruising, 12mm, white-yellow  4046882019248	Ø 12 mm 3200 daN Price: _____ 00152-1200-232 Top Cruising, 12mm, white-green  4046882019255	

		LIROS Top-Cruising		00152
		Very high tensile strength, nonkinking, long lasting sheet made of 100% Polyester. For use as mainsail and headsail and spinnaker sheets. Ideal for blue water sailing, easy to splice – heat set. Stretch characteristics 5% ▪ the traditional sheet for sailing yachts of every size ▪ nonkinking, with abrasion resistant cover, high strength ▪ allround line, easy to splice		
Ø 12 mm 3200 daN Price: _____ 00152-1200-236 Top Cruising, 12mm, white-red  4046882019224	Ø 12 mm 3200 daN Price: _____ 00152-1200-239 Top Cruising, 12mm, white-black  4046882019262	Ø 14 mm 3800 daN Price: _____ 00152-1400-228 Top Cruising, 14mm, white  4046882019279	Ø 14 mm 3800 daN Price: _____ 00152-1400-229 Top Cruising, 14mm, white-blue  4046882019293	
Ø 14 mm 3800 daN Price: _____ 00152-1400-231 Top Cruising, 14mm, white-yellow  4046882019309	Ø 14 mm 3800 daN Price: _____ 00152-1400-232 Top Cruising, 14mm, white-green  4046882019316	Ø 14 mm 3800 daN Price: _____ 00152-1400-236 Top Cruising, 14mm, white-red  4046882019286	Ø 14 mm 3800 daN Price: _____ 00152-1400-239 Top Cruising, 14mm, white-black  4046882019323	
Ø 16 mm 5000 daN Price: _____ 00152-1600-228 Top Cruising, 16mm, white  4046882019330	Ø 16 mm 5000 daN Price: _____ 00152-1600-229 Top Cruising, 16mm, white-blue  4046882019354	Ø 16 mm 5000 daN Price: _____ 00152-1600-231 Top Cruising, 16mm, white-yellow  4046882019361	Ø 16 mm 5000 daN Price: _____ 00152-1600-232 Top Cruising, 16mm, white-green  4046882019378	
Ø 16 mm 5000 daN Price: _____ 00152-1600-236 Top Cruising, 16mm, white-red  4046882019347	Ø 16 mm 5000 daN Price: _____ 00152-1600-239 Top Cruising, 16mm, white-black  4046882019385	Ø 18 mm 6500 daN Price: _____ 00152-1800-228 Top Cruising, 18mm, white  4046882019392	Ø 18 mm 6500 daN Price: _____ 00152-1800-229 Top Cruising, 18mm, white-blue  4046882019415	
Ø 18 mm 6500 daN Price: _____ 00152-1800-231 Top Cruising, 18mm, white-yellow  4046882019422	Ø 18 mm 6500 daN Price: _____ 00152-1800-232 Top Cruising, 18mm, white-green  4046882019439	Ø 18 mm 6500 daN Price: _____ 00152-1800-236 Top Cruising, 18mm, white-red  4046882019408	Ø 18 mm 6500 daN Price: _____ 00152-1800-239 Top Cruising, 18mm, white-black  4046882019446	



LIROS Top-Cruising

00152

Very high tensile strength, nonkinking, long lasting sheet made of 100% Polyester. For use as mainsail and headsail and spinnaker sheets. Ideal for blue water sailing, easy to splice – heat set. Stretch characteristics 5%

- the traditional sheet for sailing yachts of every size
- nonkinking, with abrasion resistant cover, high strength
- allround line, easy to splice

Ø 20 mm 7300 daN Price: _____ 00152-2000-228 Top Cruising, 20mm, white  4046882019453	Ø 20 mm 7300 daN Price: _____ 00152-2000-229 Top Cruising, 20mm, white-blue  4046882019477	Ø 20 mm 7300 daN Price: _____ 00152-2000-231 Top Cruising, 20mm, white-yellow  4046882019484	Ø 20 mm 7300 daN Price: _____ 00152-2000-232 Top Cruising, 20mm, white-green  4046882019491
Ø 20 mm 7300 daN Price: _____ 00152-2000-236 Top Cruising, 20mm, white-red  4046882019460	Ø 20 mm 7300 daN Price: _____ 00152-2000-239 Top Cruising, 20mm, white-black  4046882019507		

LIROS Herkules

00154

Very resilient, extremely multi-functional rope of the highest quality, especially designed for sheets, halyards and trim lines, suitable for yachts of every size, very durable and low stretch, easily spliced to wire – thermo fixed. Very good adhesion on winch drums, abrasion resistant cover, nonkinking. Best choice for cruising yachts.

- Stretch characteristics 5%
- very high quality line for the demanding cruising yacht sailor
- universally usable as sheet, halyard or control line
- easy to splice and absolutely nonkinking
- excellent abrasion resistance



Ø 4 mm 400 daN Price: _____ 00154-0400-228 Herkules, 4mm, white 4046882018036	Ø 4 mm 400 daN Price: _____ 00154-0400-229 Herkules, 4mm, white-blue 4046882018050	Ø 4 mm 400 daN Price: _____ 00154-0400-231 Herkules, 4mm, white-yellow 4046882018067	Ø 4 mm 400 daN Price: _____ 00154-0400-232 Herkules, 4mm, white-green 4046882018074
Ø 4 mm 400 daN Price: _____ 00154-0400-236 Herkules, 4mm, white-red 4046882018043	Ø 4 mm 400 daN Price: _____ 00154-0400-239 Herkules, 4mm, white-black 4046882018081	Ø 5 mm 650 daN Price: _____ 00154-0500-228 Herkules, 5mm, white 4046882018104	Ø 5 mm 650 daN Price: _____ 00154-0500-229 Herkules, 5mm, white-blue 4046882018128
Ø 5 mm 650 daN Price: _____ 00154-0500-231 Herkules, 5mm, white-yellow 4046882018135	Ø 5 mm 650 daN Price: _____ 00154-0500-232 Herkules, 5mm, white-green 4046882018142	Ø 5 mm 650 daN Price: _____ 00154-0500-236 Herkules, 5mm, white-red 4046882018111	Ø 5 mm 650 daN Price: _____ 00154-0500-239 Herkules, 5mm, white-black 4046882018159
Ø 6 mm 800 daN Price: _____ 00154-0600-228 Herkules, 6mm, white 4046882006286	Ø 6 mm 800 daN Price: _____ 00154-0600-229 Herkules, 6mm, white-blue 4046882168038	Ø 6 mm 800 daN Price: _____ 00154-0600-231 Herkules, 6mm, white-yellow 4046882006347	Ø 6 mm 800 daN Price: _____ 00154-0600-232 Herkules, 6mm, white-green 4046882168045
Ø 6 mm 800 daN Price: _____ 00154-0600-236 Herkules, 6mm, white-red 4046882168052	Ø 6 mm 800 daN Price: _____ 00154-0600-239 Herkules, 6mm, white-black 4046882006361	Ø 8 mm 1600 daN Price: _____ 00154-0800-228 Herkules, 8mm, white 4046882000017	Ø 8 mm 1600 daN Price: _____ 00154-0800-229 Herkules, 8mm, white-blue 4046882168212

LIROS Herkules

00154

Very resilient, extremely multi-functional rope of the highest quality, especially designed for sheets, halyards and trim lines, suitable for yachts of every size, very durable and low stretch, easily spliced to wire – thermo fixed. Very good adhesion on winch drums, abrasion resistant cover, nonkinking. Best choice for cruising yachts.

- Stretch characteristics 5%
- very high quality line for the demanding cruising yacht sailor
- universally usable as sheet, halyard or control line
- easy to splice and absolutely nonkinking
- excellent abrasion resistance



Ø 8 mm 1600 daN Price: _____ 00154-0800-231 Herkules, 8mm, white-yellow 4046882006484	Ø 8 mm 1600 daN Price: _____ 00154-0800-232 Herkules, 8mm, white-green 4046882168229	Ø 8 mm 1600 daN Price: _____ 00154-0800-236 Herkules, 8mm, white-red 4046882168236	Ø 8 mm 1600 daN Price: _____ 00154-0800-239 Herkules, 8mm, white-black 4046882006507
Ø 10 mm 2500 daN Price: _____ 00154-1000-228 Herkules, 10mm, white 4046882006644	Ø 10 mm 2500 daN Price: _____ 00154-1000-229 Herkules, 10mm, white-blue 4046882168410	Ø 10 mm 2500 daN Price: _____ 00154-1000-231 Herkules, 10mm, white-yellow 4046882006729	Ø 10 mm 2500 daN Price: _____ 00154-1000-232 Herkules, 10mm, white-green 4046882168427
Ø 10 mm 2500 daN Price: _____ 00154-1000-236 Herkules, 10mm, white-red 4046882168434	Ø 10 mm 2500 daN Price: _____ 00154-1000-239 Herkules, 10mm, white-black 4046882006743	Ø 12 mm 3500 daN Price: _____ 00154-1200-228 Herkules, 12mm, white 4046882006774	Ø 12 mm 3500 daN Price: _____ 00154-1200-229 Herkules, 12mm, white-blue 4046882168441
Ø 12 mm 3500 daN Price: _____ 00154-1200-231 Herkules, 12mm, white-yellow 4046882006798	Ø 12 mm 3500 daN Price: _____ 00154-1200-232 Herkules, 12mm, white-green 4046882168458	Ø 12 mm 3500 daN Price: _____ 00154-1200-236 Herkules, 12mm, white-red 4046882168465	Ø 12 mm 3500 daN Price: _____ 00154-1200-239 Herkules, 12mm, white-black 4046882006866
Ø 14 mm 4500 daN Price: _____ 00154-1400-228 Herkules, 14mm, white 4046882006903	Ø 14 mm 4500 daN Price: _____ 00154-1400-229 Herkules, 14mm, white-blue 4046882006965	Ø 14 mm 4500 daN Price: _____ 00154-1400-231 Herkules, 14mm, white-yellow 4046882006934	Ø 14 mm 4500 daN Price: _____ 00154-1400-232 Herkules, 14mm, white-green 4046882006989

LIROS Herkules

00154

Very resilient, extremely multi-functional rope of the highest quality, especially designed for sheets, halyards and trim lines, suitable for yachts of every size, very durable and low stretch, easily spliced to wire – thermo fixed. Very good adhesion on winch drums, abrasion resistant cover, nonkinking. Best choice for cruising yachts.

- Stretch characteristics 5%
- very high quality line for the demanding cruising yacht sailor
- universally usable as sheet, halyard or control line
- easy to splice and absolutely nonkinking
- excellent abrasion resistance

Ø 14
mm

4500
daN

Price:

00154-1400-236

Herkules, 14mm,
white-red



4046882006958

Ø 14
mm

4500
daN

Price:

00154-1400-239

Herkules, 14mm,
white-black



4046882006996

Ø 16
mm

5000
daN

Price:

00154-1600-228

Herkules, 16mm,
white



4046882007023

Ø 16
mm

5000
daN

Price:

00154-1600-229

Herkules, 16mm,
white-blue



4046882007078

Ø 16
mm

5000
daN

Price:

00154-1600-231

Herkules, 16mm,
white-yellow



4046882007047

Ø 16
mm

5000
daN

Price:

00154-1600-232

Herkules, 16mm,
white-green



4046882007115

Ø 16
mm

5000
daN

Price:

00154-1600-236

Herkules, 16mm,
white-red



4046882007092

Ø 16
mm

5000
daN

Price:

00154-1600-239

Herkules, 16mm,
white-black



4046882007122

Ø 18
mm

6300
daN

Price:

00154-1800-228

Herkules, 18mm,
white



4046882018180

Ø 18
mm

6300
daN

Price:

00154-1800-229

Herkules, 18mm,
white-blue



4046882018210

Ø 18
mm

6300
daN

Price:

00154-1800-231

Herkules, 18mm,
white-yellow



4046882018227

Ø 18
mm

6300
daN

Price:

00154-1800-232

Herkules, 18mm,
white-green



4046882018234

Ø 18
mm

6300
daN

Price:

00154-1800-236

Herkules, 18mm,
white-red



4046882018203

Ø 18
mm

6300
daN

Price:

00154-1800-239

Herkules, 18mm,
white-black



4046882018241

Ø 20
mm

7000
daN

Price:

00154-2000-228

Herkules, 20mm,
white



4046882021364

Ø 20
mm

7000
daN

Price:

00154-2000-229

Herkules, 20mm,
white-blue



4046882021388

Ø 20
mm

7000
daN

Price:

00154-2000-231

Herkules, 20mm,
white-yellow



4046882021395

Ø 20
mm

7000
daN

Price:

00154-2000-232

Herkules, 20mm,
white-green



4046882021401

Ø 20
mm

7000
daN

Price:

00154-2000-236

Herkules, 20mm,
white-red



4046882021371

Ø 20
mm

7000
daN

Price:

00154-2000-239

Herkules, 20mm,
white-black



4046882021418

LIROS Herkules

00154

Very resilient, extremely multi-functional rope of the highest quality, especially designed for sheets, halyards and trim lines, suitable for yachts of every size, very durable and low stretch, easily spliced to wire – thermo fixed. Very good adhesion on winch drums, abrasion resistant cover, nonkinking. Best choice for cruising yachts.

- Stretch characteristics 5%
- very high quality line for the demanding cruising yacht sailor
- universally usable as sheet, halyard or control line
- easy to splice and absolutely nonkinking
- excellent abrasion resistance

Ø 22
mm

8000
daN

Price:

00154-2200-228
Herkules, 22mm,
white



4046882021425

Ø 22
mm

8000
daN

Price:

00154-2200-229
Herkules, 22mm,
white-blue



4046882021449

Ø 22
mm

8000
daN

Price:

00154-2200-231
Herkules, 22mm,
white-yellow



4046882021456

Ø 22
mm

8000
daN

Price:

00154-2200-232
Herkules, 22mm,
white-green



4046882021463

Ø 22
mm

8000
daN

Price:

00154-2200-236
Herkules, 22mm,
white-red



4046882021432

Ø 22
mm

8000
daN

Price:

00154-2200-239
Herkules, 22mm,
white-black



4046882021470

Ø 24
mm

9000
daN

Price:

00154-2400-228
Herkules, 24mm,
white



4046882021487

Ø 24
mm

9000
daN

Price:

00154-2400-229
Herkules, 24mm,
white-blue



4046882021500

Ø 24
mm

9000
daN

Price:

00154-2400-231
Herkules, 24mm,
white-yellow



4046882021517

Ø 24
mm

9000
daN

Price:

00154-2400-232
Herkules, 24mm,
white-green



4046882021524

Ø 24
mm

9000
daN

Price:

00154-2400-236
Herkules, 24mm,
white-red



4046882021494

Ø 24
mm

9000
daN

Price:

00154-2400-239
Herkules, 24mm,
white-black



4046882021531

LIROS Seastar

00162

High quality, allround sheet for cruising yachts, with very flexible, soft, easy to grip matt cover. Ideal for dinghy sailors – excellent handling and flexibility – non kinking.

- Stretch characteristics 6%
- high quality matt yarn giving easy handling
- very good sheet for cruising yachts up to 45 feet

Ø 5 mm 300 daN Price: _____ 00162-0500-228 Seastar, 5mm, white  4046882002004	Ø 6 mm 520 daN Price: _____ 00162-0600-228 Seastar, 6mm, white  4046882027533	Ø 8 mm 1000 daN Price: _____ 00162-0800-228 Seastar, 8mm, white  4046882027540	Ø 10 mm 1900 daN Price: _____ 00162-1000-228 Seastar, 10mm, white  4046882027564
Ø 12 mm 2400 daN Price: _____ 00162-1200-228 Seastar, 12mm, white  4046882027571	Ø 14 mm 2900 daN Price: _____ 00162-1400-228 Seastar, 14mm, white  4046882027588	Ø 16 mm 3500 daN Price: _____ 00162-1600-228 Seastar, 16mm, white  4046882027595	

LIROS Seastar Color

00172

Very easy to handle line in 6 different colours, for genoa and spinnaker sheets, downhauls and control lines – heat set.

- Stretch characteristics 6%
- high quality matt yarn giving easy handling
- seawater resilient colour, resistant to abrasion
- good identification with 6 different colours

Ø 5 mm 300 daN Price: _____ 00172-0500-010 Seastar Colour, 5mm, blue  4046882007924	Ø 5 mm 300 daN Price: _____ 00172-0500-059 Seastar Colour, 5mm, yellow  4046882007931	Ø 5 mm 300 daN Price: _____ 00172-0500-086 Seastar Colour, 5mm, green  4046882007948	Ø 5 mm 300 daN Price: _____ 00172-0500-130 Seastar Colour, 5mm, navy  4046882158176
Ø 5 mm 300 daN Price: _____ 00172-0500-171 Seastar Colour, 5mm, red  4046882007917	Ø 5 mm 300 daN Price: _____ 00172-0500-188 Seastar Colour, 5mm, black  4046882007962	Ø 6 mm 520 daN Price: _____ 00172-0600-010 Seastar Colour, 6mm, blue  4046882007986	Ø 6 mm 520 daN Price: _____ 00172-0600-059 Seastar Colour, 6mm, yellow  4046882007993
Ø 6 mm 520 daN Price: _____ 00172-0600-086 Seastar Colour, 6mm, green  4046882008006	Ø 6 mm 520 daN Price: _____ 00172-0600-130 Seastar Colour, 6mm, navy  4046882008020	Ø 6 mm 520 daN Price: _____ 00172-0600-171 Seastar Colour, 6mm, red  4046882007979	Ø 6 mm 520 daN Price: _____ 00172-0600-188 Seastar Colour, 6mm, black  4046882008037
Ø 8 mm 1000 daN Price: _____ 00172-0800-010 Seastar Colour, 8mm, blue  4046882008051	Ø 8 mm 1000 daN Price: _____ 00172-0800-059 Seastar Colour, 8mm, yellow  4046882008068	Ø 8 mm 1000 daN Price: _____ 00172-0800-086 Seastar Colour, 8mm, green  4046882008075	Ø 8 mm 1000 daN Price: _____ 00172-0800-130 Seastar Colour, 8mm, navy  4046882008105
Ø 8 mm 1000 daN Price: _____ 00172-0800-171 Seastar Colour, 8mm, red  4046882008044	Ø 8 mm 1000 daN Price: _____ 00172-0800-188 Seastar Colour, 8mm, black  4046882008136	Ø 10 mm 1900 daN Price: _____ 00172-1000-010 Seastar Colour, 10mm, blue  4046882008228	Ø 10 mm 1900 daN Price: _____ 00172-1000-059 Seastar Colour, 10mm, yellow  4046882008235

LIROS Seastar Color

00172

Very easy to handle line in 6 different colours, for genoa and spinnaker sheets, downhauls and control lines – heat set.

- Stretch characteristics 6%
- high quality matt yarn giving easy handling
- seawater resilient colour, resistant to abrasion
- good identification with 6 different colours

Ø 10 mm 1900 daN Price: _____ 00172-1000-086 Seastar Colour, 10mm, green  4046882008242	Ø 10 mm 1900 daN Price: _____ 00172-1000-130 Seastar Colour, 10mm, navy  4046882008266	Ø 10 mm 1900 daN Price: _____ 00172-1000-171 Seastar Colour, 10mm, red  4046882008211	Ø 10 mm 1900 daN Price: _____ 00172-1000-188 Seastar Colour, 10mm, black  4046882008280
Ø 12 mm 2400 daN Price: _____ 00172-1200-010 Seastar Colour, 12mm, blue  4046882008310	Ø 12 mm 2400 daN Price: _____ 00172-1200-059 Seastar Colour, 12mm, yellow  4046882008327	Ø 12 mm 2400 daN Price: _____ 00172-1200-086 Seastar Colour, 12mm, green  4046882008334	Ø 12 mm 2400 daN Price: _____ 00172-1200-130 Seastar Colour, 12mm, navy  4046882027472
Ø 12 mm 2400 daN Price: _____ 00172-1200-171 Seastar Colour, 12mm, red  4046882008303	Ø 12 mm 2400 daN Price: _____ 00172-1200-188 Seastar Colour, 12mm, black  4046882008358	Ø 14 mm 2900 daN Price: _____ 00172-1400-010 Seastar Colour, 14mm, blue  4046882008372	Ø 14 mm 2900 daN Price: _____ 00172-1400-059 Seastar Colour, 14mm, yellow  4046882008389
Ø 14 mm 2900 daN Price: _____ 00172-1400-086 Seastar Colour, 14mm, green  4046882008396	Ø 14 mm 2900 daN Price: _____ 00172-1400-130 Seastar Colour, 14mm, navy  4046882036207	Ø 14 mm 2900 daN Price: _____ 00172-1400-171 Seastar Colour, 14mm, red  4046882008365	Ø 14 mm 2900 daN Price: _____ 00172-1400-188 Seastar Colour, 14mm, black  4046882008419
Ø 16 mm 3500 daN Price: _____ 00172-1600-010 Seastar Colour, 16mm, blue  4046882008433	Ø 16 mm 3500 daN Price: _____ 00172-1600-059 Seastar Colour, 16mm, yellow  4046882008440	Ø 16 mm 3500 daN Price: _____ 00172-1600-086 Seastar Colour, 16mm, green  4046882008457	Ø 16 mm 3500 daN Price: _____ 00172-1600-130 Seastar Colour, 16mm, navy  4046882030281

LIROS Seastar Color

00172

Very easy to handle line in 6 different colours, for genoa and spinnaker sheets, downhauls and control lines – heat set.

- Stretch characteristics 6%
- high quality matt yarn giving easy handling
- seawater resilient colour, resistant to abrasion
- good identification with 6 different colours

Ø 16 mm 3500 daN Price: _____ 00172-1600-171 Seastar Colour, 16mm, red  4046882008426	Ø 16 mm 3500 daN Price: _____ 00172-1600-188 Seastar Colour, 16mm, black  4046882008471	Ø 18 mm 4500 daN Price: _____ 00172-1800-010 Seastar Colour, 18mm, blue  4046882008495	Ø 18 mm 4500 daN Price: _____ 00172-1800-059 Seastar Colour, 18mm, yellow  4046882008501
Ø 18 mm 4500 daN Price: _____ 00172-1800-086 Seastar Colour, 18mm, green  4046882008518	Ø 18 mm 4500 daN Price: _____ 00172-1800-130 Seastar Colour, 18mm, navy  4046882035538	Ø 18 mm 4500 daN Price: _____ 00172-1800-171 Seastar Colour, 18mm, red  4046882008488	Ø 18 mm 4500 daN Price: _____ 00172-1800-188 Seastar Colour, 18mm, black  4046882008532

LIROS Seastar Classic

00173

High quality rope in natural colour for tradional yachts. Available in 16-plait double braid. very easy to handle and easy to grip

- ideal for use in many applications for classic yachts
- with Dyneema® core for Regatta usage on demand (ref. 02520)

Ø 6
mm

520
daN

Price:

00173-0600-008
Seastar Classic,
6mm, beige



4046882015073

Ø 8
mm

1000
daN

Price:

00173-0800-008
Seastar Classic,
8mm, beige



4046882015080

Ø 10
mm

1900
daN

Price:

00173-1000-008
Seastar Classic,
10mm, beige



4046882015103

Ø 12
mm

2400
daN

Price:

00173-1200-008
Seastar Classic,
12mm, beige



4046882015110

Ø 14
mm

2900
daN

Price:

00173-1400-008
Seastar Classic,
14mm, beige



4046882015127

Ø 16
mm

3500
daN

Price:

00173-1600-008
Seastar Classic,
16mm, beige



4046882015134

Ø 18
mm

4500
daN

Price:

00173-1800-008
Seastar Classic,
18mm, beige



4046882015141

Ø 20
mm

5200
daN

Price:

00173-2000-008
Seastar Classic,
20mm, beige



4046882075978

LIROS Soft Black

00174

High-quality, easy to handle, non-slip matt Polyester rope with a flexible cover. The matt black cover is completely visible in dark environments.

- Stretch characteristics 6%
- Good knot tenacity
- Soft grip, very easy to handle

Ø 5
mm

300
daN

Price:

00174-0500-525

Soft Black, 5mm,
black without flecks



4046882176064

Ø 6
mm

520
daN

Price:

00174-0600-525

Soft Black, 6mm,
black without flecks



4046882054768

Ø 8
mm

1000
daN

Price:

00174-0800-525

Soft Black, 8mm,
black without flecks



4046882075985

Ø 10
mm

1900
daN

Price:

00174-1000-525

Soft Black, 10mm,
black without flecks



4046882054782

Ø 12
mm

2400
daN

Price:

00174-1200-525

Soft Black, 12mm,
black without flecks



4046882054799

Ø 14
mm

2900
daN

Price:

00174-1400-525

Soft Black, 14mm,
black without flecks



4046882054805

Ø 16
mm

3500
daN


Price:


00174-1600-525


Soft Black, 16mm,
black without flecks



4046882054812

		LIROS Shock Cord		00190
Highly elastic rubber with excellent stretch characteristics, braided cover made of abrasion resistant and highly resilient Polyester. White with guarantee yarn in blue/gold or fullcoloured black. Individual adaptation concerning colours				
▪ round, abrasion resistant construction ▪ for industrial applications available in bulk Quantities.				
Ø 3 mm 35 daN Price: _____ 00190-0300-010 Shock Cord, 3mm, blue  4046882016728	Ø 3 mm 35 daN Price: _____ 00190-0300-059 Shock Cord, 3mm, yellow  4046882016735	Ø 3 mm 35 daN Price: _____ 00190-0300-086 Shock Cord, 3mm, green  4046882076210	Ø 3 mm 35 daN Price: _____ 00190-0300-171 Shock Cord, 3mm, red  4046882016711	
Ø 3 mm 35 daN Price: _____ 00190-0300-188 Shock Cord, 3mm, black  4046882016759	Ø 3 mm 35 daN Price: _____ 00190-0300-228 Shock Cord, 3mm, white  4046882016742	Ø 4 mm Price: _____ 00190-0400-010 Shock Cord, 4mm, blue  4046882016780	Ø 4 mm Price: _____ 00190-0400-059 Shock Cord, 4mm, yellow  4046882016797	
Ø 4 mm Price: _____ 00190-0400-086 Shock Cord, 4mm, green  4046882016810	Ø 4 mm Price: _____ 00190-0400-171 Shock Cord, 4mm, red  4046882016773	Ø 4 mm Price: _____ 00190-0400-188 Shock Cord, 4mm, black  4046882016841	Ø 4 mm Price: _____ 00190-0400-228 Shock Cord, 4mm, white  4046882016827	
Ø 5 mm 95 daN Price: _____ 00190-0500-010 Shock Cord, 5mm, blue  4046882016872	Ø 5 mm 95 daN Price: _____ 00190-0500-059 Shock Cord, 5mm, yellow  4046882016889	Ø 5 mm 95 daN Price: _____ 00190-0500-086 Shock Cord, 5mm, green  4046882053334	Ø 5 mm 95 daN Price: _____ 00190-0500-171 Shock Cord, 5mm, red  4046882016865	
Ø 5 mm 95 daN Price: _____ 00190-0500-188 Shock Cord, 5mm, black  4046882016933	Ø 5 mm 95 daN Price: _____ 00190-0500-228 Shock Cord, 5mm, white  4046882016902	Ø 6 mm 150 daN Price: _____ 00190-0600-010 Shock Cord, 6mm, blue  4046882016964	Ø 6 mm 150 daN Price: _____ 00190-0600-059 Shock Cord, 6mm, yellow  4046882016971	

		LIROS Shock Cord		00190
		Highly elastic rubber with excellent stretch characteristics, braided cover made of abrasion resistant and highly resilient Polyester. White with guarantee yarn in blue/gold or fullcoloured black. Individual adaptation concerning colours ▪ round, abrasion resistant construction ▪ for industrial applications available in bulk Quantities.		
Ø 6 mm 150 daN Price: _____ 00190-0600-086 Shock Cord, 6mm, green  4046882016995	Ø 6 mm 150 daN Price: _____ 00190-0600-171 Shock Cord, 6mm, red  4046882016957	Ø 6 mm 150 daN Price: _____ 00190-0600-188 Shock Cord, 6mm, black  4046882017022	Ø 6 mm 150 daN Price: _____ 00190-0600-228 Shock Cord, 6mm, white  4046882017008	
Ø 7 mm 200 daN Price: _____ 00190-0700-010 Shock Cord, 7mm, blue  4046882017046	Ø 7 mm 200 daN Price: _____ 00190-0700-059 Shock Cord, 7mm, yellow  4046882076340	Ø 7 mm 200 daN Price: _____ 00190-0700-086 Shock Cord, 7mm, green  4046882076357	Ø 7 mm 200 daN Price: _____ 00190-0700-171 Shock Cord, 7mm, red  4046882017039	
Ø 7 mm 200 daN Price: _____ 00190-0700-188 Shock Cord, 7mm, black  4046882017060	Ø 7 mm 200 daN Price: _____ 00190-0700-228 Shock Cord, 7mm, white  4046882017053	Ø 8 mm 347 daN Price: _____ 00190-0800-010 Shock Cord, 8mm, blue  4046882017091	Ø 8 mm 347 daN Price: _____ 00190-0800-059 Shock Cord, 8mm, yellow  4046882076425	
Ø 8 mm 347 daN Price: _____ 00190-0800-086 Shock Cord, 8mm, green  4046882017114	Ø 8 mm 347 daN Price: _____ 00190-0800-171 Shock Cord, 8mm, red  4046882017084	Ø 8 mm 347 daN Price: _____ 00190-0800-188 Shock Cord, 8mm, black  4046882017152	Ø 8 mm 347 daN Price: _____ 00190-0800-228 Shock Cord, 8mm, white  4046882017121	
Ø 10 mm 390 daN Price: _____ 00190-1000-010 Shock Cord, 10mm, blue  4046882017268	Ø 10 mm 390 daN Price: _____ 00190-1000-059 Shock Cord, 10mm, yellow  4046882076500	Ø 10 mm 390 daN Price: _____ 00190-1000-086 Shock Cord, 10mm, green  4046882076517	Ø 10 mm 390 daN Price: _____ 00190-1000-171 Shock Cord, 10mm, red  4046882017251	

		LIROS Shock Cord		00190
Highly elastic rubber with excellent stretch characteristics, braided cover made of abrasion resistant and highly resilient Polyester. White with guarantee yarn in blue/gold or fullcoloured black. Individual adaptation concerning colours				
▪ round, abrasion resistant construction ▪ for industrial applications available in bulk Quantities.				
Ø 10 mm 390 daN Price: _____ 00190-1000-188 Shock Cord, 10mm, black  4046882017312	Ø 10 mm 390 daN Price: _____ 00190-1000-228 Shock Cord, 10mm, white  4046882017299	Ø 12 mm 500 daN Price: _____ 00190-1200-010 Shock Cord, 12mm, blue  4046882017343	Ø 12 mm 500 daN Price: _____ 00190-1200-059 Shock Cord, 12mm, yellow  4046882017350	
Ø 12 mm 500 daN Price: _____ 00190-1200-086 Shock Cord, 12mm, green  4046882076579	Ø 12 mm 500 daN Price: _____ 00190-1200-171 Shock Cord, 12mm, red  4046882017336	Ø 12 mm 500 daN Price: _____ 00190-1200-188 Shock Cord, 12mm, black  4046882017374	Ø 12 mm 500 daN Price: _____ 00190-1200-228 Shock Cord, 12mm, white  4046882017367	
Ø 14 mm Price: _____ 00190-1400-010 Shock Cord, 14mm, blue  4046882076609	Ø 14 mm Price: _____ 00190-1400-059 Shock Cord, 14mm, yellow  4046882076616	Ø 14 mm Price: _____ 00190-1400-086 Shock Cord, 14mm, green  4046882076623	Ø 14 mm Price: _____ 00190-1400-171 Shock Cord, 14mm, red  4046882017381	
Ø 14 mm Price: _____ 00190-1400-188 Shock Cord, 14mm, black  4046882017404	Ø 14 mm Price: _____ 00190-1400-228 Shock Cord, 14mm, white  4046882017398			

Braided Cord and Lines of Natural Hemp

00310

Made of 100% natural hemp in classical appearance.



Ø 1,5 mm 28 daN Price: _____ 00310-0150-140 Hemp Cord, 1.5mm, nature 4046882042079	Ø 2 mm 38 daN Price: _____ 00310-0200-140 Hemp Cord, 2mm, nature 4046882042086	Ø 2,5 mm 72 daN Price: _____ 00310-0250-140 Hemp Cord, 2.5mm, nature 4046882042093	Ø 3 mm 82 daN Price: _____ 00310-0300-140 Hemp Cord, 3mm, nature 4046882042109
Ø 3,5 mm 99 daN Price: _____ 00310-0350-140 Hemp Cord, 3.5mm, nature 4046882042116	Ø 4 mm 66 daN Price: _____ 00310-0400-140 Hemp Cord, 4mm, nature 4046882042123	Ø 4,5 mm 138 daN Price: _____ 00310-0450-140 Hemp Cord, 4.5mm, nature 4046882042130	Ø 5 mm 161 daN Price: _____ 00310-0500-140 Hemp Cord, 5mm, nature 4046882042147
Ø 6 mm 183 daN Price: _____ 00310-0600-140 Hemp Cord, 6mm, nature 4046882042154	Ø 8 mm 553 daN Price: _____ 00310-0800-140 Hemp Cord, 8mm, nature 4046882042161	Ø 10 mm 797 daN Price: _____ 00310-1000-140 Hemp Cord, 10mm, nature 4046882042178	Ø 12 mm 907 daN Price: _____ 00310-1200-140 Hemp Cord, 12mm, nature 4046882042185
Ø 14 mm 816 daN Price: _____ 00310-1400-140 Hemp Cord, 14mm, nature 4046882042192	Ø 16 mm 1091 daN Price: _____ 00310-1600-140 Hemp Cord, 16mm, nature 4046882042208		

	Braided Cord and Lines of Cotton			00510
	Made of 100% non-coloured cotton.			
Ø 1,5 mm Price: _____ 00510-0150-140 Cotton Cord, 1,5mm, nature  4046882077507	Ø 2 mm Price: _____ 00510-0200-140 Cotton Cord, 2mm, nature  4046882077521	Ø 3 mm 60 daN Price: _____ 00510-0300-140 Cotton Cord, 3mm, nature  4046882077552	Ø 4 mm Price: _____ 00510-0400-140 Cotton Cord, 4mm, nature  4046882077590	
Ø 5 mm Price: _____ 00510-0500-140 Cotton Cord, 5mm, nature  4046882077613	Ø 6 mm Price: _____ 00510-0600-140 Cotton Cord, 6mm, nature  4046882077637	Ø 8 mm Price: _____ 00510-0800-140 Cotton Cord, 8mm, nature  4046882077644	Ø 10 mm Price: _____ 00510-1000-140 Cotton Cord, 10mm, nature  4046882077651	
Ø 12 mm Price: _____ 00510-1200-140 Cotton Cord, 12mm, nature  4046882077675	Ø 14 mm Price: _____ 00510-1400-140 Cotton Cord, 14mm, nature  4046882077699	Ø 16 mm Price: _____ 00510-1600-140 Cotton Cord, 16mm, nature  4046882077705		

		LIROS Cotton Cord		00512			
		100% natural cotton. 16-plaited available in 2-12 mm					
Ø 2 mm		Ø 3 mm		Ø 4 mm		Ø 5 mm	
Price: _____		Price: _____		Price: _____		Price: _____	
00512-0200-140 Cotton Cord, 2mm, nature  4046882077729		00512-0300-140 Cotton Cord, 3mm, nature  4046882077750		00512-0400-140 Cotton Cord, 4mm, nature  4046882077781		00512-0500-140 Cotton Cord, 5mm, nature  4046882077804	
Ø 6 mm		Ø 8 mm		Ø 10 mm		Ø 12 mm	
Price: _____		Price: _____		Price: _____		Price: _____	
00512-0600-140 Cotton Cord, 6mm, nature  4046882077828		00512-0800-140 Cotton Cord, 8mm, nature  4046882077859		00512-1000-140 Cotton Cord, 10mm, nature  4046882077873		00512-1200-140 Cotton Cord, 12mm, nature  4046882077897	

LIROS Sky Duo

01001

LIROS dynamic 'half' rope for double rope applications. Lowest weight for advanced/ extreme climbers.

Manufactured according to EN 892. CE approved.;

- Impact Force (with 55kg on one rope) 5.1 kN
- Comes with unique LIROS DryRope System
- Number of falls: 18
- Weight (g/m): 48 style="float: right; height: 30px; width: 48px;"/> / Extremely resistant against sharp edges
- Black middle marking

**Ø 8,6
mm**

Price:

01001-0860-058
Sky Duo, 8,6mm,
fuchsia



4046882078092

**Ø 8,6
mm**

Price:

01001-0860-059
Sky Duo, 8,6mm,
yellow



4046882078108



LIROS Sky

01002

Compact, easy-running, ultra-light weight single rope. Offers excellent strength for experienced climbers.
Manufactured according to EN 892. CE approved.;

- Impact Force (with 80kg) 7.3 kN
- Unique LIROS DryRope System for lower weight in wet conditions
- Number of falls: 10
- Weight: 62 g/m Extremely resistant against sharp edges
- Black middle marking

**Ø 9,7
mm**

Price:

01002-0970-013
Sky, 9.7mm, blue-
yellow-red



4046882078153

**Ø 9,7
mm**

Price:

01002-0970-502
Sky, 9.7mm, blue-
green-orange



4046882078160



LIROS Rock

01003

New from LIROS. Versatile, affordable single rope for classic climbers. Manufactured according to EN 892. CE approved.;

- Impact Force (with 80 kg) 8 kN
- Number of falls: 8
- Weight: 65 g/m Extremely resistant against sharp edges and abrasion
- Black middle marking

**Ø 10,2
mm**

Price:

01003-1020-194

Rock, 10.2mm, black-green



4046882173384

**Ø 10,2
mm**

Price:

01003-1020-197

Rock, 10.2mm, black-orange



4046882173391

LIROS Wall

01004

Versatile LIROS single rope, specially developed for Indoor climbing. The compact Polyamide cover ensures superior abrasion characteristics and unparalleled protection against sharp edges. LIROS Wall offers superior lifespan, compared to coventional climbing ropes. Perfect core-cover connection to avoid "sock effect".

Manufactured according to EN 892. CE approved.;

- Impact Force (with 80kg) 8.4 kN
- Number of falls: 8,
- minimal cover-core slippageWeight: 71 g/m
- highly resistant against sharp edges and abrasion
- Retains flexibility throughout its lifetime

Ø 10,5 mm	Ø 10,5 mm	Ø 10,5 mm	Ø 10,5 mm
Price: _____	Price: _____	Price: _____	Price: _____
01004-1050-015 Wall, 10,5mm, blue-green  4046882078245	01004-1050-081 Wall, 10,5mm, grey-green  4046882078252	01004-1050-328 Wall, 10,5mm, green-red  4046882078276	01004-1050-503 Wall, 10,5mm, olive-bright green  4046882078290



LIROS Safe White - EN 1891

01011

Certified semi-static rope for Professional Protective Equipment (PPE) according to EN 1891 A. Developed by LIROS for all industrial applications. Minimum covercore slippage due to double braid construction and LIROS Heat-Stretch-System.

Ø 10 mm	2700 daN	Ø 11 mm	2900 daN	Ø 12 mm	4100 daN	Ø 14 mm	5200 daN
Price:		Price:		Price:		Price:	
01011-1000-230 Safe White, 10mm, white-blue-yellow	 4046882078375	01011-1100-230 Safe White, 11mm, white-blue-yellow	 4046882078504	01011-1200-230 Safe White, 12mm, white-blue-yellow	 4046882078542	01011-1400-230 Safe White, 14mm, white-blue-yellow	 4046882078610

LIROS Accessory Cord

01024

LIROS Accessory cord provides high abrasion resistance to secure your equipment. Multifunction line, suited for nearly all outdoor and climbing purposes. Exceptionally long-lasting construction, with good knot hold. Very flexible, high abrasion resistance



Ø 3 mm 225 daN Price: _____ 01024-0300-411 Accessory Cord, 3mm, red-blue- neonyellow  4046882023061	Ø 3 mm 225 daN Price: _____ 01024-0300-485 Accessory Cord, 3mm, neonyellow- red-blue  4046882176293	Ø 3 mm 225 daN Price: _____ 01024-0300-507 Accessory Cord, 3mm, blue-red- yellow  4046882023078	Ø 4 mm 370 daN Price: _____ 01024-0400-411 Accessory Cord, 4mm, red-blue- neonyellow  4046882023092
Ø 4 mm 370 daN Price: _____ 01024-0400-485 Accessory Cord, 4mm, neonyellow- red-blue  4046882176309	Ø 4 mm 370 daN Price: _____ 01024-0400-507 Accessory Cord, 4mm, blue-red- yellow  4046882023108	Ø 5 mm 550 daN Price: _____ 01024-0500-411 Accessory Cord, 5mm, red-blue- neonyellow  4046882023122	Ø 5 mm 550 daN Price: _____ 01024-0500-485 Accessory Cord, 5mm, neonyellow- red-blue  4046882176316
Ø 5 mm 550 daN Price: _____ 01024-0500-507 Accessory Cord, 5mm, blue-red- yellow  4046882023139	Ø 6 mm 730 daN Price: _____ 01024-0600-411 Accessory Cord, 6mm, red-blue- neonyellow  4046882023153	Ø 6 mm 730 daN Price: _____ 01024-0600-485 Accessory Cord, 6mm, neonyellow- red-blue  4046882176323	Ø 6 mm 730 daN Price: _____ 01024-0600-507 Accessory Cord, 6mm, blue-red- yellow  4046882023160
Ø 8 mm 1600 daN Price: _____ 01024-0800-411 Accessory Cord, 8mm, red-blue- neonyellow  4046882023214	Ø 8 mm 1600 daN Price: _____ 01024-0800-485 Accessory Cord, 8mm, neonyellow- red-blue  4046882176347	Ø 8 mm 1600 daN Price: _____ 01024-0800-507 Accessory Cord, 8mm, blue-red- yellow  4046882023221	

LIROS Polyamide-Braided Cords and Lines

01025

- Stretch characteristics 15%
- high stretch quality and flexible
- very UV-resistant
- excellent abrasion resistance
- individual lengths Possible

Ø 0,5 mm 15 daN Price: _____ 01025-0050-228 Polyamide Braid, 0,5mm, white  4046882057141	Ø 1 mm 35 daN Price: _____ 01025-0100-228 Polyamide Braid, 1mm, white  4046882032735	Ø 1,5 mm 40 daN Price: _____ 01025-0150-228 Polyamide Braid, 1,5mm, white  4046882032742	Ø 2 mm 100 daN Price: _____ 01025-0200-228 Polyamide Braid, 2mm, white  4046882032759
Ø 2,5 mm 140 daN Price: _____ 01025-0250-228 Polyamide Braid, 2,5mm, white  4046882057158	Ø 3 mm 180 daN Price: _____ 01025-0300-228 Polyamide Braid, 3mm, white  4046882038034	Ø 3,5 mm 260 daN Price: _____ 01025-0350-228 Polyamide Braid, 3,5mm, white  4046882057165	Ø 4 mm 340 daN Price: _____ 01025-0400-228 Polyamide Braid, 4mm, white  4046882047531
Ø 5 mm 550 daN Price: _____ 01025-0500-228 Polyamide Braid, 5mm, white  4046882030045	Ø 6 mm 850 daN Price: _____ 01025-0600-228 Polyamide Braid, 6mm, white  4046882045049	Ø 8 mm 1500 daN Price: _____ 01025-0800-228 Polyamide Braid, 8mm, white  4046882045056	Ø 10 mm 2400 daN Price: _____ 01025-1000-228 Polyamide Braid, 10mm, white  4046882045063
Ø 12 mm 3200 daN Price: _____ 01025-1200-228 Polyamide Braid, 12mm, white  4046882045070	Ø 14 mm 3600 daN Price: _____ 01025-1400-228 Polyamide Braid, 14mm, white  4046882045087	Ø 16 mm 4300 daN Price: _____ 01025-1600-228 Polyamide Braid, 16mm, white  4046882045094	

LIROS Polyamide-Braided Cords and Lines

01027

- Stretch characteristics 15%
- high stretch quality and flexible
- very UV-resistant
- excellent abrasion resistance
- individual lengths Possible

Ø 1,5 mm 50 daN Price: _____ 01027-0150-228 Polyamide Braid, 1,5mm, white  4046882057172	Ø 2 mm 100 daN Price: _____ 01027-0200-228 Polyamide Braid, 2mm, white  4046882026222	Ø 2,5 mm 140 daN Price: _____ 01027-0250-228 Polyamide Braid, 2,5mm, white  4046882026253	Ø 3 mm 180 daN Price: _____ 01027-0300-228 Polyamide Braid, 3mm, white  4046882026277
Ø 4 mm 340 daN Price: _____ 01027-0400-228 Polyamide Braid, 4mm, white  4046882026307	Ø 5 mm 550 daN Price: _____ 01027-0500-228 Polyamide Braid, 5mm, white  4046882026444	Ø 6 mm 850 daN Price: _____ 01027-0600-228 Polyamide Braid, 6mm, white  4046882026321	Ø 8 mm 1170 daN Price: _____ 01027-0800-228 Polyamide Braid, 8mm, white  4046882026338
Ø 10 mm 2500 daN Price: _____ 01027-1000-228 Polyamide Braid, 10mm, white  4046882026352			

	LIROS Polyamide Braid			01030			
	High strength Polyamide Cord. ▪ working stretch < 15% ▪ highly elastic and flexible ▪ very UV resistant ▪ very abrasion resistant ▪ custom lengths available						
Ø 0,5 mm 35 daN Price: _____ 01030-0050-010  Polyamide Braid, 0.5mm, blue 4046882177009		Ø 0,5 mm 35 daN Price: _____ 01030-0050-059  Polyamide Braid, 0.5mm, yellow 4046882177016		Ø 0,5 mm 35 daN Price: _____ 01030-0050-086  Polyamide Braid, 0.5mm, green 4046882177023		Ø 0,5 mm 35 daN Price: _____ 01030-0050-171  Polyamide Braid, 0.5mm, red 4046882177030	
Ø 0,5 mm 35 daN Price: _____ 01030-0050-188  Polyamide Braid, 0.5mm, black 4046882177047		Ø 1 mm 35 daN Price: _____ 01030-0100-010  Polyamide Braid, 1mm, blue 4046882038058		Ø 1 mm 35 daN Price: _____ 01030-0100-059  Polyamide Braid, 1mm, yellow 4046882038065		Ø 1 mm 35 daN Price: _____ 01030-0100-086  Polyamide Braid, 1mm, green 4046882038072	
Ø 1 mm 35 daN Price: _____ 01030-0100-171  Polyamide Braid, 1mm, red 4046882038041		Ø 1 mm 35 daN Price: _____ 01030-0100-188  Polyamide Braid, 1mm, black 4046882038089		Ø 1,5 mm 40 daN Price: _____ 01030-0150-010  Polyamide Braid, 1.5mm, blue 4046882079990		Ø 1,5 mm 40 daN Price: _____ 01030-0150-059  Polyamide Braid, 1.5mm, yellow 4046882080019	
Ø 1,5 mm 40 daN Price: _____ 01030-0150-086  Polyamide Braid, 1.5mm, green 4046882080026		Ø 1,5 mm 40 daN Price: _____ 01030-0150-171  Polyamide Braid, 1.5mm, red 4046882045100		Ø 1,5 mm 40 daN Price: _____ 01030-0150-188  Polyamide Braid, 1.5mm, black 4046882080040		Ø 2 mm 100 daN Price: _____ 01030-0200-010  Polyamide Braid, 2mm, blue 4046882080057	
Ø 2 mm 100 daN Price: _____ 01030-0200-059  Polyamide Braid, 2mm, yellow 4046882080071		Ø 2 mm 100 daN Price: _____ 01030-0200-086  Polyamide Braid, 2mm, green 4046882080088		Ø 2 mm 100 daN Price: _____ 01030-0200-171  Polyamide Braid, 2mm, red 4046882080101		Ø 2 mm 100 daN Price: _____ 01030-0200-188  Polyamide Braid, 2mm, black 4046882080118	

		LIROS Polyamide Braid		01030
		High strength Polyamide Cord. ■ working stretch < 15% ■ highly elastic and flexible ■ very UV resistant ■ very abrasion resistant ■ custom lengths available		
Ø 2,5 mm 140 daN Price: _____ 01030-0250-010 Polyamide Braid, 2.5mm, blue  4046882080125	Ø 2,5 mm 140 daN Price: _____ 01030-0250-059 Polyamide Braid, 2.5mm, yellow  4046882080132	Ø 2,5 mm 140 daN Price: _____ 01030-0250-086 Polyamide Braid, 2.5mm, green  4046882080156	Ø 2,5 mm 140 daN Price: _____ 01030-0250-171 Polyamide Braid, 2.5mm, red  4046882080170	
Ø 2,5 mm 140 daN Price: _____ 01030-0250-188 Polyamide Braid, 2.5mm, black  4046882080187	Ø 3 mm 180 daN Price: _____ 01030-0300-010 Polyamide Braid, 3mm, blue  4046882038102	Ø 3 mm 180 daN Price: _____ 01030-0300-059 Polyamide Braid, 3mm, yellow  4046882038119	Ø 3 mm 180 daN Price: _____ 01030-0300-086 Polyamide Braid, 3mm, green  4046882038126	
Ø 3 mm 180 daN Price: _____ 01030-0300-171 Polyamide Braid, 3mm, red  4046882038096	Ø 3 mm 180 daN Price: _____ 01030-0300-188 Polyamide Braid, 3mm, black  4046882038133	Ø 3,5 mm 260 daN Price: _____ 01030-0350-010 Polyamide Braid, 3.5mm, blue  4046882080262	Ø 3,5 mm 260 daN Price: _____ 01030-0350-059 Polyamide Braid, 3.5mm, yellow  4046882080279	
Ø 3,5 mm 260 daN Price: _____ 01030-0350-086 Polyamide Braid, 3.5mm, green  4046882080286	Ø 3,5 mm 260 daN Price: _____ 01030-0350-171 Polyamide Braid, 3.5mm, red  4046882080309	Ø 3,5 mm 260 daN Price: _____ 01030-0350-188 Polyamide Braid, 3.5mm, black  4046882080316	Ø 4 mm 340 daN Price: _____ 01030-0400-010 Polyamide Braid, 4mm, blue  4046882080330	
Ø 4 mm 340 daN Price: _____ 01030-0400-059 Polyamide Braid, 4mm, yellow  4046882080354	Ø 4 mm 340 daN Price: _____ 01030-0400-086 Polyamide Braid, 4mm, green  4046882080378	Ø 4 mm 340 daN Price: _____ 01030-0400-171 Polyamide Braid, 4mm, red  4046882080408	Ø 4 mm 340 daN Price: _____ 01030-0400-188 Polyamide Braid, 4mm, black  4046882080415	

 LIROS Polyamide Braid 01030 High strength Polyamide Cord. ▪ working stretch < 15% ▪ highly elastic and flexible ▪ very UV resistant ▪ very abrasion resistant ▪ custom lengths available			
Ø 5 mm 550 daN Price: _____ 01030-0500-010  4046882080552 Polyamide Braid, 5mm, blue	Ø 5 mm 550 daN Price: _____ 01030-0500-059  4046882080576 Polyamide Braid, 5mm, yellow	Ø 5 mm 550 daN Price: _____ 01030-0500-086  4046882080590 Polyamide Braid, 5mm, green	Ø 5 mm 550 daN Price: _____ 01030-0500-171  4046882080637 Polyamide Braid, 5mm, red
Ø 5 mm 550 daN Price: _____ 01030-0500-188  4046882080644 Polyamide Braid, 5mm, black	Ø 6 mm 850 daN Price: _____ 01030-0600-010  4046882080668 Polyamide Braid, 6mm, blue	Ø 6 mm 850 daN Price: _____ 01030-0600-059  4046882080675 Polyamide Braid, 6mm, yellow	Ø 6 mm 850 daN Price: _____ 01030-0600-086  4046882080682 Polyamide Braid, 6mm, green
Ø 6 mm 850 daN Price: _____ 01030-0600-171  4046882080705 Polyamide Braid, 6mm, red	Ø 6 mm 850 daN Price: _____ 01030-0600-188  4046882080712 Polyamide Braid, 6mm, black	Ø 8 mm 1500 daN Price: _____ 01030-0800-010  4046882080781 Polyamide Braid, 8mm, blue	Ø 8 mm 1500 daN Price: _____ 01030-0800-059  4046882080798 Polyamide Braid, 8mm, yellow
Ø 8 mm 1500 daN Price: _____ 01030-0800-086  4046882080804 Polyamide Braid, 8mm, green	Ø 8 mm 1500 daN Price: _____ 01030-0800-171  4046882080828 Polyamide Braid, 8mm, red	Ø 8 mm 1500 daN Price: _____ 01030-0800-188  4046882080835 Polyamide Braid, 8mm, black	Ø 10 mm 2400 daN Price: _____ 01030-1000-010  4046882080842 Polyamide Braid, 10mm, blue
Ø 10 mm 2400 daN Price: _____ 01030-1000-059  4046882080859 Polyamide Braid, 10mm, yellow	Ø 10 mm 2400 daN Price: _____ 01030-1000-086  4046882080866 Polyamide Braid, 10mm, green	Ø 10 mm 2400 daN Price: _____ 01030-1000-171  4046882080873 Polyamide Braid, 10mm, red	Ø 10 mm 2400 daN Price: _____ 01030-1000-188  4046882080880 Polyamide Braid, 10mm, black



LIROS Polyamide Braid

01030 |

High strength Polyamide Cord.

- working stretch < 15%
- highly elastic and flexible
- very UV resistant
- very abrasion resistant
- custom lengths available

Ø 12 mm 3200 daN

Price:

01030-1200-188
Polyamide Braid,
12mm, black



4046882080934

Ø 14 mm 3600 daN

Price:

01030-1400-188
Polyamide Braid,
14mm, black



4046882080958

Ø 16 4300
mm daN

Price:

01030-1600-188
Polyamide Braid,
16mm, black



4046882080965

		LIROS Polyamide-Braided Cords and Lines, Spiral Plait		01035
		▪ Stretch characteristics 20% ▪ high stretch quality and flexible ▪ round ▪ flexible ▪ very UV-resistant ▪ individual lengths possible		
Ø 2 mm 90 daN Price: _____ 01035-0200-228 Polyamide Spiral Braid, 2mm, white  4046882041621	Ø 2,5 mm 120 daN Price: _____ 01035-0250-228 Polyamide Spiral Braid, 2.5mm, white  4046882041645	Ø 3 mm 160 daN Price: _____ 01035-0300-228 Polyamide Spiral Braid, 3mm, white  4046882041638	Ø 3,5 mm 210 daN Price: _____ 01035-0350-228 Polyamide Spiral Braid, 3.5mm, white  4046882041652	
Ø 4 mm 290 daN Price: _____ 01035-0400-228 Polyamide Spiral Braid, 4mm, white  4046882041669	Ø 5 mm 450 daN Price: _____ 01035-0500-228 Polyamide Spiral Braid, 5mm, white  4046882041676	Ø 6 mm 600 daN Price: _____ 01035-0600-228 Polyamide Spiral Braid, 6mm, white  4046882041683	Ø 8 mm 1000 daN Price: _____ 01035-0800-228 Polyamide Spiral Braid, 8mm, white  4046882028677	
Ø 10 mm 1800 daN Price: _____ 01035-1000-228 Polyamide Spiral Braid, 10mm, white  4046882041690	Ø 12 mm 2200 daN Price: _____ 01035-1200-228 Polyamide Spiral Braid, 12mm, white  4046882041706	Ø 14 mm 2800 daN Price: _____ 01035-1400-228 Polyamide Spiral Braid, 14mm, white  4046882041713	Ø 16 mm 3600 daN Price: _____ 01035-1600-228 Polyamide Spiral Braid, 16mm, white  4046882041720	

LIROS Polyamide Spiral Braid

01036

Spiral plaited Polyamide Cord.

- working stretch < 20%
- high stretch
- round
- flexible
- highly UV resistant
- custom lengths available

Ø 3
mm

160
daN

Price:

01036-0300-010
Polyamide Spiral
Braid, 3mm, blue



4046882041744

Ø 3
mm

160
daN

Price:

01036-0300-059
Polyamide Spiral
Braid, 3mm, yellow



4046882041751

Ø 3
mm

160
daN

Price:

01036-0300-086
Polyamide Spiral
Braid, 3mm, green




4046882041768

Ø 3
mm

160
daN

Price:

01036-0300-171
Polyamide Spiral
Braid, 3mm, red



4046882041737

Ø 3
mm

160
daN

Price:

01036-0300-188
Polyamide Spiral
Braid, 3mm, black



4046882041775

Ø 4
mm

290
daN

Price:

01036-0400-010
Polyamide Spiral
Braid, 4mm, blue



4046882041799

Ø 4
mm

290
daN

Price:

01036-0400-059
Polyamide Spiral
Braid, 4mm, yellow



4046882041805

Ø 4
mm

290
daN

Price:

01036-0400-086
Polyamide Spiral
Braid, 4mm, green



4046882041812

Ø 4
mm

290
daN

Price:

01036-0400-171
Polyamide Spiral
Braid, 4mm, red



4046882041782

Ø 4
mm

290
daN

Price:

01036-0400-188
Polyamide Spiral
Braid, 4mm, black



4046882041829

Ø 5
mm

450
daN

Price:

01036-0500-010
Polyamide Spiral
Braid, 5mm, blue



4046882041843

Ø 5
mm

450
daN

Price:

01036-0500-059
Polyamide Spiral
Braid, 5mm, yellow



4046882041850

Ø 5
mm

450
daN

Price:

01036-0500-086
Polyamide Spiral
Braid, 5mm, green



4046882041867

Ø 5
mm

450
daN

Price:

01036-0500-171
Polyamide Spiral
Braid, 5mm, red



4046882041836

Ø 5
mm

450
daN

Price:

01036-0500-188
Polyamide Spiral
Braid, 5mm, black



4046882041874

 LIROS Multi Black 01037 Black, high-tenacity Polyester braiding. High grip surface. Multiple application rope. ▪ Stretch characteristics 10% ▪ Flexible ▪ Won't stiffen ▪ High UV resistance ▪ Abrasion resistantFlame-resistant version also available, meets DIN 4102 fire protection class B1 standards. (Load capacities differ from ref. 01037).			
Ø 1 mm 35 daN Price: 01037-0100-525 Multi Black, 1mm, black without flecks  4046882081610	Ø 2 mm 90 daN Price: 01037-0200-525 Multi Black, 2mm, black without flecks  4046882081627	Ø 3 mm 150 daN Price: 01037-0300-525 Multi Black, 3mm, black without flecks  4046882081634	Ø 4 mm 280 daN Price: 01037-0400-525 Multi Black, 4mm, black without flecks  4046882081641
Ø 5 mm 450 daN Price: 01037-0500-525 Multi Black, 5mm, black without flecks  4046882081658	Ø 6 mm 640 daN Price: 01037-0600-525 Multi Black, 6mm, black without flecks  4046882081665	Ø 8 mm 1100 daN Price: 01037-0800-525 Multi Black, 8mm, black without flecks  4046882081672	Ø 10 mm 1700 daN Price: 01037-1000-525 Multi Black, 10mm, black without flecks  4046882081689
Ø 12 mm 2200 daN Price: 01037-1200-525 Multi Black, 12mm, black without flecks  4046882081696	Ø 14 mm 3000 daN Price: 01037-1400-525 Multi Black, 14mm, black without flecks  4046882081702	Ø 16 mm 3900 daN Price: 01037-1600-525 Multi Black, 16mm, black without flecks  4046882081719	

LIROS Polyester-Braided Cords and Lines

01038

- Stretch characteristics 10%
- does not stiffen up
- very UV-resistant
- flexible
- abrasion resistant
- individual lengths possible
- Attention! This reference is available from 12 mm in black and white only!

Ø 1 mm 35 daN Price: _____ 01038-0100-228 Polyester Braid, 1mm, white  4046882036313	Ø 1,5 mm 50 daN Price: _____ 01038-0150-228 Polyester Braid, 1.5mm, white  4046882081740	Ø 2 mm 90 daN Price: _____ 01038-0200-228 Polyester Braid, 2mm, white  4046882036320	Ø 2,5 mm 130 daN Price: _____ 01038-0250-228 Polyester Braid, 2.5mm, white  4046882081887
Ø 3 mm 150 daN Price: _____ 01038-0300-228 Polyester Braid, 3mm, white  4046882036337	Ø 4 mm 280 daN Price: _____ 01038-0400-228 Polyester Braid, 4mm, white  4046882036344	Ø 5 mm 450 daN Price: _____ 01038-0500-228 Polyester Braid, 5mm, white  4046882030205	Ø 6 mm 1100 daN Price: _____ 01038-0600-228 Polyester Braid, 6mm, white  4046882036351
Ø 8 mm 1100 daN Price: _____ 01038-0800-228 Polyester Braid, 8mm, white  4046882036368	Ø 10 mm 1700 daN Price: _____ 01038-1000-228 Polyester Braid, 10mm, white  4046882045117	Ø 12 mm 2200 daN Price: _____ 01038-1200-228 Polyester Braid, 12mm, white  4046882045124	Ø 14 mm 3000 daN Price: _____ 01038-1400-228 Polyester Braid, 14mm, white  4046882045131
Ø 16 mm 3900 daN Price: _____ 01038-1600-228 Polyester Braid, 16mm, white  4046882045148			

LIROS Polyester-Braided Line in Sales Package 01040

Made of Polyester, highly resilient does not stiffen up

- very UV-resistant
- flexible



Ø 1 mm 35 daN Price: _____ 01040-0100-010 Polyester Braid, 1mm, blue  4046882026482	Ø 1 mm 35 daN Price: _____ 01040-0100-059 Polyester Braid, 1mm, yellow  4046882026499	Ø 1 mm 35 daN Price: _____ 01040-0100-086 Polyester Braid, 1mm, green  4046882026505	Ø 1 mm 35 daN Price: _____ 01040-0100-171 Polyester Braid, 1mm, red  4046882026475
Ø 1 mm 35 daN Price: _____ 01040-0100-188 Polyester Braid, 1mm, black  4046882026543	Ø 1 mm 35 daN Price: _____ 01040-0100-228 Polyester Braid, 1mm, white  4046882026512	Ø 1,5 mm 60 daN Price: _____ 01040-0150-010 Polyester Braid, 1,5mm, blue  4046882032100	Ø 1,5 mm 60 daN Price: _____ 01040-0150-059 Polyester Braid, 1,5mm, yellow  4046882032117
Ø 1,5 mm 60 daN Price: _____ 01040-0150-086 Polyester Braid, 1,5mm, green  4046882032124	Ø 1,5 mm 60 daN Price: _____ 01040-0150-171 Polyester Braid, 1,5mm, red  4046882032094	Ø 1,5 mm 60 daN Price: _____ 01040-0150-188 Polyester Braid, 1,5mm, black  4046882032162	Ø 1,5 mm 60 daN Price: _____ 01040-0150-228 Polyester Braid, 1,5mm, white  4046882032131
Ø 2 mm 90 daN Price: _____ 01040-0200-010 Polyester Braid, 2mm, blue  4046882032186	Ø 2 mm 90 daN Price: _____ 01040-0200-059 Polyester Braid, 2mm, yellow  4046882032193	Ø 2 mm 90 daN Price: _____ 01040-0200-086 Polyester Braid, 2mm, green  4046882032216	Ø 2 mm 90 daN Price: _____ 01040-0200-171 Polyester Braid, 2mm, red  4046882032179
Ø 2 mm 90 daN Price: _____ 01040-0200-188 Polyester Braid, 2mm, black  4046882032247	Ø 2 mm 90 daN Price: _____ 01040-0200-228 Polyester Braid, 2mm, white  4046882032230	Ø 2,5 mm 130 daN Price: _____ 01040-0250-010 Polyester Braid, 2,5mm, blue  4046882032261	Ø 2,5 mm 130 daN Price: _____ 01040-0250-059 Polyester Braid, 2,5mm, yellow  4046882032278

LIROS Polyester-Braided Line in Sales Package 01040

Made of Polyester, highly resilient does not stiffen up

- very UV-resistant
- flexible

Ø 2,5 mm 130 daN Price: _____ 01040-0250-086 Polyester Braid, 2.5mm, green  4046882032292	Ø 2,5 mm 130 daN Price: _____ 01040-0250-171 Polyester Braid, 2.5mm, red  4046882032254	Ø 2,5 mm 130 daN Price: _____ 01040-0250-188 Polyester Braid, 2.5mm, black  4046882032346	Ø 2,5 mm 130 daN Price: _____ 01040-0250-228 Polyester Braid, 2.5mm, white  4046882032315
Ø 3 mm 200 daN Price: _____ 01040-0300-010 Polyester Braid, 3mm, blue  4046882026550	Ø 3 mm 200 daN Price: _____ 01040-0300-059 Polyester Braid, 3mm, yellow  4046882026567	Ø 3 mm 200 daN Price: _____ 01040-0300-086 Polyester Braid, 3mm, green  4046882026581	Ø 3 mm 200 daN Price: _____ 01040-0300-171 Polyester Braid, 3mm, red  4046882036535
Ø 3 mm 200 daN Price: _____ 01040-0300-188 Polyester Braid, 3mm, black  4046882026635	Ø 3 mm 200 daN Price: _____ 01040-0300-228 Polyester Braid, 3mm, white  4046882026604	Ø 4 mm 280 daN Price: _____ 01040-0400-010 Polyester Braid, 4mm, blue  4046882026666	Ø 4 mm 280 daN Price: _____ 01040-0400-059 Polyester Braid, 4mm, yellow  4046882026673
Ø 4 mm 280 daN Price: _____ 01040-0400-086 Polyester Braid, 4mm, green  4046882026697	Ø 4 mm 280 daN Price: _____ 01040-0400-171 Polyester Braid, 4mm, red  4046882026659	Ø 4 mm 280 daN Price: _____ 01040-0400-188 Polyester Braid, 4mm, black  4046882026758	Ø 4 mm 280 daN Price: _____ 01040-0400-228 Polyester Braid, 4mm, white  4046882026710
Ø 5 mm 450 daN Price: _____ 01040-0500-010 Polyester Braid, 5mm, blue  4046882026789	Ø 5 mm 450 daN Price: _____ 01040-0500-059 Polyester Braid, 5mm, yellow  4046882026796	Ø 5 mm 450 daN Price: _____ 01040-0500-086 Polyester Braid, 5mm, green  4046882026819	Ø 5 mm 450 daN Price: _____ 01040-0500-171 Polyester Braid, 5mm, red  4046882026772

LIROS Polyester-Braided Line in Sales Package 01040

Made of Polyester, highly resilient does not stiffen up

- very UV-resistant
- flexible

Ø 5 mm 450 daN Price: _____ 01040-0500-188 Polyester Braid, 5mm, black  4046882026871	Ø 5 mm 450 daN Price: _____ 01040-0500-228 Polyester Braid, 5mm, white  4046882026833	Ø 6 mm 640 daN Price: _____ 01040-0600-010 Polyester Braid, 6mm, blue  4046882026901	Ø 6 mm 640 daN Price: _____ 01040-0600-059 Polyester Braid, 6mm, yellow  4046882026918
Ø 6 mm 640 daN Price: _____ 01040-0600-086 Polyester Braid, 6mm, green  4046882026925	Ø 6 mm 640 daN Price: _____ 01040-0600-171 Polyester Braid, 6mm, red  4046882026895	Ø 6 mm 640 daN Price: _____ 01040-0600-188 Polyester Braid, 6mm, black  4046882026987	Ø 6 mm 640 daN Price: _____ 01040-0600-228 Polyester Braid, 6mm, white  4046882026949
Ø 8 mm 1100 daN Price: _____ 01040-0800-010 Polyester Braid, 8mm, blue  4046882083331	Ø 8 mm 1100 daN Price: _____ 01040-0800-059 Polyester Braid, 8mm, yellow  4046882083348	Ø 8 mm 1100 daN Price: _____ 01040-0800-086 Polyester Braid, 8mm, green  4046882083355	Ø 8 mm 1100 daN Price: _____ 01040-0800-171 Polyester Braid, 8mm, red  4046882083362
Ø 8 mm 1100 daN Price: _____ 01040-0800-188 Polyester Braid, 8mm, black  4046882083379	Ø 8 mm 1100 daN Price: _____ 01040-0800-228 Polyester Braid, 8mm, white  4046882029063	Ø 10 mm 1700 daN Price: _____ 01040-1000-010 Polyester Braid, 10mm, blue  4046882036412	Ø 10 mm 1700 daN Price: _____ 01040-1000-059 Polyester Braid, 10mm, yellow  4046882024037
Ø 10 mm 1700 daN Price: _____ 01040-1000-086 Polyester Braid, 10mm, green  4046882024051	Ø 10 mm 1700 daN Price: _____ 01040-1000-171 Polyester Braid, 10mm, red  4046882024020	Ø 10 mm 1700 daN Price: _____ 01040-1000-188 Polyester Braid, 10mm, black  4046882024082	Ø 10 mm 1700 daN Price: _____ 01040-1000-228 Polyester Braid, 10mm, white  4046882024068

		LIROS Polyester-Braided Line in Sales Package 01040	
		Made of Polyester, highly resilient does not stiffen up ■ very UV-resistant ■ flexible	
Ø 12 mm 2200 daN Price: _____ 01040-1200-188 Polyester Braid, 12mm, black  4046882083508	Ø 12 mm 2200 daN Price: _____ 01040-1200-228 Polyester Braid, 12mm, white  4046882083522	Ø 14 mm 3850 daN Price: _____ 01040-1400-188 Polyester Braid, 14mm, black  4046882083546	Ø 14 mm 3850 daN Price: _____ 01040-1400-228 Polyester Braid, 14mm, white  4046882083553
Ø 16 mm 3900 daN Price: _____ 01040-1600-188 Polyester Braid, 16mm, black  4046882083584	Ø 16 mm 3900 daN Price: _____ 01040-1600-228 Polyester Braid, 16mm, white  4046882083591		

LIROS Polyester Spiral Braid

01045

Flexible high-strength Polyester rope.

- working stretch < 10%
- will not stiffen up
- very UV resistant
- flexible
- abrasion resistant
- custom lengths available

**Ø 3
mm**

**150
daN**

Price:

01045-0300-228

Polyester Spiral
Braid, 3mm, white



4046882084284

**Ø 4
mm**

**275
daN**

Price:

01045-0400-228

Polyester Spiral
Braid, 4mm, white



4046882036573

**Ø 5
mm**

**435
daN**

Price:

01045-0500-228

Polyester Spiral
Braid, 5mm, white



4046882032803

**Ø 6
mm**

**670
daN**

Price:

01045-0600-228

Polyester Spiral
Braid, 6mm, white



4046882032810

**Ø 8
mm**

**840
daN**

Price:

01045-0800-228

Polyester Spiral
Braid, 8mm, white



4046882032827

**Ø 10
mm**

**2500
daN**

Price:

01045-1000-228

Polyester Spiral
Braid, 10mm, white



4046882032834

**Ø 12
mm**

**2200
daN**

Price:

01045-1200-228

Polyester Spiral
Braid, 12mm, white



4046882084383

**Ø 14
mm**

**3000
daN**

Price:

01045-1400-228

Polyester Spiral
Braid, 14mm, white



4046882084390

 LIROS Leach Line 01046 Compact braided, shape retaining leach line for sailmakers. round (therefore easy to process) - compact - low-shrinking			
Ø 2 mm Price: _____ 01046-0200-228 Leach Line, 2mm, white  4046882031899	Ø 2,5 mm Price: _____ 01046-0250-228 Leach Line, 2,5mm, white  4046882031905	Ø 3 mm Price: _____ 01046-0300-228 Leach Line, 3mm, white  4046882031912	Ø 3,5 mm 245 daN Price: _____ 01046-0350-228 Leach Line, 3,5mm, white  4046882031929
Ø 4 mm Price: _____ 01046-0400-228 Leach Line, 4mm, white  4046882031936	Ø 4,5 mm Price: _____ 01046-0450-228 Leach Line, 4,5mm, white  4046882031943	Ø 5 mm Price: _____ 01046-0500-228 Leach Line, 5mm, white  4046882031950	Ø 5,5 mm Price: _____ 01046-0550-228 Leach Line, 5,5mm, white  4046882031967
Ø 6 mm 400 daN Price: _____ 01046-0600-228 Leach Line, 6mm, white  4046882031974	Ø 7 mm Price: _____ 01046-0700-228 Leach Line, 7mm, white  4046882031998	Ø 8 mm Price: _____ 01046-0800-228 Leach Line, 8mm, white  4046882032001	

		LIROS Squareline-PES				01047
		Mooring and anchoring rope, easy to handle – non kinking 8-plait, easy to splice and easily joined to chain. High tenacity Polyester with excellent abrasion Characteristics. Stretch characteristics 20 % ▪ soft and handy ▪ comfortable handling ▪ nonkinking and abrasion resistant ▪ easy to splice				
Ø 10 mm 2000 daN Price: _____  01047-1000-229 Squareline-PES, 10mm, white-blue 4046882011082	Ø 12 mm 2400 daN Price: _____  01047-1200-229 Squareline-PES, 12mm, white-blue 4046882011105	Ø 14 mm 3800 daN Price: _____  01047-1400-229 Squareline-PES, 14mm, white-blue 4046882011136	Ø 16 mm 4700 daN Price: _____  01047-1600-229 Squareline-PES, 16mm, white-blue 4046882011167			
Ø 18 mm 5800 daN Price: _____  01047-1800-229 Squareline-PES, 18mm, white-blue 4046882011181	Ø 20 mm 7600 daN Price: _____  01047-2000-229 Squareline-PES, 20mm, white-blue 4046882011198	Ø 22 mm 8600 daN Price: _____  01047-2200-229 Squareline-PES, 22mm, white-blue 4046882011211	Ø 24 mm 11600 daN Price: _____  01047-2400-229 Squareline-PES, 24mm, white-blue 4046882011228			
Ø 26 mm 13700 daN Price: _____  01047-2600-229 Squareline-PES, 26mm, white-blue 4046882011235	Ø 28 mm 15000 daN Price: _____  01047-2800-229 Squareline-PES, 28mm, white-blue 4046882011242					

	LIROS Squareline-PES		01049				
	Mooring and anchoring rope, easy to handle – non kinking 8-plait, easy to splice and easily joined to chain. High tenacity Polyester with excellent abrasion Characteristics. Stretch characteristics 20 %						
	▪ soft and handy ▪ comfortable handling ▪ nonkinking and abrasion resistant ▪ easy to splice						
Ø 10 mm 2000 daN Price: _____ 01049-1000-130 Squareline-PES, 10mm, navy		Ø 10 mm 2000 daN Price: _____ 01049-1000-188 Squareline-PES, 10mm, black		Ø 12 mm 2400 daN Price: _____ 01049-1200-130 Squareline-PES, 12mm, navy		Ø 12 mm 2400 daN Price: _____ 01049-1200-188 Squareline-PES, 12mm, black	
 4046882011365		 4046882011372		 4046882011389		 4046882011396	
Ø 14 mm 3800 daN Price: _____ 01049-1400-130 Squareline-PES, 14mm, navy		Ø 14 mm 3800 daN Price: _____ 01049-1400-188 Squareline-PES, 14mm, black		Ø 16 mm 4700 daN Price: _____ 01049-1600-130 Squareline-PES, 16mm, navy		Ø 16 mm 4700 daN Price: _____ 01049-1600-188 Squareline-PES, 16mm, black	
 4046882011419		 4046882011426		 4046882011433		 4046882011440	
Ø 18 mm 5800 daN Price: _____ 01049-1800-130 Squareline-PES, 18mm, navy		Ø 18 mm 5800 daN Price: _____ 01049-1800-188 Squareline-PES, 18mm, black		Ø 20 mm 7600 daN Price: _____ 01049-2000-130 Squareline-PES, 20mm, navy		Ø 20 mm 7600 daN Price: _____ 01049-2000-188 Squareline-PES, 20mm, black	
 4046882011457		 4046882011464		 4046882011471		 4046882011488	
Ø 22 mm 8600 daN Price: _____ 01049-2200-130 Squareline-PES, 22mm, navy		Ø 22 mm 8600 daN Price: _____ 01049-2200-188 Squareline-PES, 22mm, black		Ø 24 mm 11600 daN Price: _____ 01049-2400-130 Squareline-PES, 24mm, navy		Ø 24 mm 11600 daN Price: _____ 01049-2400-188 Squareline-PES, 24mm, black	
 4046882011495		 4046882011501		 4046882011518		 4046882011525	
Ø 26 mm 13700 daN Price: _____ 01049-2600-130 Squareline-PES, 26mm, navy		Ø 26 mm 13700 daN Price: _____ 01049-2600-188 Squareline-PES, 26mm, black		Ø 28 mm 15000 daN Price: _____ 01049-2800-130 Squareline-PES, 28mm, navy		Ø 28 mm 15000 daN Price: _____ 01049-2800-188 Squareline-PES, 28mm, black	
 4046882011532		 4046882011549		 4046882037105		 4046882011556	

LIROS Trim Line

01051

Low stretch with very good grip characteristics in cleats. Compact, round and abrasion resistant. Stretch characteristics 5 %

- very UV-resistant
- low stretch quality and good grip
- tried and tested line for windsurfing



Ø 3 mm 200 daN Price: _____ 01051-0300-188 Trim Line, 3mm, black  4046882045162	Ø 3 mm 200 daN Price: _____ 01051-0300-229 Trim Line, 3mm, white-blue  4046882045179	Ø 4 mm 320 daN Price: _____ 01051-0400-188 Trim Line, 4mm, black  4046882038690	Ø 4 mm 320 daN Price: _____ 01051-0400-229 Trim Line, 4mm, white-blue  4046882029612
Ø 4,5 mm 500 daN Price: _____ 01051-0450-188 Trim Line, 4,5mm, black  4046882084734	Ø 4,5 mm 500 daN Price: _____ 01051-0450-229 Trim Line, 4,5mm, white-blue  4046882084796	Ø 5 mm 610 daN Price: _____ 01051-0500-188 Trim Line, 5mm, black  4046882027052	Ø 5 mm 610 daN Price: _____ 01051-0500-229 Trim Line, 5mm, white-blue  4046882027076
Ø 6 mm 800 daN Price: _____ 01051-0600-188 Trim Line, 6mm, black  4046882027151	Ø 6 mm 800 daN Price: _____ 01051-0600-229 Trim Line, 6mm, white-blue  4046882027090		

		LIROS Split Film Polypropylene				01060	
		Low cost, floating all-purpose rope. UV-resistant Polypropylene fibre.					
Ø 6 mm 400 daN		Ø 8 mm 700 daN		Ø 10 mm 1100 daN		Ø 12 mm 1500 daN	
Price: _____		Price: _____		Price: _____		Price: _____	
01060-0600-150 All-Purpose, 6mm, orange  4046882035521		01060-0800-150 All-Purpose, 8mm, orange  4046882085410		01060-1000-150 All-Purpose, 10mm, orange  4046882085458		01060-1200-150 All-Purpose, 12mm, orange  4046882085489	



LIROS Split Film Polypropylene

01061

Low cost, floating all-purpose rope. UV-resistant Polypropylene fibre.

Ø 6
mm

400
daN

Price:

01061-0600-229

All-Purpose, 6mm,
white-blue



4046882085540

Ø 8
mm

700
daN

Price:

01061-0800-229

All-Purpose, 8mm,
white-blue



4046882085588

Ø 10
mm

1100
daN

Price:

01061-1000-229

All-Purpose, 10mm,
white-blue



4046882085625

Ø 12
mm

1500
daN

Price:

01061-1200-229

All-Purpose, 12mm,
white-blue



4046882085663

Lirolen Braided Cords and Lines

01070

- Stretch characteristics 12%
- UV-stabilized
- floats
- individual lengths and format is possible



Ø 1 mm 30 daN Price: _____ 01070-0100-228 Lirolen Braid, 1mm, white 4046882086080	Ø 2 mm 75 daN Price: _____ 01070-0200-228 Lirolen Braid, 2mm, white 4046882036191	Ø 3 mm 140 daN Price: _____ 01070-0300-228 Lirolen Braid, 3mm, white 4046882032674	Ø 4 mm 280 daN Price: _____ 01070-0400-228 Lirolen Braid, 4mm, white 4046882032681
Ø 5 mm 390 daN Price: _____ 01070-0500-228 Lirolen Braid, 5mm, white 4046882032698	Ø 6 mm 550 daN Price: _____ 01070-0600-228 Lirolen Braid, 6mm, white 4046882032704	Ø 8 mm 1000 daN Price: _____ 01070-0800-228 Lirolen Braid, 8mm, white 4046882045186	Ø 10 mm 1300 daN Price: _____ 01070-1000-228 Lirolen Braid, 10mm, white 4046882029674
Ø 12 mm 1600 daN Price: _____ 01070-1200-228 Lirolen Braid, 12mm, white 4046882045193	Ø 14 mm 2000 daN Price: _____ 01070-1400-228 Lirolen Braid, 14mm, white 4046882045209	Ø 16 mm 2600 daN Price: _____ 01070-1600-228 Lirolen Braid, 16mm, white 4046882045216	

LIROS Nautic

01072

Spinnaker sheet for dinghies or small keelboats, soft, very light and easy to handle, can also be used as light weather sheet – and waterski rope, floats. Made of UV-stabilized Polypropylene multifilament. Ø 1,5 mm to 5 mm without, Ø 6 mm to 14 mm with guarantee yarn in blue/gold.

- Stretch characteristics 12%
- very light
- easy to handle
- floats
- UV-stabilized

Ø 1
mm

30 daN

Price:

01072-0100-010
Nautic, 1mm, blue



4046882086738

Ø 1
mm

30 daN

Price:

01072-0100-028
Nautic, 1mm, brown



4046882086745

Ø 1
mm

30 daN

Price:

01072-0100-059
Nautic, 1mm, yellow



4046882086752

Ø 1
mm

30 daN

Price:

01072-0100-078
Nautic, 1mm, grey



4046882086769

Ø 1
mm

30 daN

Price:

01072-0100-086
Nautic, 1mm, green



4046882086776

Ø 1
mm

30 daN

Price:

01072-0100-171
Nautic, 1mm, red



4046882086783

Ø 1
mm

30 daN

Price:

01072-0100-188
Nautic, 1mm, black



4046882086790

Ø 1,5
mm

38 daN

Price:

01072-0150-010
Nautic, 1,5mm, blue



4046882030953

Ø 1,5
mm

38 daN

Price:

01072-0150-010
Nautic, 1,5mm, blue



4046882030953

Ø 1,5
mm

38 daN

Price:

01072-0150-028
Nautic, 1,5mm, brown



4046882030991

Ø 1,5
mm

38 daN

Price:

01072-0150-028
Nautic, 1,5mm, brown



4046882030991

Ø 1,5
mm

38 daN

Price:

01072-0150-059
Nautic, 1,5mm, yellow



4046882030960

Ø 1,5
mm

38 daN

Price:

01072-0150-059
Nautic, 1,5mm, yellow



4046882030960

Ø 1,5
mm

38 daN

Price:

01072-0150-078
Nautic, 1,5mm, grey



4046882030977

Ø 1,5
mm

38 daN

Price:

01072-0150-078
Nautic, 1,5mm, grey



4046882030977

Ø 1,5
mm

38 daN

Price:

01072-0150-086
Nautic, 1,5mm, green



4046882030984

Ø 1,5
mm

38 daN

Price:

01072-0150-086
Nautic, 1,5mm, green



4046882030984

Ø 1,5
mm

38 daN

Price:

01072-0150-171
Nautic, 1,5mm, red



4046882030946

Ø 1,5
mm

38 daN

Price:

01072-0150-171
Nautic, 1,5mm, red



4046882030946

Ø 1,5
mm

38 daN

Price:

01072-0150-188
Nautic, 1,5mm, black



4046882031004

LIROS Nautic

01072

Spinnaker sheet for dinghies or small keelboats, soft, very light and easy to handle, can also be used as light weather sheet – and waterski rope, floats. Made of UV-stabilized Polypropylene multifilament. Ø 1,5 mm to 5 mm without, Ø 6 mm to 14 mm with guarantee yarn in blue/gold.

- Stretch characteristics 12%
- very light
- easy to handle
- floats
- UV-stabilized

Ø 1,5
mm

38 daN

Price:

01072-0150-188
Nautic, 1,5mm, black



4046882031004

Ø 2
mm

70 daN

Price:

01072-0200-010
Nautic, 2mm, blue



4046882031028

Ø 2
mm

70 daN

Price:

01072-0200-010
Nautic, 2mm, blue



4046882031028

Ø 2
mm

70 daN

Price:

01072-0200-028
Nautic, 2mm, brown



4046882031066

Ø 2
mm

70 daN

Price:

01072-0200-028
Nautic, 2mm, brown



4046882031066

Ø 2
mm

70 daN

Price:

01072-0200-059
Nautic, 2mm, yellow



4046882031035

Ø 2
mm

70 daN

Price:

01072-0200-059
Nautic, 2mm, yellow



4046882031035

Ø 2
mm

70 daN

Price:

01072-0200-078
Nautic, 2mm, grey



4046882031042

Ø 2
mm

70 daN

Price:

01072-0200-078
Nautic, 2mm, grey



4046882031042

Ø 2
mm

70 daN

Price:

01072-0200-086
Nautic, 2mm, green



4046882031059

Ø 2
mm

70 daN

Price:

01072-0200-086
Nautic, 2mm, green



4046882031059

Ø 2
mm

70 daN

Price:

01072-0200-171
Nautic, 2mm, red



4046882031011

Ø 2
mm

70 daN

Price:

01072-0200-171
Nautic, 2mm, red



4046882031011

Ø 2
mm

70 daN

Price:

01072-0200-188
Nautic, 2mm, black



4046882031073

Ø 2
mm

70 daN

Price:

01072-0200-188
Nautic, 2mm, black



4046882031073

Ø 3
mm

140
daN

Price:

01072-0300-010
Nautic, 3mm, blue



4046882019576

Ø 3
mm

140
daN

Price:

01072-0300-010
Nautic, 3mm, blue



4046882019576

Ø 3
mm

140
daN

Price:

01072-0300-028
Nautic, 3mm, brown



4046882019613

Ø 3
mm

140
daN

Price:

01072-0300-028
Nautic, 3mm, brown



4046882019613

Ø 3
mm

140
daN

Price:

01072-0300-059
Nautic, 3mm, yellow



4046882019583

LIROS Nautic

01072

Spinnaker sheet for dinghies or small keelboats, soft, very light and easy to handle, can also be used as light weather sheet – and waterski rope, floats. Made of UV-stabilized Polypropylene multifilament. Ø 1,5 mm to 5 mm without, Ø 6 mm to 14 mm with guarantee yarn in blue/gold.

- Stretch characteristics 12%
- very light
- easy to handle
- floats
- UV-stabilized

Ø 3
mm

140
daN

Price:

01072-0300-059
Nautic, 3mm, yellow



4046882019583

Ø 3
mm

140
daN

Price:

01072-0300-078
Nautic, 3mm, grey



4046882019590

Ø 3
mm

140
daN

Price:

01072-0300-078
Nautic, 3mm, grey



4046882019590

Ø 3
mm

140
daN

Price:

01072-0300-086
Nautic, 3mm, green



4046882019606

Ø 3
mm

140
daN

Price:

01072-0300-086
Nautic, 3mm, green



4046882019606

Ø 3
mm

140
daN

Price:

01072-0300-171
Nautic, 3mm, red



4046882019569

Ø 3
mm

140
daN

Price:

01072-0300-171
Nautic, 3mm, red



4046882019569

Ø 3
mm

140
daN

Price:

01072-0300-188
Nautic, 3mm, black



4046882019637

Ø 3
mm

140
daN

Price:

01072-0300-188
Nautic, 3mm, black



4046882019637

Ø 4
mm

280
daN

Price:

01072-0400-010
Nautic, 4mm, blue



4046882019651

Ø 4
mm

280
daN

Price:

01072-0400-010
Nautic, 4mm, blue



4046882019651

Ø 4
mm

280
daN

Price:

01072-0400-028
Nautic, 4mm, brown



4046882019699

Ø 4
mm

280
daN

Price:

01072-0400-028
Nautic, 4mm, brown



4046882019699

Ø 4
mm

280
daN

Price:

01072-0400-059
Nautic, 4mm, yellow



4046882019668

Ø 4
mm

280
daN

Price:

01072-0400-059
Nautic, 4mm, yellow



4046882019668

Ø 4
mm

280
daN

Price:

01072-0400-078
Nautic, 4mm, grey



4046882019675

Ø 4
mm

280
daN

Price:

01072-0400-078
Nautic, 4mm, grey



4046882019675

Ø 4
mm

280
daN

Price:

01072-0400-086
Nautic, 4mm, green



4046882019682

Ø 4
mm

280
daN

Price:

01072-0400-086
Nautic, 4mm, green



4046882019682

Ø 4
mm

280
daN

Price:

01072-0400-171
Nautic, 4mm, red



4046882019644

LIROS Nautic

01072

Spinnaker sheet for dinghies or small keelboats, soft, very light and easy to handle, can also be used as light weather sheet – and waterski rope, floats. Made of UV-stabilized Polypropylene multifilament. Ø 1,5 mm to 5 mm without, Ø 6 mm to 14 mm with guarantee yarn in blue/gold.

- Stretch characteristics 12%
- very light
- easy to handle
- floats
- UV-stabilized

Ø 4
mm

280
daN

Price:

01072-0400-171
Nautic, 4mm, red



4046882019644

Ø 4
mm

280
daN

Price:

01072-0400-188
Nautic, 4mm, black



4046882019712

Ø 4
mm

280
daN

Price:

01072-0400-188
Nautic, 4mm, black



4046882019712

Ø 5
mm

390
daN

Price:

01072-0500-010
Nautic, 5mm, blue



4046882019736

Ø 5
mm

390
daN

Price:

01072-0500-010
Nautic, 5mm, blue



4046882019736

Ø 5
mm

390
daN

Price:

01072-0500-028
Nautic, 5mm, brown



4046882019774

Ø 5
mm

390
daN

Price:

01072-0500-028
Nautic, 5mm, brown



4046882019774

Ø 5
mm

390
daN

Price:

01072-0500-059
Nautic, 5mm, yellow



4046882019743

Ø 5
mm

390
daN

Price:

01072-0500-059
Nautic, 5mm, yellow



4046882019743

Ø 5
mm

390
daN

Price:

01072-0500-078
Nautic, 5mm, grey



4046882019750

Ø 5
mm

390
daN

Price:

01072-0500-078
Nautic, 5mm, grey



4046882019750

Ø 5
mm

390
daN

Price:

01072-0500-086
Nautic, 5mm, green



4046882019767

Ø 5
mm

390
daN

Price:

01072-0500-086
Nautic, 5mm, green



4046882019767

Ø 5
mm

390
daN

Price:

01072-0500-171
Nautic, 5mm, red



4046882019729

Ø 5
mm

390
daN

Price:

01072-0500-171
Nautic, 5mm, red



4046882019729

Ø 5
mm

390
daN

Price:

01072-0500-188
Nautic, 5mm, black



4046882019798

Ø 5
mm

390
daN

Price:

01072-0500-188
Nautic, 5mm, black



4046882019798

Ø 6
mm

550
daN

Price:

01072-0600-010
Nautic, 6mm, blue



4046882167727

Ø 6
mm

550
daN

Price:

01072-0600-010
Nautic, 6mm, blue



4046882167727

Ø 6
mm

550
daN

Price:

01072-0600-028
Nautic, 6mm, brown



4046882008730

LIROS Nautic

01072

Spinnaker sheet for dinghies or small keelboats, soft, very light and easy to handle, can also be used as light weather sheet – and waterski rope, floats. Made of UV-stabilized Polypropylene multifilament. Ø 1,5 mm to 5 mm without, Ø 6 mm to 14 mm with guarantee yarn in blue/gold.

- Stretch characteristics 12%
- very light
- easy to handle
- floats
- UV-stabilized



Ø 6 mm 550 daN Price: _____ 01072-0600-028 Nautic, 6mm, brown  4046882008730	Ø 6 mm 550 daN Price: _____ 01072-0600-059 Nautic, 6mm, yellow  4046882167734	Ø 6 mm 550 daN Price: _____ 01072-0600-059 Nautic, 6mm, yellow  4046882167734	Ø 6 mm 550 daN Price: _____ 01072-0600-078 Nautic, 6mm, grey  4046882008709
Ø 6 mm 550 daN Price: _____ 01072-0600-078 Nautic, 6mm, grey  4046882008709	Ø 6 mm 550 daN Price: _____ 01072-0600-086 Nautic, 6mm, green  4046882008716	Ø 6 mm 550 daN Price: _____ 01072-0600-086 Nautic, 6mm, green  4046882008716	Ø 6 mm 550 daN Price: _____ 01072-0600-171 Nautic, 6mm, red  4046882008679
Ø 6 mm 550 daN Price: _____ 01072-0600-171 Nautic, 6mm, red  4046882008679	Ø 6 mm 550 daN Price: _____ 01072-0600-188 Nautic, 6mm, black  4046882008822	Ø 6 mm 550 daN Price: _____ 01072-0600-188 Nautic, 6mm, black  4046882008822	Ø 8 mm 900 daN Price: _____ 01072-0800-010 Nautic, 8mm, blue  4046882167895
Ø 8 mm 900 daN Price: _____ 01072-0800-010 Nautic, 8mm, blue  4046882167895	Ø 8 mm 900 daN Price: _____ 01072-0800-028 Nautic, 8mm, brown  4046882008990	Ø 8 mm 900 daN Price: _____ 01072-0800-028 Nautic, 8mm, brown  4046882008990	Ø 8 mm 900 daN Price: _____ 01072-0800-059 Nautic, 8mm, yellow  4046882168205
Ø 8 mm 900 daN Price: _____ 01072-0800-059 Nautic, 8mm, yellow  4046882168205	Ø 8 mm 900 daN Price: _____ 01072-0800-078 Nautic, 8mm, grey  4046882008976	Ø 8 mm 900 daN Price: _____ 01072-0800-078 Nautic, 8mm, grey  4046882008976	Ø 8 mm 900 daN Price: _____ 01072-0800-086 Nautic, 8mm, green  4046882008983

LIROS Nautic

01072

Spinnaker sheet for dinghies or small keelboats, soft, very light and easy to handle, can also be used as light weather sheet – and waterski rope, floats. Made of UV-stabilized Polypropylene multifilament. Ø 1,5 mm to 5 mm without, Ø 6 mm to 14 mm with guarantee yarn in blue/gold.

- Stretch characteristics 12%
- very light
- easy to handle
- floats
- UV-stabilized



Ø 8 mm 900 daN Price: _____ 01072-0800-086 Nautic, 8mm, green  4046882008983	Ø 8 mm 900 daN Price: _____ 01072-0800-171 Nautic, 8mm, red  4046882008945	Ø 8 mm 900 daN Price: _____ 01072-0800-171 Nautic, 8mm, red  4046882008945	Ø 8 mm 900 daN Price: _____ 01072-0800-188 Nautic, 8mm, black  4046882009065
Ø 8 mm 900 daN Price: _____ 01072-0800-188 Nautic, 8mm, black  4046882009065	Ø 9 mm 1000 daN Price: _____ 01072-0900-010 Nautic Hollow Braid, 9mm, blue  4046882009195	Ø 9 mm 1000 daN Price: _____ 01072-0900-028 Nautic Hollow Braid, 9mm, brown  4046882009249	Ø 9 mm 1000 daN Price: _____ 01072-0900-059 Nautic Hollow Braid, 9mm, yellow  4046882009201
Ø 9 mm 1000 daN Price: _____ 01072-0900-086 Nautic Hollow Braid, 9mm, green  4046882009225	Ø 9 mm 1000 daN Price: _____ 01072-0900-171 Nautic Hollow Braid, 9mm, red  4046882009188	Ø 9 mm 1000 daN Price: _____ 01072-0900-188 Nautic Hollow Braid, 9mm, black  4046882009270	Ø 9 mm 1000 daN Price: _____ 01072-0900-228 Nautic Hollow Braid, 9mm, white  4046882009232
Ø 10 mm 1230 daN Price: _____ 01072-1000-010 Nautic, 10mm, blue  4046882009348	Ø 10 mm 1230 daN Price: _____ 01072-1000-010 Nautic, 10mm, blue  4046882009348	Ø 10 mm 1230 daN Price: _____ 01072-1000-028 Nautic, 10mm, brown  4046882009393	Ø 10 mm 1230 daN Price: _____ 01072-1000-028 Nautic, 10mm, brown  4046882009393
Ø 10 mm 1230 daN Price: _____ 01072-1000-059 Nautic, 10mm, yellow  4046882009355	Ø 10 mm 1230 daN Price: _____ 01072-1000-059 Nautic, 10mm, yellow  4046882009355	Ø 10 mm 1230 daN Price: _____ 01072-1000-078 Nautic, 10mm, grey  4046882009362	Ø 10 mm 1230 daN Price: _____ 01072-1000-078 Nautic, 10mm, grey  4046882009362

LIROS Nautic

01072

Spinnaker sheet for dinghies or small keelboats, soft, very light and easy to handle, can also be used as light weather sheet – and waterski rope, floats. Made of UV-stabilized Polypropylene multifilament. Ø 1,5 mm to 5 mm without, Ø 6 mm to 14 mm with guarantee yarn in blue/gold.

- Stretch characteristics 12%
- very light
- easy to handle
- floats
- UV-stabilized

Ø 10
mm

1230
daN

Price:

01072-1000-086
Nautic, 10mm, green



4046882009379

Ø 10
mm

1230
daN

Price:

01072-1000-086
Nautic, 10mm, green



4046882009379

Ø 10
mm

1230
daN

Price:

01072-1000-171
Nautic, 10mm, red



4046882009331

Ø 10
mm

1230
daN

Price:

01072-1000-171
Nautic, 10mm, red



4046882009331

Ø 10
mm

1230
daN

Price:

01072-1000-188
Nautic, 10mm, black



4046882009461

Ø 10
mm

1230
daN

Price:

01072-1000-188
Nautic, 10mm, black



4046882009461

Ø 10
mm

1500
daN

Price:

01072-1012-010
Nautic Hollow Braid,
10mm, blue



4046882158237

Ø 10
mm

1500
daN

Price:

01072-1012-028
Nautic Hollow Braid,
10mm, brown



4046882036849

Ø 10
mm

1500
daN

Price:

01072-1012-059
Nautic Hollow Braid,
10mm, yellow



4046882158244

Ø 10
mm

1500
daN

Price:

01072-1012-086
Nautic Hollow Braid,
10mm, green



4046882036832

Ø 10
mm

1500
daN

Price:

01072-1012-171
Nautic Hollow Braid,
10mm, red



4046882158251

Ø 10
mm

1500
daN

Price:

01072-1012-188
Nautic Hollow Braid,
10mm, black



4046882036870

Ø 10
mm

1500
daN

Price:

01072-1012-228
Nautic Hollow Braid,
10mm, white



4046882036856

Ø 12
mm

1700
daN

Price:

01072-1200-010
Nautic, 12mm, blue



4046882017916

Ø 12
mm

1700
daN

Price:

01072-1200-010
Nautic, 12mm, blue



4046882017916

Ø 12
mm

1700
daN

Price:

01072-1200-028
Nautic, 12mm, brown



4046882017954

Ø 12
mm

1700
daN

Price:

01072-1200-028
Nautic, 12mm, brown



4046882017954

Ø 12
mm

1700
daN

Price:

01072-1200-059
Nautic, 12mm, yellow



4046882017930

Ø 12
mm

1700
daN

Price:

01072-1200-059
Nautic, 12mm, yellow



4046882017930

Ø 12
mm

1700
daN

Price:

01072-1200-078
Nautic, 12mm, grey



4046882017923

LIROS Nautic

01072

Spinnaker sheet for dinghies or small keelboats, soft, very light and easy to handle, can also be used as light weather sheet – and waterski rope, floats. Made of UV-stabilized Polypropylene multifilament. Ø 1,5 mm to 5 mm without, Ø 6 mm to 14 mm with guarantee yarn in blue/gold.

- Stretch characteristics 12%
- very light
- easy to handle
- floats
- UV-stabilized

Ø 12
mm

1700
daN

Price:

01072-1200-078
Nautic, 12mm, grey



4046882017923

Ø 12
mm

1700
daN

Price:

01072-1200-086
Nautic, 12mm, green



4046882017947

Ø 12
mm

1700
daN

Price:

01072-1200-086
Nautic, 12mm, green



4046882017947

Ø 12
mm

1700
daN

Price:

01072-1200-171
Nautic, 12mm, red



4046882017909

Ø 12
mm

1700
daN

Price:

01072-1200-171
Nautic, 12mm, red



4046882017909

Ø 12
mm

1700
daN

Price:

01072-1200-188
Nautic, 12mm, black



4046882017978

Ø 12
mm

1700
daN

Price:

01072-1200-188
Nautic, 12mm, black



4046882017978

Ø 14
mm

2000
daN

Price:

01072-1400-010
Nautic, 14mm, blue



4046882017824

Ø 14
mm

2000
daN

Price:

01072-1400-010
Nautic, 14mm, blue



4046882017824

Ø 14
mm

2000
daN

Price:

01072-1400-028
Nautic, 14mm, brown



4046882017862

Ø 14
mm

2000
daN

Price:

01072-1400-028
Nautic, 14mm, brown



4046882017862

Ø 14
mm

2000
daN

Price:

01072-1400-059
Nautic, 14mm, yellow



4046882017831

Ø 14
mm

2000
daN

Price:

01072-1400-059
Nautic, 14mm, yellow



4046882017831

Ø 14
mm

2000
daN

Price:

01072-1400-078
Nautic, 14mm, grey



4046882017848

Ø 14
mm

2000
daN

Price:

01072-1400-078
Nautic, 14mm, grey



4046882017848

Ø 14
mm

2000
daN

Price:

01072-1400-086
Nautic, 14mm, green



4046882017855

Ø 14
mm

2000
daN

Price:

01072-1400-086
Nautic, 14mm, green



4046882017855

Ø 14
mm

2000
daN

Price:

01072-1400-171
Nautic, 14mm, red



4046882017817

Ø 14
mm

2000
daN

Price:

01072-1400-171
Nautic, 14mm, red



4046882017817

Ø 14
mm

2000
daN

Price:

01072-1400-188
Nautic, 14mm, black



4046882017886

LIROS Nautic

01072

Spinnaker sheet for dinghies or small keelboats, soft, very light and easy to handle, can also be used as light weather sheet – and waterski rope, floats. Made of UV-stabilized Polypropylene multifilament. Ø 1,5 mm to 5 mm without, Ø 6 mm to 14 mm with guarantee yarn in blue/gold.

- Stretch characteristics 12%
- very light
- easy to handle
- floats
- UV-stabilized

Ø 14
mm

2000
daN

Price:

01072-1400-188
Nautic, 14mm, black



4046882017886

Ø 16
mm

3700
daN

Price:

01072-1600-010
Nautic, 16mm, blue



4046882019811

Ø 16
mm

3700
daN

Price:

01072-1600-010
Nautic, 16mm, blue



4046882019811

Ø 16
mm

3700
daN

Price:

01072-1600-028
Nautic, 16mm, brown



4046882019859

Ø 16
mm

3700
daN

Price:

01072-1600-028
Nautic, 16mm, brown



4046882019859

Ø 16
mm

3700
daN

Price:

01072-1600-059
Nautic, 16mm, yellow



4046882047715

Ø 16
mm

3700
daN

Price:

01072-1600-059
Nautic, 16mm, yellow



4046882047715

Ø 16
mm

3700
daN

Price:

01072-1600-078
Nautic, 16mm, grey



4046882019835

Ø 16
mm

3700
daN

Price:

01072-1600-078
Nautic, 16mm, grey



4046882019835

Ø 16
mm

3700
daN

Price:

01072-1600-086
Nautic, 16mm, green



4046882019842

Ø 16
mm

3700
daN

Price:

01072-1600-086
Nautic, 16mm, green



4046882019842

Ø 16
mm

3700
daN

Price:

01072-1600-171
Nautic, 16mm, red



4046882019804

Ø 16
mm

3700
daN

Price:

01072-1600-171
Nautic, 16mm, red



4046882019804

Ø 16
mm

3700
daN

Price:

01072-1600-188
Nautic, 16mm, black



4046882019866

Ø 16
mm

3700
daN

Price:

01072-1600-188
Nautic, 16mm, black



4046882019866

Lirolen Braided Cords and Lines

01075

- Stretch characteristics 12%
- UV-stabilized
- floats
- individual lengths and format is possible

**Ø 3
mm 90 daN**

Price:

01075-0300-228

LIROLEN Braid, 3mm,
white



4046882089005

**Ø 4
mm 140 daN**

Price:

01075-0400-228

LIROLEN Braid, 4mm,
white



4046882089050

**Ø 5
mm 200 daN**

Price:

01075-0500-228

LIROLEN Braid, 5mm,
white



4046882089104

**Ø 6
mm 310 daN**

Price:

01075-0600-228

LIROLEN Braid, 6mm,
white



4046882089173

**Ø 8
mm 500 daN**

Price:

01075-0800-228

LIROLEN Braid, 8mm,
white



4046882089296

**Ø 10
mm 1100 daN**

Price:

01075-1000-228

LIROLEN Braid,
10mm, white



4046882089401

**Ø 12
mm 1700 daN**

Price:

01075-1200-228

LIROLEN Braid,
12mm, white



4046882089500

**Ø 14
mm 2000 daN**

Price:

01075-1400-228

LIROLEN Braid,
14mm, white



4046882089531

**Ø 16
mm 2600 daN**

Price:

01075-1600-228

LIROLEN Braid,
16mm, white



4046882089937

LIROS Poly Black

01076

Affordable, extremely lightweight rope for theatrical and cable applications. Very easy-to-handle design of deep black polypropylene multifilament. Antistatic.

- Stretch characteristics 12%
- Very lightweight
- Easy to handle
- Floats
- UV-stabilized
- Affordable

Ø 1,5 mm 38 daN Price: _____ 01076-0150-525 Poly Black, 1.5mm, black without flecks 4046882089951 	Ø 2 mm 70 daN Price: _____ 01076-0200-525 Poly Black, 2mm, black without flecks 4046882089968 	Ø 3 mm 140 daN Price: _____ 01076-0300-525 Poly Black, 3mm, black without flecks 4046882089982 	Ø 4 mm 280 daN Price: _____ 01076-0400-525 Poly Black, 4mm, black without flecks 4046882089999 
Ø 5 mm 390 daN Price: _____ 01076-0500-525 Poly Black, 5mm, black without flecks 4046882090001 	Ø 6 mm 550 daN Price: _____ 01076-0600-525 Poly Black, 6mm, black without flecks 4046882090018 	Ø 8 mm 900 daN Price: _____ 01076-0800-525 Poly Black, 8mm, black without flecks 4046882090025 	Ø 10 mm 1230 daN Price: _____ 01076-1000-525 Poly Black, 10mm, black without flecks 4046882090032 
Ø 12 mm 1700 daN Price: _____ 01076-1200-525 Poly Black, 12mm, black without flecks 4046882090049 	Ø 14 mm 2000 daN Price: _____ 01076-1400-525 Poly Black, 14mm, black without flecks 4046882090063 	Ø 16 mm 3700 daN Price: _____ 01076-1600-525 Poly Black, 16mm, black without flecks 4046882090070 	

		LIROS Squareline-PP				01078	
A light and handy rope for use as mooring line or for towing. Floating 8-strand construction made of 100% Polypropylene multifilament, high tenacity, UV-stabilized. Stretch characteristics 15%							
▪ easy handling and light weight ▪ floats							
Ø 12 mm 2100 daN		Ø 14 mm 2700 daN		Ø 16 mm 3400 daN		Ø 18 mm 4000 daN	
Price: _____		Price: _____		Price: _____		Price: _____	
01078-1200-228 Squareline-PP, 12mm, white  4046882011723		01078-1400-228 Squareline-PP, 14mm, white  4046882011730		01078-1600-228 Squareline-PP, 16mm, white  4046882011747		01078-1800-228 Squareline-PP, 18mm, white  4046882011754	
Ø 20 mm 5000 daN							
Price: _____							
01078-2000-228 Squareline-PP, 20mm, white  4046882011761							

LIROS Squareline-PP

01079

A light and handy rope for use as mooring line or for towing. Floating 8-strand construction made of 100% Polypropylene multifilament, high tenacity, UV-stabilized. Stretch characteristics 15%

- easy handling and light weight
- floats

Ø 12
mm

2100
daN

Price:

01079-1200-010
Squareline-PP,
12mm, blue



4046882037129

Ø 14
mm

2700
daN

Price:

01079-1400-010
Squareline-PP,
14mm, blue



4046882037136

Ø 16
mm

3400
daN

Price:

01079-1600-010
Squareline-PP,
16mm, blue



4046882037143

Ø 18
mm

4000
daN

Price:

01079-1800-010
Squareline-PP,
18mm, blue



4046882037150

Ø 20
mm

5000
daN

Price:

01079-2000-010
Squareline-PP,
20mm, blue



4046882037167

LIROS Squareline-PP

01080

A light and handy rope for use as mooring line or for towing. Floating 8-strand construction made of 100% Polypropylene multifilament, high tenacity, UV-stabilized. Stretch characteristics 15%

- easy handling and light weight
- floats

Ø 12 mm 2100 daN Price: _____ 01080-1200-188 Squareline-PP, 12mm, black  4046882037921	Ø 14 mm 2700 daN Price: _____ 01080-1400-188 Squareline-PP, 14mm, black  4046882037938	Ø 16 mm 3400 daN Price: _____ 01080-1600-188 Squareline-PP, 16mm, black  4046882035323	Ø 18 mm 4000 daN Price: _____ 01080-1800-188 Squareline-PP, 18mm, black  4046882035484
Ø 20 mm 5000 daN Price: _____ 01080-2000-188 Squareline-PP, 20mm, black  4046882033114			

		LIROS Standard		01082
		Low priced and soft sheet made of easy to grip staple Polyester, heat set. ▪ Stretch characteristics 8% ▪ soft and easy to grip ▪ allround sheet		
Ø 6 mm 500 daN Price: _____ 01082-0600-229 Standard, 6mm, white-blue  4046882024396	Ø 6 mm 500 daN Price: _____ 01082-0600-236 Standard, 6mm, white-red  4046882024389	Ø 8 mm 1000 daN Price: _____ 01082-0800-229 Standard, 8mm, white-blue  4046882024426	Ø 8 mm 1000 daN Price: _____ 01082-0800-236 Standard, 8mm, white-red  4046882024419	
Ø 10 mm 1600 daN Price: _____ 01082-1000-229 Standard, 10mm, white-blue  4046882030434	Ø 10 mm 1600 daN Price: _____ 01082-1000-236 Standard, 10mm, white-red  4046882024457	Ø 12 mm 2500 daN Price: _____ 01082-1200-229 Standard, 12mm, white-blue  4046882024495	Ø 12 mm 2500 daN Price: _____ 01082-1200-236 Standard, 12mm, white-red  4046882024488	
Ø 14 mm 3000 daN Price: _____ 01082-1400-229 Standard, 14mm, white-blue  4046882024532	Ø 14 mm 3000 daN Price: _____ 01082-1400-236 Standard, 14mm, white-red  4046882024525			

LIROS Polyester Rope

01110

Classical rope for mooring and anchoring, made of 100% Polyester, very easy to splice, high strength and abrasion resistance. Retains flexibility throughout its life. 3-strand made of 100% Polyester according to DIN 83331/EN697, heat set. Stretch characteristics 15%

- very easy to splice
- extremely tensile and abrasion resistant
- does not stiffen up
- heat set
- available pre spliced see page 18/19

Ø 3 mm 280 daN

Price:

0110-0300-130
Polyester Rope,
3mm, navy



4046882057134

Ø 3 mm 280 daN

Price:

0110-0300-188
Polyester Rope,
3mm, black



4046882012348

Ø 4 mm 400 daN

Price:

0110-0400-130
Polyester Rope,
4mm, navy



4046882012355

Ø 4 mm 400 daN

Price:

0110-0400-188
Polyester Rope,
4mm, black



4046882012379

Ø 5 mm 600 daN

Price:

0110-0500-130
Polyester Rope,
5mm, navy



4046882012386

Ø 5 mm 600 daN

Price:

0110-0500-188
Polyester Rope,
5mm, black



4046882012409

Ø 6 mm 800 daN

Price:

0110-0600-130
Polyester Rope,
6mm, navy



4046882012430

Ø 6 mm 800 daN

Price:

0110-0600-188
Polyester Rope,
6mm, black



4046882012454

Ø 8 mm 1400 daN

Price:

0110-0800-130
Polyester Rope,
8mm, navy



4046882012515

Ø 8 mm 1400 daN

Price:

0110-0800-188
Polyester Rope,
8mm, black



4046882012553

Ø 10 mm 2000 daN

Price:

0110-1000-130
Polyester Rope,
10mm, navy



4046882012591

Ø 10 mm 2000 daN

Price:

0110-1000-188
Polyester Rope,
10mm, black



4046882012614

Ø 12 mm 2600 daN

Price:

0110-1200-130
Polyester Rope,
12mm, navy



4046882012645

Ø 12 mm 2600 daN

Price:

0110-1200-188
Polyester Rope,
12mm, black



4046882012652

Ø 14 mm 3600 daN

Price:

0110-1400-130
Polyester Rope,
14mm, navy



4046882012690

Ø 14 mm 3600 daN

Price:

0110-1400-188
Polyester Rope,
14mm, black



4046882012706

Ø 16 mm 5000 daN

Price:

0110-1600-130
Polyester Rope,
16mm, navy



4046882012737

Ø 16 mm 5000 daN

Price:

0110-1600-188
Polyester Rope,
16mm, black



4046882012744

Ø 18 mm 6000 daN

Price:

0110-1800-130
Polyester Rope,
18mm, navy



4046882012782

Ø 18 mm 6000 daN

Price:

0110-1800-188
Polyester Rope,
18mm, black



4046882012799

LIROS Polyester Rope

01110

Classical rope for mooring and anchoring, made of 100% Polyester, very easy to splice, high strength and abrasion resistance. Retains flexibility throughout its life. 3-strand made of 100% Polyester according to DIN 83331/EN697, heat set. Stretch characteristics 15%

- very easy to splice
- extremely tensile and abrasion resistant
- does not stiffen up
- heat set
- available pre spliced see page 18/19

**Ø 20
mm**

**7000
daN**

Price:

0110-2000-130
Polyester Rope,
20mm, navy



4046882012829

**Ø 20
mm**

**7000
daN**

Price:

0110-2000-188
Polyester Rope,
20mm, black



4046882012836

**Ø 22
mm**

**9000
daN**

Price:

0110-2200-130
Polyester Rope,
22mm, navy



4046882012850

**Ø 22
mm**

**9000
daN**

Price:

0110-2200-188
Polyester Rope,
22mm, black



4046882012867

**Ø 24
mm**

**10500
daN**

Price:

0110-2400-130
Polyester Rope,
24mm, navy



4046882012904

**Ø 24
mm**

**10500
daN**

Price:

0110-2400-188
Polyester Rope,
24mm, black



4046882012928

**Ø 30
mm**

**14800
daN**

Price:

0110-3000-130
Polyester Rope,
30mm, navy



4046882012973

**Ø 30
mm**

**14800
daN**

Price:

0110-3000-188
Polyester Rope,
30mm, black



4046882012980

LIROS Lirolen

01120

An allround rope that floats. 3-strand, easy to splice, retains soft flexibility even after long use, manufactured to DIN 83334/EN 699. Polypropylene multifilament, heat set, white

- Stretch characteristics 15%
- easy to splice
- low-priced allround line
- no water absorption
- floats

Ø 4
mm

280
daN

Price:

01120-0400-228
Lirolen, 4mm, white



4046882013178

Ø 5
mm

400
daN

Price:

01120-0500-228
Lirolen, 5mm, white



4046882013185

Ø 6
mm

590
daN

Price:

01120-0600-228
Lirolen, 6mm, white



4046882013215

Ø 8
mm

1040
daN

Price:

01120-0800-228
Lirolen, 8mm, white



4046882000024

Ø 10
mm

1600
daN

Price:

01120-1000-228
Lirolen, 10mm, white



4046882013291

Ø 12
mm

2200
daN

Price:

01120-1200-228
Lirolen, 12mm, white



4046882013321

Ø 14
mm

3000
daN

Price:

01120-1400-228
Lirolen, 14mm, white



4046882013376

Ø 16
mm

3700
daN

Price:

01120-1600-228
Lirolen, 16mm, white



4046882013383

Ø 18
mm

4700
daN

Price:

01120-1800-228
Lirolen, 18mm, white



4046882013413

Ø 20
mm

5700
daN

Price:

01120-2000-228
Lirolen, 20mm, white



4046882013420

	LIROS Lirolen			01123			
	All-purpose, floating 3-strand rope. Easy to splice, stays pliable even after extensive usage. Spun-dyed, heat-set Polypropylene multifilament, meets DIN 83344/EN 699						
	▪ working stretch > 15% ▪ easy to splice ▪ economical, allround line ▪ low water absorption ▪ floats						
Ø 4 mm 280 daN		Ø 4 mm 280 daN		Ø 4 mm 280 daN		Ø 5 mm 400 daN	
Price: _____		Price: _____		Price: _____		Price: _____	
01123-0400-010 Lirolen, 4mm, blue  4046882013581		01123-0400-130 Lirolen, 4mm, navy  4046882013611		01123-0400-188 Lirolen, 4mm, black  4046882013642		01123-0500-010 Lirolen, 5mm, blue  4046882013673	
Ø 5 mm 400 daN		Ø 5 mm 400 daN		Ø 6 mm 590 daN		Ø 6 mm 590 daN	
Price: _____		Price: _____		Price: _____		Price: _____	
01123-0500-130 Lirolen, 5mm, navy  4046882013710		01123-0500-188 Lirolen, 5mm, black  4046882013727		01123-0600-010 Lirolen, 6mm, blue  4046882013741		01123-0600-130 Lirolen, 6mm, navy  4046882013789	
Ø 6 mm 590 daN		Ø 8 mm 1040 daN		Ø 8 mm 1040 daN		Ø 8 mm 1040 daN	
Price: _____		Price: _____		Price: _____		Price: _____	
01123-0600-188 Lirolen, 6mm, black  4046882013819		01123-0800-010 Lirolen, 8mm, blue  4046882013840		01123-0800-130 Lirolen, 8mm, navy  4046882013895		01123-0800-188 Lirolen, 8mm, black  4046882013949	
Ø 10 mm 1600 daN		Ø 10 mm 1600 daN		Ø 10 mm 1600 daN		Ø 12 mm 2200 daN	
Price: _____		Price: _____		Price: _____		Price: _____	
01123-1000-010 Lirolen, 10mm, blue  4046882013987		01123-1000-130 Lirolen, 10mm, navy  4046882014014		01123-1000-188 Lirolen, 10mm, black  4046882014090		01123-1200-010 Lirolen, 12mm, blue  4046882014182	
Ø 12 mm 2200 daN		Ø 12 mm 2200 daN		Ø 14 mm 3000 daN		Ø 14 mm 3000 daN	
Price: _____		Price: _____		Price: _____		Price: _____	
01123-1200-130 Lirolen, 12mm, navy  4046882014229		01123-1200-188 Lirolen, 12mm, black  4046882014281		01123-1400-010 Lirolen, 14mm, blue  4046882014335		01123-1400-130 Lirolen, 14mm, navy  4046882014373	

	LIROS Lirolen			01123
	All-purpose, floating 3-strand rope. Easy to splice, stays pliable even after extensive usage. Spun-dyed, heat-set Polypropylene multifilament, meets DIN 83344/EN 699			
▪ working stretch > 15% ▪ easy to splice ▪ economical, allround line ▪ low water absorption ▪ floats				
Ø 14 mm 3000 daN Price: _____ 01123-1400-188 Lirolen, 14mm, black  4046882014403	Ø 16 mm 3700 daN Price: _____ 01123-1600-010 Lirolen, 16mm, blue  4046882014458	Ø 16 mm 3700 daN Price: _____ 01123-1600-130 Lirolen, 16mm, navy  4046882014496	Ø 16 mm 3700 daN Price: _____ 01123-1600-188 Lirolen, 16mm, black  4046882014526	
Ø 18 mm 4700 daN Price: _____ 01123-1800-010 Lirolen, 18mm, blue  4046882014571	Ø 18 mm 4700 daN Price: _____ 01123-1800-130 Lirolen, 18mm, navy  4046882014618	Ø 18 mm 4700 daN Price: _____ 01123-1800-188 Lirolen, 18mm, black  4046882014625	Ø 20 mm 5700 daN Price: _____ 01123-2000-010 Lirolen, 20mm, blue  4046882014656	
Ø 20 mm 5700 daN Price: _____ 01123-2000-130 Lirolen, 20mm, navy  4046882014694	Ø 20 mm 5700 daN Price: _____ 01123-2000-188 Lirolen, 20mm, black  4046882014717			

LIROS Lirolen

01126

An allround rope that floats. 3-strand, easy to splice, retains soft flexibility even after long use, manufactured to DIN 83334/EN 699.spin-dyed Polypropylene multifilament, heat set, ideal for classic yacht applications Stretch characteristics 15%

- easy to splice
- low-priced allround line
- no water absorption
- floats

Ø 4
mm

280
daN

Price:

01126-0400-037
Lirolen, 4mm, hemp



4046882016094

Ø 5
mm

400
daN

Price:

01126-0500-037
Lirolen, 5mm, hemp



4046882092586

Ø 6
mm

590
daN

Price:

01126-0600-037
Lirolen, 6mm, hemp



4046882016100

Ø 8
mm

1040
daN

Price:

01126-0800-037
Lirolen, 8mm, hemp



4046882016117

Ø 10
mm

1600
daN

Price:

01126-1000-037
Lirolen, 10mm, hemp



4046882016124

Ø 12
mm

2200
daN

Price:

01126-1200-037
Lirolen, 12mm, hemp



4046882016155

Ø 14
mm

3000
daN

Price:

01126-1400-037
Lirolen, 14mm, hemp



4046882016162

Ø 16
mm

3700
daN

Price:

01126-1600-037
Lirolen, 16mm, hemp



4046882016179

Ø 18
mm

4700
daN

Price:

01126-1800-037
Lirolen, 18mm, hemp



4046882016186

Ø 20
mm

5700
daN

Price:

01126-2000-037
Lirolen, 20mm, hemp



4046882016193

LIROS ClassTech

01127

LIROS ClassTech is available in large diameters for super yacht classic sailors. It's light weight makes it suitable even for larger classic yachts. LIROS ClassTech is available in a lot of different sizes for all ambitious sailors on classic boats. Stretch characteristics 8%

- long lasting and UV-resistant
- resistant to acids and alkalis
- high abrasion resistance
- very easy to splice
- floats

Ø 10 mm 1450 daN Price: _____ 01127-1000-037 ClassTech, 10mm, hemp  4046882038140	Ø 12 mm 2100 daN Price: _____ 01127-1200-037 ClassTech, 12mm, hemp  4046882039109	Ø 14 mm 2800 daN Price: _____ 01127-1400-037 ClassTech, 14mm, hemp  4046882039116	Ø 16 mm 3580 daN Price: _____ 01127-1600-037 ClassTech, 16mm, hemp  4046882039123
Ø 18 mm 4630 daN Price: _____ 01127-1800-037 ClassTech, 18mm, hemp  4046882039130	Ø 20 mm 5560 daN Price: _____ 01127-2000-037 ClassTech, 20mm, hemp  4046882039147	Ø 22 mm 6750 daN Price: _____ 01127-2200-037 ClassTech, 22mm, hemp  4046882039154	Ø 24 mm 7560 daN Price: _____ 01127-2400-037 ClassTech, 24mm, hemp  4046882039161
Ø 26 mm 9000 daN Price: _____ 01127-2600-037 ClassTech, 26mm, hemp  4046882039178	Ø 28 mm 10200 daN Price: _____ 01127-2800-037 ClassTech, 28mm, hemp  4046882039185	Ø 32 mm 11100 daN Price: _____ 01127-3200-037 ClassTech, 32mm, hemp  4046882039208	

LIROS Historic in Sales Package

01140

Hemp performance, but softer, more weather resistant, high load performance. Spun Polypropylene. easy to grip

- soft
- very weather Resistant

Ø 3 mm 60 daN Price: _____ 01140-0300-037 Historic, 3mm, hemp  4046882016315	Ø 4 mm 120 daN Price: _____ 01140-0400-037 Historic, 4mm, hemp  4046882016322	Ø 5 mm 190 daN Price: _____ 01140-0500-037 Historic, 5mm, hemp  4046882016346	Ø 6 mm 320 daN Price: _____ 01140-0600-037 Historic, 6mm, hemp  4046882016360
Ø 8 mm 500 daN Price: _____ 01140-0800-037 Historic, 8mm, hemp  4046882016391	Ø 10 mm 800 daN Price: _____ 01140-1000-037 Historic, 10mm, hemp  4046882016407	Ø 12 mm 1100 daN Price: _____ 01140-1200-037 Historic, 12mm, hemp  4046882016414	Ø 14 mm 1500 daN Price: _____ 01140-1400-037 Historic, 14mm, hemp  4046882016421
Ø 16 mm 2000 daN Price: _____ 01140-1600-037 Historic, 16mm, hemp  4046882016438	Ø 18 mm 2400 daN Price: _____ 01140-1800-037 Historic, 18mm, hemp  4046882016445	Ø 20 mm 3000 daN Price: _____ 01140-2000-037 Historic, 20mm, hemp  4046882016452	Ø 22 mm 3650 daN Price: _____ 01140-2200-037 Historic, 22mm, hemp  4046882016469
Ø 24 mm 4800 daN Price: _____ 01140-2400-037 Historic, 24mm, hemp  4046882016476	Ø 26 mm 5400 daN Price: _____ 01140-2600-037 Historic, 26mm, hemp  4046882016483	Ø 28 mm 6000 daN Price: _____ 01140-2800-037 Historic, 28mm, hemp  4046882016490	Ø 30 mm 6400 daN Price: _____ 01140-3000-037 Historic, 30mm, hemp  4046882016506

	LIROS Barrier Classic 01141 Cable braided rope, specially designed for stairways and cordoned areas. Poly-Hemp has the same good grip as Hemp, but is even softer and more weather-resistant. ▪ abrasion resistant ▪ easy to splice ▪ custom lengths available ▪ 28-30 mm diameter ▪ 11400 ideal for outdoor use, 4-strand twisted made of spun Polypropylene			
Ø 35 mm Price: 01141-3500-037 Barrier Classic, 35mm, hemp  4046882016674				



LIROS Acrylic Ropes

01160

Cable twist, especially designed for hand rails on stairways and for roping off areas. High quality for professional usage. Individual adaptation concerning length

- 28-30 mm Ø

Ø 28 mm	Ø 28 mm	Ø 28 mm	Ø 28 mm
Price: _____	Price: _____	Price: _____	Price: _____
01160-2800-042 Barrier Colour: 28mm, darkbeige 4046882093552	01160-2800-044 Barrier Colour: 28mm, darkbrown 4046882093569	01160-2800-046 Barrier Colour: 28mm, darkgreen 4046882093576	01160-2800-049 Barrier Colour: 28mm, darkred 4046882093583



IROS Acrylic Ropes

ble twist, especially designed for hand rails on stairways and for roping off areas. High quality for professional age. Individual adaptation concerning length
18-30 mm Ø

01161

Ø 28 mm Price: _____ 01161-2800-130 Barrier Colour, 28mm, navy  4046882038164	Ø 28 mm Price: _____ 01161-2800-188 Barrier Colour, 28mm, black  4046882038171		

LIROS Classic 3-strand

01172

High quality rope in natural colour for traditional yachts. 3-strand Polyester with good abrasion characteristics.
very easy to handle and easy to grip
■ ideal for all classic applications

Ø 6
mm

350
daN

Price:

01172-0600-008
Classic 3-strand,
6mm, beige



4046882015370

Ø 6
mm

350
daN

Price:

01172-0600-228
Classic 3-strand,
6mm, white



4046882015363

Ø 8
mm

730
daN

Price:

01172-0800-008
Classic 3-strand,
8mm, beige



4046882015493

Ø 8
mm

730
daN

Price:

01172-0800-228
Classic 3-strand,
8mm, white



4046882015486

Ø 10
mm

1100
daN

Price:

01172-1000-008
Classic 3-strand,
10mm, beige



4046882015608

Ø 10
mm

1100
daN

Price:

01172-1000-228
Classic 3-strand,
10mm, white



4046882015592

Ø 12
mm

1300
daN

Price:

01172-1200-008
Classic 3-strand,
12mm, beige



4046882015653

Ø 12
mm

1300
daN

Price:

01172-1200-228
Classic 3-strand,
12mm, white



4046882015646

Ø 14
mm

1700
daN

Price:

01172-1400-008
Classic 3-strand,
14mm, beige



4046882015707

Ø 14
mm

1700
daN

Price:

01172-1400-228
Classic 3-strand,
14mm, white



4046882015691

Ø 16
mm

2200
daN

Price:

01172-1600-008
Classic 3-strand,
16mm, beige



4046882015752

Ø 16
mm

2200
daN

Price:

01172-1600-228
Classic 3-strand,
16mm, white



4046882015745

Ø 18
mm

3500
daN

Price:

01172-1800-008
Classic 3-strand,
18mm, beige



4046882015783

Ø 18
mm

3500
daN

Price:

01172-1800-228
Classic 3-strand,
18mm, white



4046882015776

Ø 20
mm

4900
daN

Price:

01172-2000-008
Classic 3-strand,
20mm, beige



4046882015806

Ø 20
mm

4900
daN

Price:

01172-2000-228
Classic 3-strand,
20mm, white



4046882015790



LIROS Nordic

01173

Traditional mooring warp which has been very popular in Scandinavia. Combining light weight and good grip with ease of handling – semi matt finish. Stretch characteristics 17%

- handy construction
- easy to splice
- available ready spliced see page 18.

Ø 6 mm 700 daN Price: _____ 01173-0600-228 Nordic, 6mm, white  4046882013048	Ø 8 mm 1200 daN Price: _____ 01173-0800-228 Nordic, 8mm, white  4046882013062	Ø 10 mm 1600 daN Price: _____ 01173-1000-228 Nordic, 10mm, white  4046882013086	Ø 12 mm 2300 daN Price: _____ 01173-1200-228 Nordic, 12mm, white  4046882013123
Ø 14 mm 2900 daN Price: _____ 01173-1400-228 Nordic, 14mm, white  4046882013130	Ø 16 mm 3760 daN Price: _____ 01173-1600-228 Nordic, 16mm, white  4046882013147	Ø 18 mm 4550 daN Price: _____ 01173-1800-228 Nordic, 18mm, white  4046882000895	

LIROS Super Yacht DB

01300

LIROS Super Yacht DB is a new range of mooring and anchoring warps for Super Yachts from 70' to 200' feet in length. The cover is specially treated against the effects of abrasion using the unique LIROS impregnation system NCS. These ropes are very flexible combining high stretch and shock absorbing qualities with great handling characteristics. Available ready spliced and with leather protection around the spliced eye (1 m inner length) if required.

- stretch at characteristics 15%
- not kinking
- easy to handle
- special anti abrasion treatment LIROS NCS

Ø 24 mm 11500 daN Price: _____ 01300-2400-130 Super Yacht Mooring, 24mm, navy 4046882029902	Ø 24 mm 11500 daN Price: _____ 01300-2400-188 Super Yacht Mooring, 24mm, black 4046882036252	Ø 24 mm 11500 daN Price: _____ 01300-2400-228 Super Yacht Mooring, 24mm, white 4046882036238	Ø 24 mm 11500 daN Price: _____ 01300-2400-529 Super Yacht Mooring, 24mm, silver without flecks 4046882036245
Ø 28 mm 15900 daN Price: _____ 01300-2800-130 Super Yacht Mooring, 28mm, navy 4046882029926	Ø 28 mm 15900 daN Price: _____ 01300-2800-188 Super Yacht Mooring, 28mm, black 4046882036283	Ø 28 mm 15900 daN Price: _____ 01300-2800-228 Super Yacht Mooring, 28mm, white 4046882036269	Ø 28 mm 15900 daN Price: _____ 01300-2800-529 Super Yacht Mooring, 28mm, silver without flecks 4046882036276
Ø 32 mm 19800 daN Price: _____ 01300-3200-130 Super Yacht Mooring, 32mm, navy 4046882029940	Ø 32 mm 19800 daN Price: _____ 01300-3200-188 Super Yacht Mooring, 32mm, black 4046882036917	Ø 32 mm 19800 daN Price: _____ 01300-3200-228 Super Yacht Mooring, 32mm, white 4046882036894	Ø 32 mm 19800 daN Price: _____ 01300-3200-529 Super Yacht Mooring, 32mm, silver without flecks 4046882036900
Ø 36 mm 26000 daN Price: _____ 01300-3600-130 Super Yacht Mooring, 36mm, navy 4046882029957	Ø 36 mm 26000 daN Price: _____ 01300-3600-188 Super Yacht Mooring, 36mm, black 4046882036948	Ø 36 mm 26000 daN Price: _____ 01300-3600-228 Super Yacht Mooring, 36mm, white 4046882036924	Ø 36 mm 26000 daN Price: _____ 01300-3600-529 Super Yacht Mooring, 36mm, silver without flecks 4046882036931
Ø 40 mm 32800 daN Price: _____ 01300-4000-130 Super Yacht Mooring, 40mm, navy 4046882029964	Ø 40 mm 32800 daN Price: _____ 01300-4000-188 Super Yacht Mooring, 40mm, black 4046882036979	Ø 40 mm 32800 daN Price: _____ 01300-4000-228 Super Yacht Mooring, 40mm, white 4046882036955	Ø 40 mm 32800 daN Price: _____ 01300-4000-529 Super Yacht Mooring, 40mm, silver without flecks 4046882036962

LIROS Super Yacht DB

01300

LIROS Super Yacht DB is a new range of mooring and anchoring warps for Super Yachts from 70' to 200' feet in length. The cover is specially treated against the effects of abrasion using the unique LIROS impregnation system NCS. These ropes are very flexible combining high stretch and shock absorbing qualities with great handling characteristics. Available ready spliced and with leather protection around the spliced eye (1 m inner length) if required.

- stretch at characteristics 15%
- not kinking
- easy to handle
- special anti abrasion treatment LIROS NCS

Ø 44 mm 38500 daN Price: _____ 01300-4400-130 Super Yacht Mooring, 44mm, navy 4046882036993	Ø 44 mm 38500 daN Price: _____ 01300-4400-188 Super Yacht Mooring, 44mm, black 4046882037013	Ø 44 mm 38500 daN Price: _____ 01300-4400-228 Super Yacht Mooring, 44mm, white 4046882036986	Ø 44 mm 38500 daN Price: _____ 01300-4400-529 Super Yacht Mooring, 44mm, silver without flecks 4046882037006
Ø 48 mm 46000 daN Price: _____ 01300-4800-130 Super Yacht Mooring, 48mm, navy 4046882037037	Ø 48 mm 46000 daN Price: _____ 01300-4800-188 Super Yacht Mooring, 48mm, black 4046882037051	Ø 48 mm 46000 daN Price: _____ 01300-4800-228 Super Yacht Mooring, 48mm, white 4046882037020	Ø 48 mm 46000 daN Price: _____ 01300-4800-529 Super Yacht Mooring, 48mm, silver without flecks 4046882037044
Ø 52 mm 53500 daN Price: _____ 01300-5200-130 Super Yacht Mooring, 52mm, navy 4046882037075	Ø 52 mm 53500 daN Price: _____ 01300-5200-188 Super Yacht Mooring, 52mm, black 4046882037099	Ø 52 mm 53500 daN Price: _____ 01300-5200-228 Super Yacht Mooring, 52mm, white 4046882037068	Ø 52 mm 53500 daN Price: _____ 01300-5200-529 Super Yacht Mooring, 52mm, silver without flecks 4046882037082

LIROS D-Pro - XTR

01481

LIROS D-Pro XTR guarantees optimized breaking strength and stretch values through our LIROS Heat Stretch System. Unbeatable abrasion resistance, low weight and easy splicing provide for shorter assembly times and offer new solutions for forestry and arborist applications. Ideal for replacement of steel wire in a wide variety of settings. Carrying heavy steel ropes now belongs to the past! Stretch characteristics 1%

- Very high break load at minimum diameter and minimum weight
- 8x lighter than steel, first choice for applications with extreme loads
- Excellent splicing ability, can be protected with additional cover
- Very economical and ergonomic for professional foresters
- High UV and abrasion resistance
- Water-repellent coating

Ø 8 mm 6800 daN Price: _____ 01481-0800-316 D-Steel, 8mm, carbongrey  4046882094474	Ø 8 mm 6800 daN Price: _____ 01481-0800-316 D-Steel, 8mm, carbongrey  4046882094474	Ø 10 mm 10500 daN Price: _____ 01481-1000-316 D-Steel, 10mm, carbongrey  4046882094566	Ø 10 mm 10500 daN Price: _____ 01481-1000-316 D-Steel, 10mm, carbongrey  4046882094566
Ø 12 mm 14500 daN Price: _____ 01481-1200-316 D-Steel, 12mm, carbongrey  4046882094603	Ø 12 mm 14500 daN Price: _____ 01481-1200-316 D-Steel, 12mm, carbongrey  4046882094603	Ø 14 mm 17500 daN Price: _____ 01481-1400-316 D-Steel, 14mm, carbongrey  4046882094665	Ø 14 mm 17500 daN Price: _____ 01481-1400-316 D-Steel, 14mm, carbongrey  4046882094665
Ø 16 mm 22000 daN Price: _____ 01481-1600-316 D-Steel, 16mm, carbongrey  4046882094702	Ø 16 mm 22000 daN Price: _____ 01481-1600-316 D-Steel, 16mm, carbongrey  4046882094702	Ø 18 mm 26000 daN Price: _____ 01481-1800-316 D-Steel, 18mm, carbongrey  4046882094757	Ø 18 mm 26000 daN Price: _____ 01481-1800-316 D-Steel, 18mm, carbongrey  4046882094757
Ø 20 mm 32000 daN Price: _____ 01481-2000-316 D-Steel, 20mm, carbongrey  4046882094788	Ø 20 mm 32000 daN Price: _____ 01481-2000-316 D-Steel, 20mm, carbongrey  4046882094788	Ø 22 mm 38000 daN Price: _____ 01481-2200-316 D-Steel, 22mm, carbongrey  4046882094818	Ø 22 mm 38000 daN Price: _____ 01481-2200-316 D-Steel, 22mm, carbongrey  4046882094818
Ø 24 mm 44000 daN Price: _____ 01481-2400-316 D-Steel, 24mm, carbongrey  4046882094856	Ø 24 mm 44000 daN Price: _____ 01481-2400-316 D-Steel, 24mm, carbongrey  4046882094856	Ø 26 mm 50000 daN Price: _____ 01481-2600-316 D-Steel, 26mm, carbongrey  4046882177054	Ø 28 mm 52000 daN Price: _____ 01481-2800-316 D-Steel, 28mm, carbongrey  4046882094894

LIROS D-Pro - XTR

01481

LIROS D-Pro XTR guarantees optimized breaking strength and stretch values through our LIROS Heat Stretch System. Unbeatable abrasion resistance, low weight and easy splicing provide for shorter assembly times and offer new solutions for forestry and arborist applications. Ideal for replacement of steel wire in a wide variety of settings. Carrying heavy steel ropes now belongs to the past! Stretch characteristics 1%

- Very high break load at minimum diameter and minimum weight
- 8x lighter than steel, first choice for applications with extreme loads
- Excellent splicing ability, can be protected with additional cover
- Very economical and ergonomic for professional foresters
- High UV and abrasion resistance
- Water-repellent coating

**Ø 30
mm**

**61000
daN**

Price:

01481-3000-316
D-Steel, 30mm,
carbongrey



4046882155458

**Ø 32
mm**

**68000
daN**

Price:

01481-3200-316
D-Steel, 32mm,
carbongrey



4046882094900

**Ø 34
mm**

**74500
daN**

Price:

01481-3400-316
D-Steel, 34mm,
carbongrey



4046882177061

**Ø 36
mm**

**81000
daN**

Price:

01481-3600-316
D-Steel, 36mm,
carbongrey



4046882177078

**Ø 38
mm**

**94500
daN**

Price:

01481-3800-316
D-Steel, 38mm,
carbongrey



4046882177085

**Ø 40
mm**

**100030
daN**

Price:

01481-4000-316
D-Steel, 40mm,
carbongrey



4046882177092

LIROS Magic Gold

01500

A high performance Polyester cover with Dyneema core makes this an ideal rope for performance dinghies, catamarans and sports boats. The low stretch and good grip characteristics make this ideal for control lines and halyards.

- Stretch characteristics 1,5%
- Excellent abrasion resistance
- Very low stretch characteristics due to Dyneema®
- LIROS-Heat-Stretch-System
- 1,5 mm diameter without fleck: yellow, pink, purple and black

Ø 1,5 mm 125 daN Price: _____ 01500-0150-525 Magic Gold, 1,5mm, black without flecks  4046882175678	Ø 1,5 mm 125 daN Price: _____ 01500-0150-536 Magic Gold, 1,5mm, yellow without flecks  4046882175715	Ø 1,5 mm 125 daN Price: _____ 01500-0150-545 Magic Gold, 1,5mm, violet without flecks  4046882175722	Ø 1,5 mm 125 daN Price: _____ 01500-0150-577 Magic Gold, 1,5mm, pink without flecks  4046882175739
Ø 2 mm 240 daN Price: _____ 01500-0200-408 Magic Gold, 2mm, black-neonyellow-blue  4046882034982	Ø 2 mm 240 daN Price: _____ 01500-0200-411 Magic Gold, 2mm, red-blue-neonyellow  4046882034944	Ø 2 mm 240 daN Price: _____ 01500-0200-444 Magic Gold, 2mm, neonyellow-pink-blue  4046882034975	Ø 2 mm 240 daN Price: _____ 01500-0200-506 Magic Gold, 2mm, blue-neonyellow-red  4046882034951
Ø 3 mm 420 daN Price: _____ 01500-0300-408 Magic Gold, 3mm, black-neonyellow-blue  4046882035033	Ø 3 mm 420 daN Price: _____ 01500-0300-411 Magic Gold, 3mm, red-blue-neonyellow  4046882034999	Ø 3 mm 420 daN Price: _____ 01500-0300-444 Magic Gold, 3mm, neonyellow-pink-blue  4046882035026	Ø 3 mm 420 daN Price: _____ 01500-0300-506 Magic Gold, 3mm, blue-neonyellow-red  4046882035002
Ø 4 mm 580 daN Price: _____ 01500-0400-408 Magic Gold, 4mm, black-neonyellow-blue  4046882035071	Ø 4 mm 580 daN Price: _____ 01500-0400-411 Magic Gold, 4mm, red-blue-neonyellow  4046882035040	Ø 4 mm 580 daN Price: _____ 01500-0400-444 Magic Gold, 4mm, neonyellow-pink-blue  4046882035064	Ø 4 mm 580 daN Price: _____ 01500-0400-506 Magic Gold, 4mm, blue-neonyellow-red  4046882035057
Ø 5 mm 1050 daN Price: _____ 01500-0500-408 Magic Gold, 5mm, black-neonyellow-blue  4046882029513	Ø 5 mm 1050 daN Price: _____ 01500-0500-411 Magic Gold, 5mm, red-blue-neonyellow  4046882029476	Ø 5 mm 1050 daN Price: _____ 01500-0500-444 Magic Gold, 5mm, neonyellow-pink-blue  4046882029506	Ø 5 mm 1050 daN Price: _____ 01500-0500-506 Magic Gold, 5mm, blue-neonyellow-red  4046882029483



LIROS Magic Gold

01500

A high performance Polyester cover with Dyneema core makes this an ideal rope for performance dinghies, catamarans and sports boats. The low stretch and good grip characteristics make this ideal for control lines and halyards.

- Stretch characteristics 1,5%
- Excellent abrasion resistance
- Very low stretch characteristics due to Dyneema®
- LIROS-Heat-Stretch-System
- 1,5 mm diameter without fleck: yellow, pink, purple and black

Ø 6 mm 1800 daN Price: 01500-0600-408 Magic Gold, 6mm, black-neonyellow-blue 4046882029438	Ø 6 mm 1800 daN Price: 01500-0600-411 Magic Gold, 6mm, red-blue-neonyellow 4046882029452	Ø 6 mm 1800 daN Price: 01500-0600-444 Magic Gold, 6mm, neonyellow-pink-blue 4046882029421	Ø 6 mm 1800 daN Price: 01500-0600-506 Magic Gold, 6mm, blue-neonyellow-red 4046882029445

LIROS Magic Speed in Sales Package

01501

Very abrasion resistant cover excellent holding abilities in cleats, low stretch because of the Polyester-core. For use as halyard, control line or for dinghies. very resistant, low stretching



Ø 2 mm 95 daN Price: _____ 01501-0200-408 Magic Speed, 2mm, black-neonyellow-blue 4046882031196	Ø 2 mm 95 daN Price: _____ 01501-0200-412 Magic Speed, 2mm, red-pink-blue 4046882031141	Ø 2 mm 95 daN Price: _____ 01501-0200-414 Magic Speed, 2mm, neonyellow-pink-blue 4046882031189	Ø 2 mm 95 daN Price: _____ 01501-0200-479 Magic Speed, 2mm, blue-pink-red 4046882031158
Ø 3 mm 185 daN Price: _____ 01501-0300-408 Magic Speed, 3mm, black-neonyellow-blue 4046882031264	Ø 3 mm 185 daN Price: _____ 01501-0300-412 Magic Speed, 3mm, red-pink-blue 4046882031202	Ø 3 mm 185 daN Price: _____ 01501-0300-414 Magic Speed, 3mm, neonyellow-pink-blue 4046882031257	Ø 3 mm 185 daN Price: _____ 01501-0300-479 Magic Speed, 3mm, blue-pink-red 4046882031219
Ø 4 mm 320 daN Price: _____ 01501-0400-408 Magic Speed, 4mm, black-neonyellow-blue 4046882031325	Ø 4 mm 320 daN Price: _____ 01501-0400-412 Magic Speed, 4mm, red-pink-blue 4046882031288	Ø 4 mm 320 daN Price: _____ 01501-0400-414 Magic Speed, 4mm, neonyellow-pink-blue 4046882031318	Ø 4 mm 320 daN Price: _____ 01501-0400-479 Magic Speed, 4mm, blue-pink-red 4046882031295
Ø 5 mm 680 daN Price: _____ 01501-0500-408 Magic Speed, 5mm, black-neonyellow-blue 4046882158282	Ø 5 mm 680 daN Price: _____ 01501-0500-412 Magic Speed, 5mm, red-pink-blue 4046882031332	Ø 5 mm 680 daN Price: _____ 01501-0500-414 Magic Speed, 5mm, neonyellow-pink-blue 4046882031370	Ø 5 mm 680 daN Price: _____ 01501-0500-479 Magic Speed, 5mm, blue-pink-red 4046882031349
Ø 6 mm 940 daN Price: _____ 01501-0600-408 Magic Speed, 6mm, black-neonyellow-blue 4046882031417	Ø 6 mm 940 daN Price: _____ 01501-0600-412 Magic Speed, 6mm, red-pink-blue 4046882029414	Ø 6 mm 940 daN Price: _____ 01501-0600-414 Magic Speed, 6mm, neonyellow-pink-blue 4046882031400	Ø 6 mm 940 daN Price: _____ 01501-0600-479 Magic Speed, 6mm, blue-pink-red 4046882029407

LIROS D-Pro NC Static

01504

LIROS D-Pro Static is the only Dyneema product with no creep. Ideal for any application where dimensional stability is critical (outhaul, backstay, dinghy shrouds). Also suited for static lines in industrial or other water sport applications.

- no elongation Dyneema® DM20
- high breaking load with smallest diameter and lowest weight
- exceptionally easy to splice
- highly UV-stable, excellent abrasion resistance
- LIROS Coating System

Ø 3
mm

900
daN

Price:

01504-0300-316
D-Pro Static, 3mm,
carbongrey



4046882157469

Ø 4
mm

1230
daN

Price:

01504-0400-316
D-Pro Static, 4mm,
carbongrey



4046882157476

Ø 5
mm

2450
daN

Price:

01504-0500-316
D-Pro Static, 5mm,
carbongrey



4046882157483

Ø 6
mm

4050
daN

Price:

01504-0600-316
D-Pro Static, 6mm,
carbongrey



4046882157490

Ø 8
mm

5000
daN

Price:

01504-0800-316
D-Pro Static, 8mm,
carbongrey



4046882157506

Ø 10
mm

8500
daN

Price:

01504-1000-316
D-Pro Static, 10mm,
carbongrey



4046882157520

Ø 12
mm

11300
daN

Price:

01504-1200-316
D-Pro Static, 12mm,
carbongrey



4046882157537

LIROS D-Pro in point of sale carton

01505

High Tech cords available in 2-4 mm. Essential accessory for all yachtsmen - multipurpose use. Very high breaking strength 2 mm - 380 daN, 3 mm - 900 daN and 4 mm - 1.250 daN. Excellent UV and abrasion resistance

- easy to splice, assorted colours

Ø 1 mm 195 daN Price: _____ 01505-0100-010 D-Pro, 1mm, blue  4046882009492	Ø 1 mm 195 daN Price: _____ 01505-0100-059 D-Pro, 1mm, yellow  4046882009508	Ø 1 mm 195 daN Price: _____ 01505-0100-171 D-Pro, 1mm, red  4046882009485	Ø 1 mm 195 daN Price: _____ 01505-0100-188 D-Pro, 1mm, black  4046882171540
Ø 1 mm 195 daN Price: _____ 01505-0100-188 D-Pro, 1mm, black  4046882171540	Ø 1 mm 195 daN Price: _____ 01505-0100-228 D-Pro, 1mm, white  4046882009522	Ø 1 mm 195 daN Price: _____ 01505-0100-316 D-Pro, 1mm, carbon grey  4046882031424	Ø 1,5 mm 230 daN Price: _____ 01505-0150-010 D-Pro, 1,5mm, blue  4046882009553
Ø 1,5 mm 230 daN Price: _____ 01505-0150-059 D-Pro, 1,5mm, yellow  4046882009560	Ø 1,5 mm 230 daN Price: _____ 01505-0150-171 D-Pro, 1,5mm, red  4046882009546	Ø 1,5 mm 230 daN Price: _____ 01505-0150-188 D-Pro, 1,5mm, black  4046882096089	Ø 1,5 mm 230 daN Price: _____ 01505-0150-188 D-Pro, 1,5mm, black  4046882096089
Ø 1,5 mm 230 daN Price: _____ 01505-0150-228 D-Pro, 1,5mm, white  4046882009591	Ø 1,5 mm 230 daN Price: _____ 01505-0150-316 D-Pro, 1,5mm, carbon grey  4046882031431	Ø 2 mm 410 daN Price: _____ 01505-0200-010 D-Pro, 2mm, blue  4046882009621	Ø 2 mm 410 daN Price: _____ 01505-0200-059 D-Pro, 2mm, yellow  4046882009638
Ø 2 mm 410 daN Price: _____ 01505-0200-171 D-Pro, 2mm, red  4046882009614	Ø 2 mm 410 daN Price: _____ 01505-0200-188 D-Pro, 2mm, black  4046882009676	Ø 2 mm 410 daN Price: _____ 01505-0200-188 D-Pro, 2mm, black  4046882009676	Ø 2 mm 410 daN Price: _____ 01505-0200-228 D-Pro, 2mm, white  4046882009652

LIROS D-Pro in point of sale carton

01505

High Tech cords available in 2-4 mm. Essential accessory for all yachtsmen – multipurpose use. Very high breaking strength 2 mm - 380 daN, 3 mm - 900 daN and 4 mm - 1.250 daN. Excellent UV and abrasion resistance

- easy to splice, assorted colours

Ø 2 mm 410 daN Price: _____ 01505-0200-316 D-Pro, 2mm, carbongrey  4046882031448	Ø 2,5 mm 580 daN Price: _____ 01505-0250-010 D-Pro, 2.5mm, blue  4046882009690	Ø 2,5 mm 580 daN Price: _____ 01505-0250-059 D-Pro, 2.5mm, yellow  4046882009706	Ø 2,5 mm 580 daN Price: _____ 01505-0250-171 D-Pro, 2.5mm, red  4046882009683
Ø 2,5 mm 580 daN Price: _____ 01505-0250-188 D-Pro, 2.5mm, black  4046882172110	Ø 2,5 mm 580 daN Price: _____ 01505-0250-188 D-Pro, 2.5mm, black  4046882172110	Ø 2,5 mm 580 daN Price: _____ 01505-0250-228 D-Pro, 2.5mm, white  4046882009737	Ø 2,5 mm 580 daN Price: _____ 01505-0250-316 D-Pro, 2.5mm, carbongrey  4046882031455
Ø 3 mm 950 daN Price: _____ 01505-0300-010 D-Pro, 3mm, blue  4046882009768	Ø 3 mm 950 daN Price: _____ 01505-0300-059 D-Pro, 3mm, yellow  4046882009775	Ø 3 mm 950 daN Price: _____ 01505-0300-171 D-Pro, 3mm, red  4046882009751	Ø 3 mm 950 daN Price: _____ 01505-0300-188 D-Pro, 3mm, black  4046882166249
Ø 3 mm 950 daN Price: _____ 01505-0300-188 D-Pro, 3mm, black  4046882166249	Ø 3 mm 950 daN Price: _____ 01505-0300-228 D-Pro, 3mm, white  4046882009805	Ø 3 mm 950 daN Price: _____ 01505-0300-316 D-Pro, 3mm, carbongrey  4046882031462	Ø 4 mm 1300 daN Price: _____ 01505-0400-010 D-Pro, 4mm, blue  4046882009836
Ø 4 mm 1300 daN Price: _____ 01505-0400-059 D-Pro, 4mm, yellow  4046882009843	Ø 4 mm 1300 daN Price: _____ 01505-0400-171 D-Pro, 4mm, red  4046882009829	Ø 4 mm 1300 daN Price: _____ 01505-0400-188 D-Pro, 4mm, black  4046882096126	Ø 4 mm 1300 daN Price: _____ 01505-0400-188 D-Pro, 4mm, black  4046882096126


LIROS D-Pro in point of sale carton

01505

High Tech cords available in 2-4 mm. Essential accessory for all yachtsmen – multipurpose use. Very high breaking strength 2 mm - 380 daN, 3 mm - 900 daN and 4 mm - 1.250 daN. Excellent UV and abrasion resistance

- easy to splice, assorted colours

Ø 4 mm 1300 daN Price: _____ 01505-0400-228 D-Pro, 4mm, white  4046882009874	Ø 4 mm 1300 daN Price: _____ 01505-0400-316 D-Pro, 4mm, carbongrey  4046882029698	Ø 5 mm 2600 daN Price: _____ 01505-0500-010 D-Pro, 5mm, blue  4046882009928	Ø 5 mm 2600 daN Price: _____ 01505-0500-059 D-Pro, 5mm, yellow  4046882009935
Ø 5 mm 2600 daN Price: _____ 01505-0500-171 D-Pro, 5mm, red  4046882009911	Ø 5 mm 2600 daN Price: _____ 01505-0500-188 D-Pro, 5mm, black  4046882009973	Ø 5 mm 2600 daN Price: _____ 01505-0500-188 D-Pro, 5mm, black  4046882009973	Ø 5 mm 2600 daN Price: _____ 01505-0500-228 D-Pro, 5mm, white  4046882009959
Ø 5 mm 2600 daN Price: _____ 01505-0500-316 D-Pro, 5mm, carbongrey  4046882031486	Ø 6 mm 4300 daN Price: _____ 01505-0600-010 D-Pro, 6mm, blue  4046882009997	Ø 6 mm 4300 daN Price: _____ 01505-0600-059 D-Pro, 6mm, yellow  4046882010009	Ø 6 mm 4300 daN Price: _____ 01505-0600-171 D-Pro, 6mm, red  4046882009980
Ø 6 mm 4300 daN Price: _____ 01505-0600-188 D-Pro, 6mm, black  4046882010047	Ø 6 mm 4300 daN Price: _____ 01505-0600-188 D-Pro, 6mm, black  4046882010047	Ø 6 mm 4300 daN Price: _____ 01505-0600-228 D-Pro, 6mm, white  4046882010023	Ø 6 mm 4300 daN Price: _____ 01505-0600-316 D-Pro, 6mm, carbongrey  4046882029582
Ø 8 mm 5300 daN Price: _____ 01505-0800-010 D-Pro, 8mm, blue  4046882010061	Ø 8 mm 5300 daN Price: _____ 01505-0800-059 D-Pro, 8mm, yellow  4046882010078	Ø 8 mm 5300 daN Price: _____ 01505-0800-171 D-Pro, 8mm, red  4046882010054	Ø 8 mm 5300 daN Price: _____ 01505-0800-188 D-Pro, 8mm, black  4046882010115

		LIROS D-Pro in point of sale carton		01505
High Tech cords available in 2-4 mm. Essential accessory for all yachtsmen – multipurpose use. Very high breaking strength 2 mm - 380 daN, 3 mm - 900 daN and 4 mm - 1.250 daN. Excellent UV and abrasion resistance				
■ easy to splice, assorted colours				
Ø 8 mm 5300 daN Price: _____ 01505-0800-188 D-Pro, 8mm, black  4046882010115		Ø 8 mm 5300 daN Price: _____ 01505-0800-228 D-Pro, 8mm, white  4046882010092		Ø 8 mm 5300 daN Price: _____ 01505-0800-316 D-Pro, 8mm, carbongrey  4046882029599
Ø 10 mm 9000 daN Price: _____ 01505-1000-059 D-Pro, 10mm, yellow  4046882030489		Ø 10 mm 9000 daN Price: _____ 01505-1000-171 D-Pro, 10mm, red  4046882030465		Ø 10 mm 9000 daN Price: _____ 01505-1000-188 D-Pro, 10mm, black  4046882031493
Ø 10 mm 9000 daN Price: _____ 01505-1000-228 D-Pro, 10mm, white  4046882030441		Ø 10 mm 9000 daN Price: _____ 01505-1000-316 D-Pro, 10mm, carbongrey  4046882030458		Ø 12 mm 11900 daN Price: _____ 01505-1200-010 D-Pro, 12mm, blue  4046882031516
Ø 12 mm 11900 daN Price: _____ 01505-1200-059 D-Pro, 12mm, yellow  4046882031523		Ø 12 mm 11900 daN Price: _____ 01505-1200-171 D-Pro, 12mm, red  4046882031509		Ø 12 mm 11900 daN Price: _____ 01505-1200-188 D-Pro, 12mm, black  4046882031578
Ø 12 mm 11900 daN Price: _____ 01505-1200-188 D-Pro, 12mm, black  4046882031578		Ø 12 mm 11900 daN Price: _____ 01505-1200-228 D-Pro, 12mm, white  4046882031547		Ø 14 mm 14500 daN Price: _____ 01505-1400-010 D-Pro, 14mm, blue  4046882030502
Ø 14 mm 14500 daN Price: _____ 01505-1400-059 D-Pro, 14mm, yellow  4046882030519		Ø 14 mm 14500 daN Price: _____ 01505-1400-171 D-Pro, 14mm, red  4046882030496		

	LIROS D-Pro in point of sale carton			01505
	High Tech cords available in 2-4 mm. Essential accessory for all yachtsmen – multipurpose use. Very high breaking strength 2 mm - 380 daN, 3 mm - 900 daN and 4 mm - 1.250 daN. Excellent UV and abrasion resistance ■ easy to splice, assorted colours			
Ø 14 mm14500 daN Price: _____ 01505-1400-188 D-Pro, 14mm, black  4046882096485	Ø 14 mm14500 daN Price: _____ 01505-1400-188 D-Pro, 14mm, black  4046882096485	Ø 14 mm14500 daN Price: _____ 01505-1400-228 D-Pro, 14mm, white  4046882030526	Ø 14 mm14500 daN Price: _____ 01505-1400-316 D-Pro, 14mm, carbongrey  4046882030533	
Ø 16 mm19200 daN Price: _____ 01505-1600-010 D-Pro, 16mm, blue  4046882031592	Ø 16 mm19200 daN Price: _____ 01505-1600-059 D-Pro, 16mm, yellow  4046882031608	Ø 16 mm19200 daN Price: _____ 01505-1600-171 D-Pro, 16mm, red  4046882031585	Ø 16 mm19200 daN Price: _____ 01505-1600-188 D-Pro, 16mm, black  4046882031653	
Ø 16 mm19200 daN Price: _____ 01505-1600-188 D-Pro, 16mm, black  4046882031653	Ø 16 mm19200 daN Price: _____ 01505-1600-228 D-Pro, 16mm, white  4046882031622	Ø 16 mm19200 daN Price: _____ 01505-1600-316 D-Pro, 16mm, carbongrey  4046882031646		



LIROS Magic Sheet

01506

LIROS Magic Sheet has been specially developed for use as main- and jib sheets on dinghies, sports boats and catamarans.

- Maximum flexibility: The cohesion between the core and the cover gives excellent flexibility and speed through the blocks.
- Handling: The precise nonslip grip give better control.
- Compact construction: With its round shape and compact braiding it assures excellent handling with good grip in cleats.

Ø 7 mm 970 daN Price: _____ 01506-0700-404 Magic Sheet, 7mm, white-silver  4046882035118	Ø 7 mm 970 daN Price: _____ 01506-0700-405 Magic Sheet, 7mm, white-navy  4046882035095	Ø 7 mm 970 daN Price: _____ 01506-0700-406 Magic Sheet, 7mm, white-orange  4046882035101	Ø 9 mm 1500 daN Price: _____ 01506-0900-404 Magic Sheet, 9mm, white-silver  4046882035156
Ø 9 mm 1500 daN Price: _____ 01506-0900-405 Magic Sheet, 9mm, white-navy  4046882035132	Ø 9 mm 1500 daN Price: _____ 01506-0900-406 Magic Sheet, 9mm, white-orange  4046882035149		

LIROS Magic Pro

01507

LIROS Magic Pro combines all of the best characteristics with extreme low stretch. The core is coated and specially treated with LIROS Heat-Stretch-System.

- Grip Factor 9
- exacting cover construction for excellent hold in cleats and on winches
- outstanding block performance, enabling ultra-fast manoeuvres
- specialised Polyester grip fibres for optimal control in any condtions, perfect handling through manoeuvres
- LIROS Heat-Stretch-System for lowest stretch
- ideal for cover-stripping



Ø 3 mm 450 daN Price: _____ 01507-0300-229 Magic Pro, 3mm, white-blue  4046882096584	Ø 3 mm 450 daN Price: _____ 01507-0300-232 Magic Pro, 3mm, white-green  4046882058049	Ø 3 mm 450 daN Price: _____ 01507-0300-236 Magic Pro, 3mm, white-red  4046882058056	Ø 3 mm 450 daN Price: _____ 01507-0300-239 Magic Pro, 3mm, white-black  4046882096591
Ø 3 mm 450 daN Price: _____ 01507-0400-501 Magic Pro, 3mm, white-neonyellow  4046882096607	Ø 4 mm 620 daN Price: _____ 01507-0400-239 Magic Pro, 4mm, white-blue  4046882053723	Ø 4 mm 620 daN Price: _____ 01507-0400-232 Magic Pro, 4mm, white-green  4046882035170	Ø 4 mm 620 daN Price: _____ 01507-0400-236 Magic Pro, 4mm, white-red  4046882035163
Ø 4 mm 620 daN Price: _____ 01507-0400-239 Magic Pro, 4mm, white-black  4046882035194	Ø 4 mm 620 daN Price: _____ 01507-0400-501 Magic Pro, 4mm, white-neonyellow  4046882053730	Ø 5 mm 1250 daN Price: _____ 01507-0500-229 Magic Pro, 5mm, white-blue  4046882053747	Ø 5 mm 1250 daN Price: _____ 01507-0500-232 Magic Pro, 5mm, white-green  4046882035217
Ø 5 mm 1250 daN Price: _____ 01507-0500-236 Magic Pro, 5mm, white-red  4046882035200	Ø 5 mm 1250 daN Price: _____ 01507-0500-239 Magic Pro, 5mm, white-black  4046882035231	Ø 5 mm 1250 daN Price: _____ 01507-0500-501 Magic Pro, 5mm, white-neonyellow  4046882053754	Ø 6 mm 1600 daN Price: _____ 01507-0600-229 Magic Pro, 6mm, white-blue  4046882038546
Ø 6 mm 1600 daN Price: _____ 01507-0600-232 Magic Pro, 6mm, white-green  4046882035255	Ø 6 mm 1600 daN Price: _____ 01507-0600-236 Magic Pro, 6mm, white-red  4046882035248	Ø 6 mm 1600 daN Price: _____ 01507-0600-239 Magic Pro, 6mm, white-black  4046882035279	Ø 6 mm 1600 daN Price: _____ 01507-0600-501 Magic Pro, 6mm, white-neonyellow  4046882053761

LIROS Magic Pro

01507

LIROS Magic Pro combines all of the best characteristics with extreme low stretch. The core is coated and specially treated with LIROS Heat-Stretch-System.

- Grip Factor 9
- exacting cover construction for excellent hold in cleats and on winches
- outstanding block performance, enabling ultra-fast manoeuvres
- specialised Polyester grip fibres for optimal control in any condtions, perfect handling through manoeuvres
- LIROS Heat-Stretch-System for lowest stretch
- ideal for cover-stripping

Ø 8
mm

3000
daN

Price:

01507-0800-229
Magic Pro, 8mm,
white-blue



4046882128117

Ø 8
mm

3000
daN

Price:

01507-0800-232
Magic Pro, 8mm,
white-green



4046882035293

Ø 8
mm

3000
daN

Price:

01507-0800-236
Magic Pro, 8mm,
white-red



4046882035286

Ø 8
mm

3000
daN

Price:

01507-0800-239
Magic Pro, 8mm,
white-black



4046882035316

Ø 8
mm

3000
daN

Price:

01507-0800-501
Magic Pro, 8mm,
white-neonyellow



4046882053778



LIROS Magic Sail

01512

LIROS Magic Sail is ideal for sailmakers. Extremely shrink-resistant, round and compact for easy processing.

- minimal shrinkage
- good dimensional stability

Ø 2 mm 95 daN Price: _____ 01512-0200-236 Magic Sail, 2mm, white-red  4046882097147	Ø 3 mm 185 daN Price: _____ 01512-0300-236 Magic Sail, 3mm, white-red  4046882097154	Ø 4 mm 320 daN Price: _____ 01512-0400-236 Magic Sail, 4mm, white-red  4046882097161	Ø 5 mm 680 daN Price: _____ 01512-0500-236 Magic Sail, 5mm, white-red  4046882097178
Ø 6 mm 940 daN Price: _____ 01512-0600-236 Magic Sail, 6mm, white-red  4046882097185			

LIROS Magic XTR

01513

LIROS Magic-XTR is ideal for use in dinghies and multihulls. Superior high grip, extremely durable cover. Perfect in cleats. The professional's choice.

- working stretch < 1.0%
- Grip Factor 9
- removable cover for top performance
- superior abrasion resistance - combo-cover (twisted Technora® / Dyneema®)
- best cover-core attachment
- very low stretch, highest breaking load

Ø 4
mm

800
daN

Price:

01513-0400-231

Magic XTR, 4mm,
white-yellow



4046882158299

Ø 4
mm

800
daN

Price:

01513-0400-239

Magic XTR, 4mm,
white-black



4046882177108

Ø 5
mm

1500
daN

Price:

01513-0500-231

Magic XTR, 5mm,
white-yellow



4046882177115

Ø 5
mm

1500
daN

Price:

01513-0500-239

Magic XTR, 5mm,
white-black



4046882177122

Ø 6
mm

2000
daN

Price:

01513-0600-231

Magic XTR, 6mm,
white-yellow



4046882177139

Ø 6
mm

2000
daN

Price:

01513-0600-239

Magic XTR, 6mm,
white-black



4046882177146

Ø 8
mm

4000
daN

Price:

01513-0800-231

Magic XTR, 8mm,
white-yellow



4046882177153

Ø 8
mm

4000
daN

Price:

01513-0800-239

Magic XTR, 8mm,
white-black



4046882177160

LIROS D-Pro-XTR

01514

D-Pro-XTR is a 12-plaited hollow-braid Dyneema® line with highly durable XTR Grip Coating. Well-suited as a replacement for steel and hard shackles. D-Pro-XTR is the ultimate line for applications that require the least stretch.

- extremely high breaking load
- Grip Factor 3
- extremely low stretch
- very light weight
- easy to splice
- no water absorption
- easy to cover with Protect-XTR (see page 21)

Ø 3
mm

1300
daN

Price:

01514-0300-316
D-Pro-XTR, 3mm,
carbongrey



4046882158305

Ø 4
mm

1600
daN

Price:

01514-0400-316
D-Pro-XTR, 4mm,
carbongrey



4046882158312

Ø 5
mm

2850
daN

Price:

01514-0500-316
D-Pro-XTR, 5mm,
carbongrey



4046882158329

Ø 6
mm

4900
daN

Price:

01514-0600-316
D-Pro-XTR, 6mm,
carbongrey



4046882158336

Ø 8
mm

6800
daN

Price:

01514-0800-316
D-Pro-XTR, 8mm,
carbongrey



4046882158343

Ø 10
mm

10500
daN

Price:

01514-1000-316
D-Pro-XTR, 10mm,
carbongrey



4046882158350

Ø 12
mm

14500
daN

Price:

01514-1200-316
D-Pro-XTR, 12mm,
carbongrey



4046882177177

Ø 14
mm

17500
daN

Price:

01514-1400-316
D-Pro-XTR, 14mm,
carbongrey



4046882177184

Ø 16
mm

22000
daN

Price:

01514-1600-316
D-Pro-XTR, 16mm,
carbongrey



4046882158367

LIROS Magic Vision

01516

Perfect all-purpose line for any dinghy or smaller sportboat. Durable Polyester in a modern design - multi-use rope, perfect for dinghy trim and control lines.

- working stretch < 4%
- low-stretch Polyester sheet for boats under 28 ft.
- very durable
- heat-set



Ø 4 mm 420 daN Price: _____ 01516-0400-232 Magic Vision, 4mm, white-green 4046882175487	Ø 4 mm 420 daN Price: _____ 01516-0400-236 Magic Vision, 4mm, white-red 4046882175494	Ø 4 mm 420 daN Price: _____ 01516-0400-239 Magic Vision, 4mm, white-black 4046882175500	Ø 4 mm 420 daN Price: _____ 01516-0400-402 Magic Vision, 4mm, white-steelblue 4046882175517
Ø 5 mm 580 daN Price: _____ 01516-0500-232 Magic Vision, 5mm, white-green 4046882175388	Ø 5 mm 580 daN Price: _____ 01516-0500-236 Magic Vision, 5mm, white-red 4046882175371	Ø 5 mm 580 daN Price: _____ 01516-0500-239 Magic Vision, 5mm, white-black 4046882175340	Ø 5 mm 580 daN Price: _____ 01516-0500-402 Magic Vision, 5mm, white-steelblue 4046882175395
Ø 6 mm 800 daN Price: _____ 01516-0600-232 Magic Vision, 6mm, white-green 4046882175555	Ø 6 mm 800 daN Price: _____ 01516-0600-236 Magic Vision, 6mm, white-red 4046882175562	Ø 6 mm 800 daN Price: _____ 01516-0600-239 Magic Vision, 6mm, white-black 4046882175579	Ø 6 mm 800 daN Price: _____ 01516-0600-402 Magic Vision, 6mm, white-steelblue 4046882175586
Ø 8 mm 1500 daN Price: _____ 01516-0800-232 Magic Vision, 8mm, white-green 4046882173100	Ø 8 mm 1500 daN Price: _____ 01516-0800-236 Magic Vision, 8mm, white-red 4046882173117	Ø 8 mm 1500 daN Price: _____ 01516-0800-239 Magic Vision, 8mm, white-black 4046882173124	Ø 8 mm 1500 daN Price: _____ 01516-0800-402 Magic Vision, 8mm, white-steelblue 4046882173094
Ø 10 mm 2300 daN Price: _____ 01516-1000-232 Magic Vision, 10mm, white-green 4046882175425	Ø 10 mm 2300 daN Price: _____ 01516-1000-236 Magic Vision, 10mm, white-red 4046882175432	Ø 10 mm 2300 daN Price: _____ 01516-1000-239 Magic Vision, 10mm, white-black 4046882175449	Ø 10 mm 2300 daN Price: _____ 01516-1000-402 Magic Vision, 10mm, white-steelblue 4046882175456

LIROS Trim Line in Sales Package

01522

Braided Polyester cords with core, 16-plaited, assorted neon colours in LIROS sales carton. all-purpose

- popular self-service article
- round construction

**Ø 2
mm 90 daN**

Price:

01522-0200-123

Bricklayers Rope ,
2mm, neonyellow



4046882097697

**Ø 2
mm 90 daN**

Price:

01522-0200-157

Bricklayers Rope ,
2mm, pink



4046882097727

**Ø 3 200
mm daN**

Price:

01522-0300-123

Bricklayers Rope ,
3mm, neonyellow



4046882032865

**Ø 3 200
mm daN**

Price:

01522-0300-157

Bricklayers Rope ,
3mm, pink



4046882097864

**Ø 4 320
mm daN**

Price:

01522-0400-416

Trim Line Neon,
4mm, violet-
neonyellow



4046882019996

**Ø 4 320
mm daN**

Price:

01522-0400-417

Trim Line Neon,
4mm, neonyellow-
pink



4046882032872

**Ø 5 610
mm daN**

Price:

01522-0500-416

Trim Line Neon,
5mm, violet-
neonyellow



4046882027342

**Ø 5 610
mm daN**

Price:

01522-0500-417

Trim Line Neon,
5mm, neonyellow-
pink



4046882027274

**Ø 6 800
mm daN**

Price:

01522-0600-416

Trim Line Neon,
6mm, violet-
neonyellow



4046882031844

**Ø 6 800
mm daN**

Price:

01522-0600-417

Trim Line Neon,
6mm, neonyellow-
pink



4046882031769

LIROS Top-Cruising-Color

01528

Very high tensile strength, nonkinking, long lasting sheet out of 100% Polyester. Line for use as mainsail and headsail and spinnaker sheets. Ideal for blue water sailing, easy to splice – heat set.

- Stretch characteristics 5%
- The coloured alternative to LIROS Top-Cruising with high quality spin-dyed Polyester in the ; cover

Ø 6 mm 1100 daN Price: _____ 01528-0600-010 Top-Cruising- Colour, 6mm, blue  4046882019521	Ø 6 mm 1100 daN Price: _____ 01528-0600-059 Top-Cruising- Colour, 6mm, yellow  4046882019538	Ø 6 mm 1100 daN Price: _____ 01528-0600-086 Top-Cruising- Colour, 6mm, green  4046882019545	Ø 6 mm 1100 daN Price: _____ 01528-0600-171 Top-Cruising- Colour, 6mm, red  4046882019514
Ø 6 mm 1100 daN Price: _____ 01528-0600-188 Top-Cruising- Colour, 6mm, black  4046882019552	Ø 6 mm 1100 daN Price: _____ 01528-0600-523 Top-Cruising- Colour, 6mm, navy without flecks  4046882098618	Ø 6 mm 1100 daN Price: _____ 01528-0600-529 Top-Cruising- Colour, 6mm, silver without flecks  4046882168250	Ø 6 mm 1100 daN Price: _____ 01528-0600-546 Top-Cruising- Colour, 6mm, hemp without flecks  4046882098656
Ø 8 mm 1650 daN Price: _____ 01528-0800-010 Top-Cruising- Colour, 8mm, blue  4046882027410	Ø 8 mm 1650 daN Price: _____ 01528-0800-059 Top-Cruising- Colour, 8mm, yellow  4046882027397	Ø 8 mm 1650 daN Price: _____ 01528-0800-086 Top-Cruising- Colour, 8mm, green  4046882027427	Ø 8 mm 1650 daN Price: _____ 01528-0800-171 Top-Cruising- Colour, 8mm, red  4046882027403
Ø 8 mm 1650 daN Price: _____ 01528-0800-188 Top-Cruising- Colour, 8mm, black  4046882027465	Ø 8 mm 1650 daN Price: _____ 01528-0800-523 Top-Cruising- Colour, 8mm, navy without flecks  4046882170048	Ø 8 mm 1650 daN Price: _____ 01528-0800-529 Top-Cruising- Colour, 8mm, silver without flecks  4046882170055	Ø 8 mm 1650 daN Price: _____ 01528-0800-546 Top-Cruising- Colour, 8mm, hemp without flecks  4046882170079
Ø 10 mm 2700 daN Price: _____ 01528-1000-010 Top-Cruising- Colour, 10mm, blue  4046882033947	Ø 10 mm 2700 daN Price: _____ 01528-1000-059 Top-Cruising- Colour, 10mm, yellow  4046882033954	Ø 10 mm 2700 daN Price: _____ 01528-1000-086 Top-Cruising- Colour, 10mm, green  4046882033961	Ø 10 mm 2700 daN Price: _____ 01528-1000-171 Top-Cruising- Colour, 10mm, red  4046882033930

LIROS Top-Cruising-Color

01528

Very high tensile strength, nonkinking, long lasting sheet out of 100% Polyester. Line for use as mainsail and headsail and spinnaker sheets. Ideal for blue water sailing, easy to splice – heat set.

- Stretch characteristics 5%
- The coloured alternative to LIROS Top-Cruising with high quality spin-dyed Polyester in the ; cover

Ø 10 mm 2700 daN Price: _____ 01528-1000-188 Top-Cruising- Colour, 10mm, black  4046882033978	Ø 10 mm 2700 daN Price: _____ 01528-1000-523 Top-Cruising-Color, 10mm, navy without flecks  4046882169097	Ø 10 mm 2700 daN Price: _____ 01528-1000-529 Top-Cruising- Colour, 10mm, silver without flecks  4046882169110	Ø 10 mm 2700 daN Price: _____ 01528-1000-546 Top-Cruising- Colour, 10mm, hemp without flecks  4046882169134
Ø 12 mm 3200 daN Price: _____ 01528-1200-010 Top-Cruising- Colour, 12mm, blue  4046882034005	Ø 12 mm 3200 daN Price: _____ 01528-1200-059 Top-Cruising- Colour, 12mm, yellow  4046882034012	Ø 12 mm 3200 daN Price: _____ 01528-1200-086 Top-Cruising- Colour, 12mm, green  4046882034029	Ø 12 mm 3200 daN Price: _____ 01528-1200-171 Top-Cruising- Colour, 12mm, red  4046882033992
Ø 12 mm 3200 daN Price: _____ 01528-1200-188 Top-Cruising- Colour, 12mm, black  4046882034043	Ø 12 mm 3200 daN Price: _____ 01528-1200-523 Top-Cruising- Colour, 12mm, navy without flecks  4046882169080	Ø 12 mm 3200 daN Price: _____ 01528-1200-529 Top-Cruising- Colour, 12mm, silver without flecks  4046882177191	Ø 12 mm 3200 daN Price: _____ 01528-1200-546 Top-Cruising- Colour, 12mm, hemp without flecks  4046882177207
Ø 14 mm 3800 daN Price: _____ 01528-1400-010 Top-Cruising- Colour, 14mm, blue  4046882034067	Ø 14 mm 3800 daN Price: _____ 01528-1400-059 Top-Cruising- Colour, 14mm, yellow  4046882034074	Ø 14 mm 3800 daN Price: _____ 01528-1400-086 Top-Cruising- Colour, 14mm, green  4046882034081	Ø 14 mm 3800 daN Price: _____ 01528-1400-171 Top-Cruising- Colour, 14mm, red  4046882034050
Ø 14 mm 3800 daN Price: _____ 01528-1400-188 Top-Cruising- Colour, 14mm, black  4046882034104	Ø 14 mm 3800 daN Price: _____ 01528-1400-523 Top-Cruising- Colour, 14mm, navy without flecks  4046882177214	Ø 14 mm 3800 daN Price: _____ 01528-1400-529 Top-Cruising- Colour, 14mm, silver without flecks  4046882177221	Ø 14 mm 3800 daN Price: _____ 01528-1400-546 Top-Cruising- Colour, 14mm, hemp without flecks  4046882177238

LIROS Lazy Jack

01531

A new development with a hollow construction designed for quick and easy splicing. Developed for use as a Lazy Jack Rope available in 2 diameters: 4-5 mm and 6-7 mm. Compact and lightweight

- easy to splice
- extremely UV resistant
- easy handling

Ø 4
mm

500
daN

Ø 6
mm

1000
daN

Ø 12
mm

Price:

01531-0400-529

Lazy Jack, 4mm,
silver without flecks



4046882056410

Price:

01531-0600-529

Lazy Jack, 6mm,
silver without flecks



4046882056427

Price:

01531-1200-529

Lazy Jack, 12mm,
silver without flecks



4046882168106

LIROS TopGrip

01540

The new generation of high quality cruising sheets. LIROS TopGrip has been specially developed for use on all cruising yachts up to 50 feet. Maximum grip on winch drums delivers great control and easy handling in all situations.

- Stretch characteristics 5 %
- High quality matt yarn giving easy handling
- Maximum grip
- Best abrasion resistance
- Very durable construction
- New modern design



Ø 6 mm 800 daN Price: _____ 01540-0600-229 TopGrip, 6mm, white-blue  4046882099257	Ø 6 mm 800 daN Price: _____ 01540-0600-232 TopGrip, 6mm, white-green  4046882099264	Ø 6 mm 800 daN Price: _____ 01540-0600-236 TopGrip, 6mm, white-red  4046882099271	Ø 6 mm 800 daN Price: _____ 01540-0600-239 TopGrip, 6mm, white-black  4046882177245
Ø 8 mm 1350 daN Price: _____ 01540-0800-229 TopGrip, 8mm, white-blue  4046882042505	Ø 8 mm 1350 daN Price: _____ 01540-0800-232 TopGrip, 8mm, white-green  4046882042512	Ø 8 mm 1350 daN Price: _____ 01540-0800-236 TopGrip, 8mm, white-red  4046882042499	Ø 8 mm 1350 daN Price: _____ 01540-0800-239 TopGrip, 8mm, white-black  4046882169059
Ø 10 mm 2200 daN Price: _____ 01540-1000-229 TopGrip, 10mm, white-blue  4046882042550	Ø 10 mm 2200 daN Price: _____ 01540-1000-232 TopGrip, 10mm, white-green  4046882042567	Ø 10 mm 2200 daN Price: _____ 01540-1000-236 TopGrip, 10mm, white-red  4046882042543	Ø 10 mm 2200 daN Price: _____ 01540-1000-239 TopGrip, 10mm, white-black  4046882128773
Ø 12 mm 3000 daN Price: _____ 01540-1200-229 TopGrip, 12mm, white-blue  4046882042604	Ø 12 mm 3000 daN Price: _____ 01540-1200-232 TopGrip, 12mm, white-green  4046882042611	Ø 12 mm 3000 daN Price: _____ 01540-1200-236 TopGrip, 12mm, white-red  4046882042598	Ø 12 mm 3000 daN Price: _____ 01540-1200-239 TopGrip, 12mm, white-black  4046882051286
Ø 14 mm 4200 daN Price: _____ 01540-1400-229 TopGrip, 14mm, white-blue  4046882042659	Ø 14 mm 4200 daN Price: _____ 01540-1400-232 TopGrip, 14mm, white-green  4046882042666	Ø 14 mm 4200 daN Price: _____ 01540-1400-236 TopGrip, 14mm, white-red  4046882042642	Ø 14 mm 4200 daN Price: _____ 01540-1400-239 TopGrip, 14mm, white-black  4046882177252

		LIROS Herkules Color		01550
		Very resilient, extremely multi-functional rope of the highest quality, especially designed for sheets, halyards and trim lines, suitable for yachts of every size, very durable and low stretch, easily spliced to wire – thermo fixed. Very good adhesion on winch drums, abrasion resistant cover, nonkinking. Best choice for cruising yachts. ▪ Stretch characteristics 5 % ▪ The pure coloured alternative to LIROS Herkules with high quality spin-dyed Polyester in the ; cover		
Ø 4 mm 400 daN Price: _____ 01550-0400-010 Herkules Colour, 4mm, blue  4046882021722	Ø 4 mm 400 daN Price: _____ 01550-0400-059 Herkules Colour, 4mm, yellow  4046882021739	Ø 4 mm 400 daN Price: _____ 01550-0400-086 Herkules Colour, 4mm, green  4046882021746	Ø 4 mm 400 daN Price: _____ 01550-0400-130 Herkules Colour, 4mm, navy  4046882021760	
Ø 4 mm 400 daN Price: _____ 01550-0400-171 Herkules Colour, 4mm, red  4046882021715	Ø 4 mm 400 daN Price: _____ 01550-0400-188 Herkules Colour, 4mm, black  4046882021777	Ø 4 mm 400 daN Price: _____ 01550-0400-529 Herkules Colour, 4mm, silver without flecks  4046882177269	Ø 4 mm 400 daN Price: _____ 01550-0400-546 Herkules Colour, 4mm, hemp without flecks  4046882177276	
Ø 5 mm 650 daN Price: _____ 01550-0500-010 Herkules Colour, 5mm, blue  4046882021807	Ø 5 mm 650 daN Price: _____ 01550-0500-059 Herkules Colour, 5mm, yellow  4046882021814	Ø 5 mm 650 daN Price: _____ 01550-0500-086 Herkules Colour, 5mm, green  4046882021821	Ø 5 mm 650 daN Price: _____ 01550-0500-130 Herkules Colour, 5mm, navy  4046882021838	
Ø 5 mm 650 daN Price: _____ 01550-0500-171 Herkules Colour, 5mm, red  4046882021791	Ø 5 mm 650 daN Price: _____ 01550-0500-188 Herkules Colour, 5mm, black  4046882021869	Ø 5 mm 650 daN Price: _____ 01550-0500-529 Herkules Colour, 5mm, silver without flecks  4046882177283	Ø 5 mm 650 daN Price: _____ 01550-0500-546 Herkules Colour, 5mm, hemp without flecks  4046882177290	
Ø 6 mm 800 daN Price: _____ 01550-0600-010 Herkules Colour, 6mm, blue  4046882021883	Ø 6 mm 800 daN Price: _____ 01550-0600-059 Herkules Colour, 6mm, yellow  4046882021890	Ø 6 mm 800 daN Price: _____ 01550-0600-086 Herkules Colour, 6mm, green  4046882021906	Ø 6 mm 800 daN Price: _____ 01550-0600-130 Herkules Colour, 6mm, navy  4046882168588	

		LIROS Herkules Color		01550
		Very resilient, extremely multi-functional rope of the highest quality, especially designed for sheets, halyards and trim lines, suitable for yachts of every size, very durable and low stretch, easily spliced to wire – thermo fixed. Very good adhesion on winch drums, abrasion resistant cover, nonkinking. Best choice for cruising yachts. ▪ Stretch characteristics 5 % ▪ The pure coloured alternative to LIROS Herkules with high quality spin-dyed Polyester in the ; cover		
Ø 6 mm 800 daN Price: _____ 01550-0600-171 Herkules Colour, 6mm, red  4046882168571	Ø 6 mm 800 daN Price: _____ 01550-0600-188 Herkules Colour, 6mm, black  4046882168564	Ø 6 mm 800 daN Price: _____ 01550-0600-529 Herkules Colour, 6mm, silver without flecks  4046882099837	Ø 6 mm 800 daN Price: _____ 01550-0600-546 Herkules Colour, 6mm, hemp without flecks  4046882177306	
Ø 8 mm 1600 daN Price: _____ 01550-0800-010 Herkules Colour, 8mm, blue  4046882021982	Ø 8 mm 1600 daN Price: _____ 01550-0800-059 Herkules Colour, 8mm, yellow  4046882021999	Ø 8 mm 1600 daN Price: _____ 01550-0800-086 Herkules Colour, 8mm, green  4046882022026	Ø 8 mm 1600 daN Price: _____ 01550-0800-130 Herkules Colour, 8mm, navy  4046882169318	
Ø 8 mm 1600 daN Price: _____ 01550-0800-171 Herkules Colour, 8mm, red  4046882169325	Ø 8 mm 1600 daN Price: _____ 01550-0800-188 Herkules Colour, 8mm, black  4046882169332	Ø 8 mm 1600 daN Price: _____ 01550-0800-529 Herkules Colour, 8mm, silver without flecks  4046882099981	Ø 8 mm 1600 daN Price: _____ 01550-0800-546 Herkules Colour, 8mm, hemp without flecks  4046882099998	
Ø 10 mm 2500 daN Price: _____ 01550-1000-010 Herkules Colour, 10mm, blue  4046882022125	Ø 10 mm 2500 daN Price: _____ 01550-1000-059 Herkules Colour, 10mm, yellow  4046882022132	Ø 10 mm 2500 daN Price: _____ 01550-1000-086 Herkules Colour, 10mm, green  4046882022156	Ø 10 mm 2500 daN Price: _____ 01550-1000-130 Herkules Colour, 10mm, navy  4046882169349	
Ø 10 mm 2500 daN Price: _____ 01550-1000-171 Herkules Colour, 10mm, red  4046882169356	Ø 10 mm 2500 daN Price: _____ 01550-1000-188 Herkules Colour, 10mm, black  4046882169363	Ø 10 mm 2500 daN Price: _____ 01550-1000-529 Herkules Colour, 10mm, silver without flecks  4046882169165	Ø 10 mm 2500 daN Price: _____ 01550-1000-546 Herkules Colour, 10mm, hemp without flecks  4046882169431	

		LIROS Herkules Color		01550
		Very resilient, extremely multi-functional rope of the highest quality, especially designed for sheets, halyards and trim lines, suitable for yachts of every size, very durable and low stretch, easily spliced to wire – thermo fixed. Very good adhesion on winch drums, abrasion resistant cover, nonkinking. Best choice for cruising yachts. ▪ Stretch characteristics 5 % ▪ The pure coloured alternative to LIROS Herkules with high quality spin-dyed Polyester in the ; cover		
Ø 12 mm 3500 daN Price: _____ 01550-1200-010 Herkules Colour, 12mm, blue  4046882022248	Ø 12 mm 3500 daN Price: _____ 01550-1200-059 Herkules Colour, 12mm, yellow  4046882022255	Ø 12 mm 3500 daN Price: _____ 01550-1200-086 Herkules Colour, 12mm, green  4046882022279	Ø 12 mm 3500 daN Price: _____ 01550-1200-130 Herkules Colour, 12mm, navy  4046882168595	
Ø 12 mm 3500 daN Price: _____ 01550-1200-171 Herkules Colour, 12mm, red  4046882168601	Ø 12 mm 3500 daN Price: _____ 01550-1200-188 Herkules Colour, 12mm, black  4046882168618	Ø 12 mm 3500 daN Price: _____ 01550-1200-529 Herkules Colour, 12mm, silver without flecks  4046882177313	Ø 12 mm 3500 daN Price: _____ 01550-1200-546 Herkules Colour, 12mm, hemp without flecks  4046882177320	
Ø 14 mm 4500 daN Price: _____ 01550-1400-010 Herkules Colour, 14mm, blue  4046882022330	Ø 14 mm 4500 daN Price: _____ 01550-1400-059 Herkules Colour, 14mm, yellow  4046882022347	Ø 14 mm 4500 daN Price: _____ 01550-1400-086 Herkules Colour, 14mm, green  4046882022361	Ø 14 mm 4500 daN Price: _____ 01550-1400-130 Herkules Colour, 14mm, navy  4046882022378	
Ø 14 mm 4500 daN Price: _____ 01550-1400-171 Herkules Colour, 14mm, red  4046882022323	Ø 14 mm 4500 daN Price: _____ 01550-1400-188 Herkules Colour, 14mm, black  4046882022392	Ø 14 mm 4500 daN Price: _____ 01550-1400-529 Herkules Colour, 14mm, silver without flecks  4046882177337	Ø 14 mm 4500 daN Price: _____ 01550-1400-546 Herkules Colour, 14mm, hemp without flecks  4046882100304	
Ø 16 mm 5000 daN Price: _____ 01550-1600-010 Herkules Colour, 16mm, blue  4046882022415	Ø 16 mm 5000 daN Price: _____ 01550-1600-059 Herkules Colour, 16mm, yellow  4046882022422	Ø 16 mm 5000 daN Price: _____ 01550-1600-086 Herkules Colour, 16mm, green  4046882022446	Ø 16 mm 5000 daN Price: _____ 01550-1600-130 Herkules Colour, 16mm, navy  4046882022453	

		LIROS Herkules Color		01550
		Very resilient, extremely multi-functional rope of the highest quality, especially designed for sheets, halyards and trim lines, suitable for yachts of every size, very durable and low stretch, easily spliced to wire – thermo fixed. Very good adhesion on winch drums, abrasion resistant cover, nonkinking. Best choice for cruising yachts. ▪ Stretch characteristics 5 % ▪ The pure coloured alternative to LIROS Herkules with high quality spin-dyed Polyester in the ; cover		
Ø 16 mm 5000 daN Price: _____ 01550-1600-171 Herkules Colour, 16mm, red  4046882022408	Ø 16 mm 5000 daN Price: _____ 01550-1600-188 Herkules Colour, 16mm, black  4046882022477	Ø 16 mm 5000 daN Price: _____ 01550-1600-529 Herkules Colour, 16mm, silver without flecks  4046882177344	Ø 16 mm 5000 daN Price: _____ 01550-1600-546 Herkules Colour, 16mm, hemp without flecks  4046882100359	
Ø 18 mm 6300 daN Price: _____ 01550-1800-010 Herkules Colour, 18mm, blue  4046882022491	Ø 18 mm 6300 daN Price: _____ 01550-1800-059 Herkules Colour, 18mm, yellow  4046882036726	Ø 18 mm 6300 daN Price: _____ 01550-1800-086 Herkules Colour, 18mm, green  4046882022514	Ø 18 mm 6300 daN Price: _____ 01550-1800-130 Herkules Colour, 18mm, navy  4046882022521	
Ø 18 mm 6300 daN Price: _____ 01550-1800-171 Herkules Colour, 18mm, red  4046882022484	Ø 18 mm 6300 daN Price: _____ 01550-1800-188 Herkules Colour, 18mm, black  4046882022545	Ø 18 mm 6300 daN Price: _____ 01550-1800-529 Herkules Colour, 18mm, silver without flecks  4046882177351	Ø 18 mm 6300 daN Price: _____ 01550-1800-546 Herkules Colour, 18mm, hemp without flecks  4046882177368	
Ø 20 mm 7000 daN Price: _____ 01550-2000-010 Herkules Colour, 20mm, blue  4046882022569	Ø 20 mm 7000 daN Price: _____ 01550-2000-059 Herkules Colour, 20mm, yellow  4046882036733	Ø 20 mm 7000 daN Price: _____ 01550-2000-086 Herkules Colour, 20mm, green  4046882022583	Ø 20 mm 7000 daN Price: _____ 01550-2000-130 Herkules Colour, 20mm, navy  4046882022590	
Ø 20 mm 7000 daN Price: _____ 01550-2000-171 Herkules Colour, 20mm, red  4046882022552	Ø 20 mm 7000 daN Price: _____ 01550-2000-188 Herkules Colour, 20mm, black  4046882022613	Ø 20 mm 7000 daN Price: _____ 01550-2000-529 Herkules Colour, 20mm, silver without flecks  4046882174527	Ø 20 mm 7000 daN Price: _____ 01550-2000-546 Herkules Colour, 20mm, hemp without flecks  4046882174503	

		LIROS Herkules Color		01550
		Very resilient, extremely multi-functional rope of the highest quality, especially designed for sheets, halyards and trim lines, suitable for yachts of every size, very durable and low stretch, easily spliced to wire – thermo fixed. Very good adhesion on winch drums, abrasion resistant cover, nonkinking. Best choice for cruising yachts. ▪ Stretch characteristics 5 % ▪ The pure coloured alternative to LIROS Herkules with high quality spin-dyed Polyester in the ; cover		
Ø 22 mm 8000 daN Price: _____ 01550-2200-010 Herkules Colour, 22mm, blue  4046882022637	Ø 22 mm 8000 daN Price: _____ 01550-2200-059 Herkules Colour, 22mm, yellow  4046882036740	Ø 22 mm 8000 daN Price: _____ 01550-2200-086 Herkules Colour, 22mm, green  4046882022651	Ø 22 mm 8000 daN Price: _____ 01550-2200-130 Herkules Colour, 22mm, navy  4046882036757	
Ø 22 mm 8000 daN Price: _____ 01550-2200-171 Herkules Colour, 22mm, red  4046882022620	Ø 22 mm 8000 daN Price: _____ 01550-2200-188 Herkules Colour, 22mm, black  4046882022675	Ø 22 mm 8000 daN Price: _____ 01550-2200-529 Herkules Colour, 22mm, silver without flecks  4046882177375	Ø 22 mm 8000 daN Price: _____ 01550-2200-546 Herkules Colour, 22mm, hemp without flecks  4046882177382	
Ø 24 mm 9000 daN Price: _____ 01550-2400-010 Herkules Colour, 24mm, blue  4046882022699	Ø 24 mm 9000 daN Price: _____ 01550-2400-059 Herkules Colour, 24mm, yellow  4046882036764	Ø 24 mm 9000 daN Price: _____ 01550-2400-086 Herkules Colour, 24mm, green  4046882022705	Ø 24 mm 9000 daN Price: _____ 01550-2400-130 Herkules Colour, 24mm, navy  4046882036771	
Ø 24 mm 9000 daN Price: _____ 01550-2400-171 Herkules Colour, 24mm, red  4046882022682	Ø 24 mm 9000 daN Price: _____ 01550-2400-188 Herkules Colour, 24mm, black  4046882022712	Ø 24 mm 9000 daN Price: _____ 01550-2400-529 Herkules Colour, 24mm, silver without flecks  4046882177399	Ø 24 mm 9000 daN Price: _____ 01550-2400-546 Herkules Colour, 24mm, hemp without flecks  4046882177405	

LIROS Herkules Vision

01552

New cover construction in new design - this is LIROS Herkules Vision. Very resilient, extremely multi-functional rope of the highest quality, specially designed for sheets, halyards and trim lines, suitable for yachts of every size. Very durable and low stretch, easily spliced to wire – thermo fixed. Very good adhesion on winch drums, abrasion resistant cover, non-kinking. Best choice for cruising yachts. Stretch characteristics 5 %

- The pure coloured alternative to LIROS Herkules with high quality spin-dyed Polyester in the cover.

Ø 6 mm 800 daN Price: _____ 01552-0600-076 Herkules Vision, 6mm, grey-blue  4046882160629	Ø 6 mm 800 daN Price: _____ 01552-0600-080 Herkules Vision, 6mm, grey-yellow  4046882160636	Ø 6 mm 800 daN Price: _____ 01552-0600-083 Herkules Vision, 6mm, grey-black  4046882160643	Ø 6 mm 800 daN Price: _____ 01552-0600-386 Herkules Vision, 6mm, grey-red  4046882160650
Ø 6 mm 800 daN Price: _____ 01552-0600-555 Herkules Vision, 6mm, grey-orange  4046882160667	Ø 8 mm 1600 daN Price: _____ 01552-0800-076 Herkules Vision, 8mm, grey-blue  4046882123723	Ø 8 mm 1600 daN Price: _____ 01552-0800-080 Herkules Vision, 8mm, grey-yellow  4046882123730	Ø 8 mm 1600 daN Price: _____ 01552-0800-083 Herkules Vision, 8mm, grey-black  4046882123747
Ø 8 mm 1600 daN Price: _____ 01552-0800-386 Herkules Vision, 8mm, grey-red  4046882123754	Ø 8 mm 1600 daN Price: _____ 01552-0800-555 Herkules Vision, 8mm, grey-orange  4046882168267	Ø 10 mm 2500 daN Price: _____ 01552-1000-076 Herkules Vision, 10mm, grey-blue  4046882123761	Ø 10 mm 2500 daN Price: _____ 01552-1000-080 Herkules Vision, 10mm, grey-yellow  4046882123778
Ø 10 mm 2500 daN Price: _____ 01552-1000-083 Herkules Vision, 10mm, grey-black  4046882123785	Ø 10 mm 2500 daN Price: _____ 01552-1000-386 Herkules Vision, 10mm, grey-red  4046882123792	Ø 10 mm 2500 daN Price: _____ 01552-1000-555 Herkules Vision, 10mm, grey-orange  4046882169073	Ø 12 mm 3500 daN Price: _____ 01552-1200-076 Herkules Vision, 12mm, grey-blue  4046882123808
Ø 12 mm 3500 daN Price: _____ 01552-1200-080 Herkules Vision, 12mm, grey-yellow  4046882123815	Ø 12 mm 3500 daN Price: _____ 01552-1200-083 Herkules Vision, 12mm, grey-black  4046882123822	Ø 12 mm 3500 daN Price: _____ 01552-1200-386 Herkules Vision, 12mm, grey-red  4046882123839	Ø 12 mm 3500 daN Price: _____ 01552-1200-555 Herkules Vision, 12mm, grey-orange  4046882168090

LIROS Herkules Vision

01552

New cover construction in new design - this is LIROS Herkules Vision. Very resilient, extremely multi-functional rope of the highest quality, specially designed for sheets, halyards and trim lines, suitable for yachts of every size. Very durable and low stretch, easily spliced to wire – thermo fixed. Very good adhesion on winch drums, abrasion resistant cover, non-kinking. Best choice for cruising yachts. Stretch characteristics 5 %

- The pure coloured alternative to LIROS Herkules with high quality spin-dyed Polyester in the cover.

Ø 14
mm

4500
daN

Price:

01552-1400-076

Herkules Vision,
14mm, grey-blue



4046882123846

Ø 14
mm

4500
daN

Price:

01552-1400-080

Herkules Vision,
14mm, grey-yellow



4046882123853

Ø 14
mm

4500
daN

Price:

01552-1400-083

Herkules Vision,
14mm, grey-black



4046882123860

Ø 14
mm

4500
daN

Price:

01552-1400-386

Herkules Vision,
14mm, grey-red



4046882123877

Ø 14
mm

4500
daN

Price:

01552-1400-555

Herkules Vision,
14mm, grey-orange



4046882168083

LIROS Super Classic

01570

Super sheet conceived especially for classic yachts and Cruising boats. LIROS developed this especially low-stretch and easy-handling sheet with excellent winch suitability and superior handling in mind, rather than overall breaking strength.

- working stretch < 3%
- lightweight and stretch-resistant
- extremely pliable and compact
- ideal for winches
- highest abrasion resistance
- very durable

Ø 12 mm 3500 daN Price: _____ 01570-1200-008 Super Classic, 12mm, beige  4046882169486	Ø 12 mm 3500 daN Price: _____ 01570-1200-228 Super Classic, 12mm, white  4046882100410	Ø 12 mm 3500 daN Price: _____ 01570-1200-529 Super Classic, 12mm, silver without flecks  4046882169493	Ø 14 mm 4500 daN Price: _____ 01570-1400-008 Super Classic, 14mm, beige  4046882170970
Ø 14 mm 4500 daN Price: _____ 01570-1400-228 Super Classic, 14mm, white  4046882048491	Ø 14 mm 4500 daN Price: _____ 01570-1400-529 Super Classic, 14mm, silver without flecks  4046882170994	Ø 16 mm 5000 daN Price: _____ 01570-1600-008 Super Classic, 16mm, beige  4046882177412	Ø 16 mm 5000 daN Price: _____ 01570-1600-228 Super Classic, 16mm, white  4046882054478
Ø 16 mm 5000 daN Price: _____ 01570-1600-529 Super Classic, 16mm, silver without flecks  4046882177429	Ø 18 mm 6300 daN Price: _____ 01570-1800-008 Super Classic, 18mm, beige  4046882177436	Ø 18 mm 6300 daN Price: _____ 01570-1800-228 Super Classic, 18mm, white  4046882049627	Ø 18 mm 6300 daN Price: _____ 01570-1800-529 Super Classic, 18mm, silver without flecks  4046882177443
Ø 20 mm 7000 daN Price: _____ 01570-2000-008 Super Classic, 20mm, beige  4046882177450	Ø 20 mm 7000 daN Price: _____ 01570-2000-228 Super Classic, 20mm, white  4046882050913	Ø 20 mm 7000 daN Price: _____ 01570-2000-529 Super Classic, 20mm, silver without flecks  4046882177467	



LIROS Safe Vision

01595

New LIROS safety rope specially developed as a working line for the arborist market. LIROS Safe Vision is especially smooth and flexible, so arborists can work and move quickly and safely. High-strength Polyester cover is extremely abrasion resistant. Low diameter for very lightweight.

- optimum handling
- highly abrasion resistant
- good knot hold
- extremely low cover-core movement

Ø 11,8 mm 3300 daN Price: 01595-0000-014 Safe Vision, 11,8mm, blue-yellow-white  4046882173506				



LIROS Safe Vision

01596

New LIROS safety rope specially developed as a working line for the arborist market. LIROS Safe Vision is especially smooth and flexible, so arborists can work and move quickly and safely. High-strength Polyester cover is extremely abrasion resistant. Low diameter for very lightweight.

- optimum handling
- highly abrasion resistant
- good knot hold
- extremely low cover-core movement

Ø 12,8 mm 3600 daN Price: 01596-0000-014 Safe Vision, 12,8mm, blue-yellow-white  4046882173520				



LIROS Regatta 2000

02000

Very low stretch rope for halyards, spinnaker and genoa sheets, high tenacity, light and long durability top-performance rope, plaited cover gives excellent resistance to abrasion, additional cover between core which is made out of Dyneema® SK78 and outer cover preventing movement between the two when under extreme load. Stretch characteristics 1,5%

- High performance Polyester in the cover makes it extremely resistant to abrasion
- also fullcoloured available (see Herkules Color p. 8)
- LIROS-Heat-Stretch-System

Ø 2 mm 270 daN Price: _____ 02000-0200-212 Regatta 2000, 2mm, steelblue-bright blue 4046882024617	Ø 2 mm 270 daN Price: _____ 02000-0200-213 Regatta 2000, 2mm, steelblue-white 4046882024648	Ø 2 mm 270 daN Price: _____ 02000-0200-228 Regatta 2000, 2mm, white 4046882024594	Ø 2 mm 270 daN Price: _____ 02000-0200-352 Regatta 2000, 2mm, steelblue-yellow 4046882024624
Ø 2 mm 270 daN Price: _____ 02000-0200-353 Regatta 2000, 2mm, steelblue-green 4046882024631	Ø 2 mm 270 daN Price: _____ 02000-0200-354 Regatta 2000, 2mm, steelblue-red 4046882024600	Ø 2,5 mm 390 daN Price: _____ 02000-0250-212 Regatta 2000, 2,5mm, steelblue-bright blue 4046882024693	Ø 2,5 mm 390 daN Price: _____ 02000-0250-213 Regatta 2000, 2,5mm, steelblue-white 4046882024723
Ø 2,5 mm 390 daN Price: _____ 02000-0250-228 Regatta 2000, 2,5mm, white 4046882024679	Ø 2,5 mm 390 daN Price: _____ 02000-0250-352 Regatta 2000, 2,5mm, steelblue-yellow 4046882024709	Ø 2,5 mm 390 daN Price: _____ 02000-0250-353 Regatta 2000, 2,5mm, steelblue-green 4046882024716	Ø 2,5 mm 390 daN Price: _____ 02000-0250-354 Regatta 2000, 2,5mm, steelblue-red 4046882024686
Ø 3 mm 550 daN Price: _____ 02000-0300-212 Regatta 2000, 3mm, steelblue-bright blue 4046882024822	Ø 3 mm 550 daN Price: _____ 02000-0300-213 Regatta 2000, 3mm, steelblue-white 4046882024853	Ø 3 mm 550 daN Price: _____ 02000-0300-228 Regatta 2000, 3mm, white 4046882024808	Ø 3 mm 550 daN Price: _____ 02000-0300-352 Regatta 2000, 3mm, steelblue-yellow 4046882024839
Ø 3 mm 550 daN Price: _____ 02000-0300-353 Regatta 2000, 3mm, steelblue-green 4046882024846	Ø 3 mm 550 daN Price: _____ 02000-0300-354 Regatta 2000, 3mm, steelblue-red 4046882024815	Ø 4 mm 800 daN Price: _____ 02000-0400-212 Regatta 2000, 4mm, steelblue-bright blue 4046882024952	Ø 4 mm 800 daN Price: _____ 02000-0400-213 Regatta 2000, 4mm, steelblue-white 4046882024990



LIROS Regatta 2000

02000

Very low stretch rope for halyards, spinnaker and genoa sheets, high tenacity, light and long durability top-performance rope, plaited cover gives excellent resistance to abrasion, additional cover between core which is made out of Dyneema® SK78 and outer cover preventing movement between the two when under extreme load. Stretch characteristics 1,5%

- High performance Polyester in the cover makes it extremely resistant to abrasion
- also fullcoloured available (see Herkules Color p. 8)
- LIROS-Heat-Stretch-System

Ø 4 mm 800 daN Price: _____ 02000-0400-228 Regatta 2000, 4mm, white 4046882024938	Ø 4 mm 800 daN Price: _____ 02000-0400-352 Regatta 2000, 4mm, steelblue-yellow 4046882024969	Ø 4 mm 800 daN Price: _____ 02000-0400-353 Regatta 2000, 4mm, steelblue-green 4046882024976	Ø 4 mm 800 daN Price: _____ 02000-0400-354 Regatta 2000, 4mm, steelblue-red 4046882024945
Ø 5 mm 1100 daN Price: _____ 02000-0500-212 Regatta 2000, 5mm, steelblue-bright blue 4046882004497	Ø 5 mm 1100 daN Price: _____ 02000-0500-213 Regatta 2000, 5mm, steelblue-white 4046882004527	Ø 5 mm 1100 daN Price: _____ 02000-0500-228 Regatta 2000, 5mm, white 4046882004459	Ø 5 mm 1100 daN Price: _____ 02000-0500-352 Regatta 2000, 5mm, steelblue-yellow 4046882004503
Ø 5 mm 1100 daN Price: _____ 02000-0500-353 Regatta 2000, 5mm, steelblue-green 4046882004510	Ø 5 mm 1100 daN Price: _____ 02000-0500-354 Regatta 2000, 5mm, steelblue-red 4046882004480	Ø 6 mm 2500 daN Price: _____ 02000-0600-212 Regatta 2000, 6mm, steelblue-bright blue 4046882004701	Ø 6 mm 2500 daN Price: _____ 02000-0600-213 Regatta 2000, 6mm, steelblue-white 4046882004749
Ø 6 mm 2500 daN Price: _____ 02000-0600-228 Regatta 2000, 6mm, white 4046882004657	Ø 6 mm 2500 daN Price: _____ 02000-0600-352 Regatta 2000, 6mm, steelblue-yellow 4046882004718	Ø 6 mm 2500 daN Price: _____ 02000-0600-353 Regatta 2000, 6mm, steelblue-green 4046882004732	Ø 6 mm 2500 daN Price: _____ 02000-0600-354 Regatta 2000, 6mm, steelblue-red 4046882004695
Ø 8 mm 3800 daN Price: _____ 02000-0800-212 Regatta 2000, 8mm, steelblue-bright blue 4046882004916	Ø 8 mm 3800 daN Price: _____ 02000-0800-213 Regatta 2000, 8mm, steelblue-white 4046882004954	Ø 8 mm 3800 daN Price: _____ 02000-0800-228 Regatta 2000, 8mm, white 4046882004879	Ø 8 mm 3800 daN Price: _____ 02000-0800-352 Regatta 2000, 8mm, steelblue-yellow 4046882004923



LIROS Regatta 2000

02000

Very low stretch rope for halyards, spinnaker and genoa sheets, high tenacity, light and long durability top-performance rope, plaited cover gives excellent resistance to abrasion, additional cover between core which is made out of Dyneema® SK78 and outer cover preventing movement between the two when under extreme load. Stretch characteristics 1,5%

- High performance Polyester in the cover makes it extremely resistant to abrasion
- also fullcoloured available (see Herkules Color p. 8)
- LIROS-Heat-Stretch-System

Ø 8 mm 3800 daN Price: _____ 02000-0800-353 Regatta 2000, 8mm, steelblue-green  4046882004947	Ø 8 mm 3800 daN Price: _____ 02000-0800-354 Regatta 2000, 8mm, steelblue-red  4046882004886	Ø 10 mm 5000 daN Price: _____ 02000-1000-212 Regatta 2000, 10mm, steelblue-bright blue  4046882005166	Ø 10 mm 5000 daN Price: _____ 02000-1000-213 Regatta 2000, 10mm, steelblue-white  4046882005203
Ø 10 mm 5000 daN Price: _____ 02000-1000-228 Regatta 2000, 10mm, white  4046882005111	Ø 10 mm 5000 daN Price: _____ 02000-1000-352 Regatta 2000, 10mm, steelblue-yellow  4046882005173	Ø 10 mm 5000 daN Price: _____ 02000-1000-353 Regatta 2000, 10mm, steelblue-green  4046882005197	Ø 10 mm 5000 daN Price: _____ 02000-1000-354 Regatta 2000, 10mm, steelblue-red  4046882005159
Ø 12 mm 7200 daN Price: _____ 02000-1200-212 Regatta 2000, 12mm, steelblue-bright blue  4046882005388	Ø 12 mm 7200 daN Price: _____ 02000-1200-213 Regatta 2000, 12mm, steelblue-white  4046882005418	Ø 12 mm 7200 daN Price: _____ 02000-1200-228 Regatta 2000, 12mm, white  4046882005357	Ø 12 mm 7200 daN Price: _____ 02000-1200-352 Regatta 2000, 12mm, steelblue-yellow  4046882005395
Ø 12 mm 7200 daN Price: _____ 02000-1200-353 Regatta 2000, 12mm, steelblue-green  4046882005401	Ø 12 mm 7200 daN Price: _____ 02000-1200-354 Regatta 2000, 12mm, steelblue-red  4046882005371	Ø 14 mm 9500 daN Price: _____ 02000-1400-212 Regatta 2000, 14mm, steelblue-bright blue  4046882005579	Ø 14 mm 9500 daN Price: _____ 02000-1400-213 Regatta 2000, 14mm, steelblue-white  4046882005609
Ø 14 mm 9500 daN Price: _____ 02000-1400-228 Regatta 2000, 14mm, white  4046882005555	Ø 14 mm 9500 daN Price: _____ 02000-1400-352 Regatta 2000, 14mm, steelblue-yellow  4046882005586	Ø 14 mm 9500 daN Price: _____ 02000-1400-353 Regatta 2000, 14mm, steelblue-green  4046882005593	Ø 14 mm 9500 daN Price: _____ 02000-1400-354 Regatta 2000, 14mm, steelblue-red  4046882005562

		LIROS Regatta 2000		02000
		Very low stretch rope for halyards, spinnaker and genoa sheets, high tenacity, light and long durability top-performance rope, plaited cover gives excellent resistance to abrasion, additional cover between core which is made out of Dyneema® SK78 and outer cover preventing movement between the two when under extreme load. Stretch characteristics 1,5% - High performance Polyester in the cover makes it extremely resistant to abrasion - also fullcoloured available (see Herkules Color p. 8) - LIROS-Heat-Stretch-System		
Ø 16 mm 12600 daN Price: _____ 02000-1600-212 Regatta 2000, 16mm, steelblue-bright blue  4046882025089	Ø 16 mm 12600 daN Price: _____ 02000-1600-213 Regatta 2000, 16mm, steelblue-white  4046882025126	Ø 16 mm 12600 daN Price: _____ 02000-1600-228 Regatta 2000, 16mm, white  4046882025065	Ø 16 mm 12600 daN Price: _____ 02000-1600-352 Regatta 2000, 16mm, steelblue-yellow  4046882025096	
Ø 16 mm 12600 daN Price: _____ 02000-1600-353 Regatta 2000, 16mm, steelblue-green  4046882025119	Ø 16 mm 12600 daN Price: _____ 02000-1600-354 Regatta 2000, 16mm, steelblue-red  4046882025072	Ø 18 mm 15300 daN Price: _____ 02000-1800-212 Regatta 2000, 18mm, steelblue-bright blue  4046882025225	Ø 18 mm 15300 daN Price: _____ 02000-1800-213 Regatta 2000, 18mm, steelblue-white  4046882025256	
Ø 18 mm 15300 daN Price: _____ 02000-1800-228 Regatta 2000, 18mm, white  4046882025201	Ø 18 mm 15300 daN Price: _____ 02000-1800-352 Regatta 2000, 18mm, steelblue-yellow  4046882025232	Ø 18 mm 15300 daN Price: _____ 02000-1800-353 Regatta 2000, 18mm, steelblue-green  4046882025249	Ø 18 mm 15300 daN Price: _____ 02000-1800-354 Regatta 2000, 18mm, steelblue-red  4046882025218	
Ø 20 mm 18500 daN Price: _____ 02000-2000-212 Regatta 2000, 20mm, steelblue-bright blue  4046882025294	Ø 20 mm 18500 daN Price: _____ 02000-2000-213 Regatta 2000, 20mm, steelblue-white  4046882025324	Ø 20 mm 18500 daN Price: _____ 02000-2000-228 Regatta 2000, 20mm, white  4046882025270	Ø 20 mm 18500 daN Price: _____ 02000-2000-352 Regatta 2000, 20mm, steelblue-yellow  4046882025300	
Ø 20 mm 18500 daN Price: _____ 02000-2000-353 Regatta 2000, 20mm, steelblue-green  4046882025317	Ø 20 mm 18500 daN Price: _____ 02000-2000-354 Regatta 2000, 20mm, steelblue-red  4046882025287	Ø 22 mm 20000 daN Price: _____ 02000-2200-212 Regatta 2000, 22mm, steelblue-bright blue  4046882025355	Ø 22 mm 20000 daN Price: _____ 02000-2200-213 Regatta 2000, 22mm, steelblue-white  4046882025386	

	LIROS Regatta 2000			02000
	Very low stretch rope for halyards, spinnaker and genoa sheets, high tenacity, light and long durability top-performance rope, plaited cover gives excellent resistance to abrasion, additional cover between core which is made out of Dyneema® SK78 and outer cover preventing movement between the two when under extreme load. Stretch characteristics 1,5% ▪ High performance Polyester in the cover makes it extremely resistant to abrasion ▪ also fullcoloured available (see Herkules Color p. 8) ▪ LIROS-Heat-Stretch-System			
Ø 22 mm 20000 daN Price: _____ 02000-2200-228 Regatta 2000, 22mm, white  4046882025331	Ø 22 mm 20000 daN Price: _____ 02000-2200-352 Regatta 2000, 22mm, steelblue-yellow  4046882025362	Ø 22 mm 20000 daN Price: _____ 02000-2200-353 Regatta 2000, 22mm, steelblue-green  4046882025379	Ø 22 mm 20000 daN Price: _____ 02000-2200-354 Regatta 2000, 22mm, steelblue-red  4046882025348	
Ø 24 mm 23000 daN Price: _____ 02000-2400-212 Regatta 2000, 24mm, steelblue-bright blue  4046882025423	Ø 24 mm 23000 daN Price: _____ 02000-2400-213 Regatta 2000, 24mm, steelblue-white  4046882025454	Ø 24 mm 23000 daN Price: _____ 02000-2400-228 Regatta 2000, 24mm, white  4046882025409	Ø 24 mm 23000 daN Price: _____ 02000-2400-352 Regatta 2000, 24mm, steelblue-yellow  4046882025430	
Ø 24 mm 23000 daN Price: _____ 02000-2400-353 Regatta 2000, 24mm, steelblue-green  4046882025447	Ø 24 mm 23000 daN Price: _____ 02000-2400-354 Regatta 2000, 24mm, steelblue-red  4046882025416			

LIROS Racer

02001

New type of Dyneema® rope with a very high breaking load and low stretch with a specially engineered 32-plait cover of high quality spin-dyed Polyester and the core made out of the new generation, new Dyneema fibre, for halyards and sheets. Very suitable for winches.

- Stretch characteristics 1,5%
- extremely high breaking strength
- easy handling, nonkinking
- for halyards and sheets, winch suitability
- LIROS-Heat-Stretch-System

Ø 6 mm 2500 daN Price: _____ 02001-0600-010 Racer, 6mm, blue  4046882003766	Ø 6 mm 2500 daN Price: _____ 02001-0600-032 Racer, 6mm, burgundy  4046882003827	Ø 6 mm 2500 daN Price: _____ 02001-0600-086 Racer, 6mm, green  4046882003773	Ø 6 mm 2500 daN Price: _____ 02001-0600-130 Racer, 6mm, navy  4046882003797
Ø 6 mm 2500 daN Price: _____ 02001-0600-150 Racer, 6mm, orange  4046882003803	Ø 6 mm 2500 daN Price: _____ 02001-0600-162 Racer, 6mm, racinggreen  4046882020589	Ø 6 mm 2500 daN Price: _____ 02001-0600-171 Racer, 6mm, red  4046882003742	Ø 6 mm 2500 daN Price: _____ 02001-0600-188 Racer, 6mm, black  4046882003858
Ø 6 mm 2500 daN Price: _____ 02001-0600-205 Racer, 6mm, silver  4046882003810	Ø 6 mm 2500 daN Price: _____ 02001-0600-228 Racer, 6mm, white  4046882003759	Ø 8 mm 3800 daN Price: _____ 02001-0800-010 Racer, 8mm, blue  4046882003872	Ø 8 mm 3800 daN Price: _____ 02001-0800-032 Racer, 8mm, burgundy  4046882003971
Ø 8 mm 3800 daN Price: _____ 02001-0800-086 Racer, 8mm, green  4046882003919	Ø 8 mm 3800 daN Price: _____ 02001-0800-130 Racer, 8mm, navy  4046882003940	Ø 8 mm 3800 daN Price: _____ 02001-0800-150 Racer, 8mm, orange  4046882003957	Ø 8 mm 3800 daN Price: _____ 02001-0800-162 Racer, 8mm, racinggreen  4046882004039
Ø 8 mm 3800 daN Price: _____ 02001-0800-171 Racer, 8mm, red  4046882003865	Ø 8 mm 3800 daN Price: _____ 02001-0800-188 Racer, 8mm, black  4046882004046	Ø 8 mm 3800 daN Price: _____ 02001-0800-205 Racer, 8mm, silver  4046882003964	Ø 8 mm 3800 daN Price: _____ 02001-0800-228 Racer, 8mm, white  4046882003926

LIROS Racer

02001

New type of Dyneema® rope with a very high breaking load and low stretch with a specially engineered 32-plait cover of high quality spin-dyed Polyester and the core made out of the new generation, new Dyneema fibre, for halyards and sheets. Very suitable for winches.

- Stretch characteristics 1,5%
- extremely high breaking strength
- easy handling, nonkinking
- for halyards and sheets, winch suitability
- LIROS-Heat-Stretch-System


Ø 10 mm 5000 daN Price: _____ 02001-1000-010 Racer, 10mm, blue  4046882004077	Ø 10 mm 5000 daN Price: _____ 02001-1000-032 Racer, 10mm, burgundy  4046882004183	Ø 10 mm 5000 daN Price: _____ 02001-1000-086 Racer, 10mm, green  4046882004107	Ø 10 mm 5000 daN Price: _____ 02001-1000-130 Racer, 10mm, navy  4046882004138
Ø 10 mm 5000 daN Price: _____ 02001-1000-150 Racer, 10mm, orange  4046882004152	Ø 10 mm 5000 daN Price: _____ 02001-1000-162 Racer, 10mm, racinggreen  4046882004169	Ø 10 mm 5000 daN Price: _____ 02001-1000-171 Racer, 10mm, red  4046882004060	Ø 10 mm 5000 daN Price: _____ 02001-1000-188 Racer, 10mm, black  4046882004237
Ø 10 mm 5000 daN Price: _____ 02001-1000-205 Racer, 10mm, silver  4046882004176	Ø 10 mm 5000 daN Price: _____ 02001-1000-228 Racer, 10mm, white  4046882004121	Ø 12 mm 7200 daN Price: _____ 02001-1200-010 Racer, 12mm, blue  4046882004251	Ø 12 mm 7200 daN Price: _____ 02001-1200-032 Racer, 12mm, burgundy  4046882004336
Ø 12 mm 7200 daN Price: _____ 02001-1200-086 Racer, 12mm, green  4046882004275	Ø 12 mm 7200 daN Price: _____ 02001-1200-130 Racer, 12mm, navy  4046882004305	Ø 12 mm 7200 daN Price: _____ 02001-1200-150 Racer, 12mm, orange  4046882004312	Ø 12 mm 7200 daN Price: _____ 02001-1200-162 Racer, 12mm, racinggreen  4046882004374
Ø 12 mm 7200 daN Price: _____ 02001-1200-171 Racer, 12mm, red  4046882036450	Ø 12 mm 7200 daN Price: _____ 02001-1200-188 Racer, 12mm, black  4046882004381	Ø 12 mm 7200 daN Price: _____ 02001-1200-205 Racer, 12mm, silver  4046882004329	Ø 12 mm 7200 daN Price: _____ 02001-1200-228 Racer, 12mm, white  4046882004282

LIROS Racer

02001

New type of Dyneema® rope with a very high breaking load and low stretch with a specially engineered 32-plait cover of high quality spin-dyed Polyester and the core made out of the new generation, new Dyneema fibre, for halyards and sheets. Very suitable for winches.

- Stretch characteristics 1,5%
- extremely high breaking strength
- easy handling, nonkinking
- for halyards and sheets, winch suitability
- LIROS-Heat-Stretch-System

Ø 14 mm 9500 daN Price: _____ 02001-1400-010 Racer, 14mm, blue  4046882020602	Ø 14 mm 9500 daN Price: _____ 02001-1400-032 Racer, 14mm, burgundy  4046882020664	Ø 14 mm 9500 daN Price: _____ 02001-1400-086 Racer, 14mm, green  4046882020619	Ø 14 mm 9500 daN Price: _____ 02001-1400-130 Racer, 14mm, navy  4046882020633
Ø 14 mm 9500 daN Price: _____ 02001-1400-150 Racer, 14mm, orange  4046882020640	Ø 14 mm 9500 daN Price: _____ 02001-1400-162 Racer, 14mm, racinggreen  4046882020725	Ø 14 mm 9500 daN Price: _____ 02001-1400-171 Racer, 14mm, red  4046882020596	Ø 14 mm 9500 daN Price: _____ 02001-1400-188 Racer, 14mm, black  4046882020732
Ø 14 mm 9500 daN Price: _____ 02001-1400-205 Racer, 14mm, silver  4046882020657	Ø 14 mm 9500 daN Price: _____ 02001-1400-228 Racer, 14mm, white  4046882020626	Ø 16 mm 12600 daN Price: _____ 02001-1600-010 Racer, 16mm, blue  4046882020756	Ø 16 mm 12600 daN Price: _____ 02001-1600-032 Racer, 16mm, burgundy  4046882020831
Ø 16 mm 12600 daN Price: _____ 02001-1600-086 Racer, 16mm, green  4046882020770	Ø 16 mm 12600 daN Price: _____ 02001-1600-130 Racer, 16mm, navy  4046882020800	Ø 16 mm 12600 daN Price: _____ 02001-1600-150 Racer, 16mm, orange  4046882020817	Ø 16 mm 12600 daN Price: _____ 02001-1600-162 Racer, 16mm, racinggreen  4046882020862
Ø 16 mm 12600 daN Price: _____ 02001-1600-171 Racer, 16mm, red  4046882020749	Ø 16 mm 12600 daN Price: _____ 02001-1600-188 Racer, 16mm, black  4046882020879	Ø 16 mm 12600 daN Price: _____ 02001-1600-205 Racer, 16mm, silver  4046882020824	Ø 16 mm 12600 daN Price: _____ 02001-1600-228 Racer, 16mm, white  4046882020787

LIROS Racer

02001

New type of Dyneema® rope with a very high breaking load and low stretch with a specially engineered 32-plait cover of high quality spin-dyed Polyester and the core made out of the new generation, new Dyneema fibre, for halyards and sheets. Very suitable for winches.

- Stretch characteristics 1,5%
- extremely high breaking strength
- easy handling, nonkinking
- for halyards and sheets, winch suitability
- LIROS-Heat-Stretch-System

Ø 18 mm 15300 daN Price: _____ 02001-1800-010 Racer, 18mm, blue  4046882003193	Ø 18 mm 15300 daN Price: _____ 02001-1800-032 Racer, 18mm, burgundy  4046882020923	Ø 18 mm 15300 daN Price: _____ 02001-1800-086 Racer, 18mm, green  4046882047838	Ø 18 mm 15300 daN Price: _____ 02001-1800-130 Racer, 18mm, navy  4046882020893
Ø 18 mm 15300 daN Price: _____ 02001-1800-150 Racer, 18mm, orange  4046882020909	Ø 18 mm 15300 daN Price: _____ 02001-1800-162 Racer, 18mm, racinggreen  4046882020954	Ø 18 mm 15300 daN Price: _____ 02001-1800-171 Racer, 18mm, red  4046882002332	Ø 18 mm 15300 daN Price: _____ 02001-1800-188 Racer, 18mm, black  4046882020961
Ø 18 mm 15300 daN Price: _____ 02001-1800-205 Racer, 18mm, silver  4046882020916	Ø 18 mm 15300 daN Price: _____ 02001-1800-228 Racer, 18mm, white  4046882020886	Ø 20 mm 18500 daN Price: _____ 02001-2000-010 Racer, 20mm, blue  4046882018272	Ø 20 mm 18500 daN Price: _____ 02001-2000-032 Racer, 20mm, burgundy  4046882021029
Ø 20 mm 18500 daN Price: _____ 02001-2000-086 Racer, 20mm, green  4046882018296	Ø 20 mm 18500 daN Price: _____ 02001-2000-130 Racer, 20mm, navy  4046882020992	Ø 20 mm 18500 daN Price: _____ 02001-2000-150 Racer, 20mm, orange  4046882021005	Ø 20 mm 18500 daN Price: _____ 02001-2000-162 Racer, 20mm, racinggreen  4046882021050
Ø 20 mm 18500 daN Price: _____ 02001-2000-171 Racer, 20mm, red  4046882018265	Ø 20 mm 18500 daN Price: _____ 02001-2000-188 Racer, 20mm, black  4046882021067	Ø 20 mm 18500 daN Price: _____ 02001-2000-205 Racer, 20mm, silver  4046882021012	Ø 20 mm 18500 daN Price: _____ 02001-2000-228 Racer, 20mm, white  4046882020978

LIROS Racer

02001

New type of Dyneema® rope with a very high breaking load and low stretch with a specially engineered 32-plait cover of high quality spin-dyed Polyester and the core made out of the new generation, new Dyneema fibre, for halyards and sheets. Very suitable for winches.

- Stretch characteristics 1,5%
- extremely high breaking strength
- easy handling, nonkinking
- for halyards and sheets, winch suitability
- LIROS-Heat-Stretch-System

Ø 22 mm 20000 daN Price: _____ 02001-2200-010 Racer, 22mm, blue  4046882023054	Ø 22 mm 20000 daN Price: _____ 02001-2200-032 Racer, 22mm, burgundy  4046882021111	Ø 22 mm 20000 daN Price: _____ 02001-2200-086 Racer, 22mm, green  4046882024778	Ø 22 mm 20000 daN Price: _____ 02001-2200-130 Racer, 22mm, navy  4046882021081
Ø 22 mm 20000 daN Price: _____ 02001-2200-150 Racer, 22mm, orange  4046882021098	Ø 22 mm 20000 daN Price: _____ 02001-2200-162 Racer, 22mm, racinggreen  4046882021135	Ø 22 mm 20000 daN Price: _____ 02001-2200-171 Racer, 22mm, red  4046882019897	Ø 22 mm 20000 daN Price: _____ 02001-2200-188 Racer, 22mm, black  4046882102469
Ø 22 mm 20000 daN Price: _____ 02001-2200-205 Racer, 22mm, silver  4046882021104	Ø 22 mm 20000 daN Price: _____ 02001-2200-228 Racer, 22mm, white  4046882021074		

LIROS Dynamic plus

02004

A new halyard or sheet rope using Dyneema® SK78. Light weight and low stretch make this rope ideal for cruiser / racer yachtsmen. Very flexible and non kinking due to the new 32-plait cover. LIROS Dynamic Plus is equally effective as a high performance sheet.

- Stretch characteristics 2%
- flexible abrasion resistant cover
- non kinking
- LIROS-Heat-Stretch-System
- easy to splice and remove cover



Ø 3 mm 500 daN Price: _____ 02004-0300-229 Dynamic plus, 3mm, white-blue  4046882026178	Ø 3 mm 500 daN Price: _____ 02004-0300-231 Dynamic plus, 3mm, white-yellow  4046882028226	Ø 3 mm 500 daN Price: _____ 02004-0300-232 Dynamic plus, 3mm, white-green  4046882028615	Ø 3 mm 500 daN Price: _____ 02004-0300-236 Dynamic plus, 3mm, white-red  4046882025980
Ø 4 mm 710 daN Price: _____ 02004-0400-229 Dynamic plus, 4mm, white-blue  4046882028660	Ø 4 mm 710 daN Price: _____ 02004-0400-231 Dynamic plus, 4mm, white-yellow  4046882031387	Ø 4 mm 710 daN Price: _____ 02004-0400-232 Dynamic plus, 4mm, white-green  4046882032766	Ø 4 mm 710 daN Price: _____ 02004-0400-236 Dynamic plus, 4mm, white-red  4046882028653
Ø 5 mm 870 daN Price: _____ 02004-0500-229 Dynamic plus, 5mm, white-blue  4046882032841	Ø 5 mm 870 daN Price: _____ 02004-0500-231 Dynamic plus, 5mm, white-yellow  4046882032858	Ø 5 mm 870 daN Price: _____ 02004-0500-232 Dynamic plus, 5mm, white-green  4046882032926	Ø 5 mm 870 daN Price: _____ 02004-0500-236 Dynamic plus, 5mm, white-red  4046882032773
Ø 6 mm 1200 daN Price: _____ 02004-0600-229 Dynamic plus, 6mm, white-blue  4046882168649	Ø 6 mm 1200 daN Price: _____ 02004-0600-231 Dynamic plus, 6mm, white-yellow  4046882032957	Ø 6 mm 1200 daN Price: _____ 02004-0600-232 Dynamic plus, 6mm, white-green  4046882168632	Ø 6 mm 1200 daN Price: _____ 02004-0600-236 Dynamic plus, 6mm, white-red  4046882168625
Ø 8 mm 2300 daN Price: _____ 02004-0800-229 Dynamic plus, 8mm, white-blue  4046882168717	Ø 8 mm 2300 daN Price: _____ 02004-0800-231 Dynamic plus, 8mm, white-yellow  4046882032971	Ø 8 mm 2300 daN Price: _____ 02004-0800-232 Dynamic plus, 8mm, white-green  4046882168724	Ø 8 mm 2300 daN Price: _____ 02004-0800-236 Dynamic plus, 8mm, white-red  4046882168731

LIROS Dynamic plus

02004

A new halyard or sheet rope using Dyneema® SK78. Light weight and low stretch make this rope ideal for cruiser / racer yachtsmen. Very flexible and non kinking due to the new 32-plait cover. LIROS Dynamic Plus is equally effective as a high performance sheet.

- Stretch characteristics 2%
- flexible abrasion resistant cover
- non kinking
- LIROS-Heat-Stretch-System
- easy to splice and remove cover

Ø 10
mm

3100
daN

Price:

02004-1000-229

Dynamic plus, 10mm,
white-blue



4046882168694

Ø 10
mm

3100
daN

Price:

02004-1000-231

Dynamic plus, 10mm,
white-yellow



4046882034142

Ø 10
mm

3100
daN

Price:

02004-1000-232

Dynamic plus, 10mm,
white-green



4046882168687

Ø 10
mm

3100
daN

Price:

02004-1000-236

Dynamic plus, 10mm,
white-red



4046882168700

Ø 12
mm

4800
daN

Price:

02004-1200-229

Dynamic plus, 12mm,
white-blue



4046882168656

Ø 12
mm

4800
daN

Price:

02004-1200-231

Dynamic plus, 12mm,
white-yellow



4046882035729

Ø 12
mm

4800
daN

Price:

02004-1200-232

Dynamic plus, 12mm,
white-green



4046882168663

Ø 12
mm

4800
daN

Price:

02004-1200-236

Dynamic plus, 12mm,
white-red



4046882168670

Ø 14
mm

6500
daN

Price:

02004-1400-229

Dynamic plus, 14mm,
white-blue



4046882029216

Ø 14
mm

6500
daN

Price:

02004-1400-231

Dynamic plus, 14mm,
white-yellow



4046882036580

Ø 14
mm

6500
daN

Price:

02004-1400-232

Dynamic plus, 14mm,
white-green



4046882036597

Ø 14
mm

6500
daN

Price:

02004-1400-236

Dynamic plus, 14mm,
white-red



4046882029209

LIROS Racer Pro

02005

A new product designed for the highest level of competition, which has been used by some of the best Americas Cup Teams also on the Vendée Globe and other Grand Prix events. The core is the same colour as the cover. LIROS Racer Pro has been designed to be particularly effective when used without the cover. The cover and the core work equally well on winches and clutches. Racer Pro is ideal for both sheets and halyards.

- Stretch characteristics 1%
- Designed for use without cover
- Matching colour core and cover
- LIROS-Heat-Stretch-System
- easy to splice and remove cover

Ø 8 mm 4700 daN Price: _____ 02005-0800-032 Racer Pro, 8mm, burgundy  4046882002295	Ø 8 mm 4700 daN Price: _____ 02005-0800-150 Racer Pro, 8mm, orange  4046882002240	Ø 8 mm 4700 daN Price: _____ 02005-0800-211 Racer Pro, 8mm, steelblue  4046882002325	Ø 8 mm 4700 daN Price: _____ 02005-0800-529 Racer Pro, 8mm, silver without flecks  4046882177474
Ø 10 mm 6900 daN Price: _____ 02005-1000-032 Racer Pro, 10mm, burgundy  4046882040266	Ø 10 mm 6900 daN Price: _____ 02005-1000-150 Racer Pro, 10mm, orange  4046882040242	Ø 10 mm 6900 daN Price: _____ 02005-1000-211 Racer Pro, 10mm, steelblue  4046882040273	Ø 10 mm 6900 daN Price: _____ 02005-1000-529 Racer Pro, 10mm, silver without flecks  4046882177481
Ø 12 mm 9900 daN Price: _____ 02005-1200-032 Racer Pro, 12mm, burgundy  4046882040303	Ø 12 mm 9900 daN Price: _____ 02005-1200-150 Racer Pro, 12mm, orange  4046882040280	Ø 12 mm 9900 daN Price: _____ 02005-1200-211 Racer Pro, 12mm, steelblue  4046882040327	Ø 12 mm 9900 daN Price: _____ 02005-1200-529 Racer Pro, 12mm, silver without flecks  4046882170550
Ø 14 mm 13000 daN Price: _____ 02005-1400-032 Racer Pro, 14mm, burgundy  4046882040358	Ø 14 mm 13000 daN Price: _____ 02005-1400-150 Racer Pro, 14mm, orange  4046882040334	Ø 14 mm 13000 daN Price: _____ 02005-1400-211 Racer Pro, 14mm, steelblue  4046882040365	Ø 14 mm 13000 daN Price: _____ 02005-1400-529 Racer Pro, 14mm, silver without flecks  4046882173148
Ø 16 mm 15200 daN Price: _____ 02005-1600-032 Racer Pro, 16mm, burgundy  4046882103473	Ø 16 mm 15200 daN Price: _____ 02005-1600-150 Racer Pro, 16mm, orange  4046882103503	Ø 16 mm 15200 daN Price: _____ 02005-1600-211 Racer Pro, 16mm, steelblue  4046882103534	Ø 16 mm 15200 daN Price: _____ 02005-1600-529 Racer Pro, 16mm, silver without flecks  4046882178037

LIROS Racer XTR

02008

LIROS Racer XTR with its high-tech construction is ideally suited to coverstripping for the ultimate in weight reduction. A special mixture of heatresistant hybrid fibres, in conjunction with high-tenacity Polyester in the cover, delivers the best in abrasion resistance. A multipurpose rope for high-tech racing yachts and for cruisers, LIROS Racer XTR offers the perfect balance between cover and core guaranteeing the full power transmission to the complete rope. Strip the cover for extreme performance

- Excellent high temperature abrasion resistance
- Hybrid fibre prevents cover melting
- Excellent cohesion between cover and core
- Perfect for halyards and other low stretch applications
- Very low stretch



Ø 8 mm 4700 daN Price: _____ 02008-0800-263 Racer-XTR, 8mm, beige-steelblue  4046882028790	Ø 8 mm 4700 daN Price: _____ 02008-0800-419 Racer-XTR, 8mm, beige-orange  4046882028776	Ø 8 mm 4700 daN Price: _____ 02008-0800-420 Racer-XTR, 8mm, beige-white  4046882028769	Ø 8 mm 4700 daN Price: _____ 02008-0800-421 Racer-XTR, 8mm, beige-yellow  4046882028752
Ø 8 mm 4700 daN Price: _____ 02008-0800-422 Racer-XTR, 8mm, beige-burgundy  4046882028783	Ø 10 mm 6900 daN Price: _____ 02008-1000-263 Racer-XTR, 10mm, beige-steelblue  4046882158435	Ø 10 mm 6900 daN Price: _____ 02008-1000-419 Racer-XTR, 10mm, beige-orange  4046882028820	Ø 10 mm 6900 daN Price: _____ 02008-1000-420 Racer-XTR, 10mm, beige-white  4046882028813
Ø 10 mm 6900 daN Price: _____ 02008-1000-421 Racer-XTR, 10mm, beige-yellow  4046882028806	Ø 10 mm 6900 daN Price: _____ 02008-1000-422 Racer-XTR, 10mm, beige-burgundy  4046882028837	Ø 12 mm 9900 daN Price: _____ 02008-1200-263 Racer-XTR, 12mm, beige-steelblue  4046882028912	Ø 12 mm 9900 daN Price: _____ 02008-1200-419 Racer-XTR, 12mm, beige-orange  4046882028875
Ø 12 mm 9900 daN Price: _____ 02008-1200-420 Racer-XTR, 12mm, beige-white  4046882028868	Ø 12 mm 9900 daN Price: _____ 02008-1200-421 Racer-XTR, 12mm, beige-yellow  4046882028851	Ø 12 mm 9900 daN Price: _____ 02008-1200-422 Racer-XTR, 12mm, beige-burgundy  4046882028899	Ø 14 mm 13000 daN Price: _____ 02008-1400-263 Racer-XTR, 14mm, beige-steelblue  4046882028967
Ø 14 mm 13000 daN Price: _____ 02008-1400-419 Racer-XTR, 14mm, beige-orange  4046882028943	Ø 14 mm 13000 daN Price: _____ 02008-1400-420 Racer-XTR, 14mm, beige-white  4046882028936	Ø 14 mm 13000 daN Price: _____ 02008-1400-421 Racer-XTR, 14mm, beige-yellow  4046882028929	Ø 14 mm 13000 daN Price: _____ 02008-1400-422 Racer-XTR, 14mm, beige-burgundy  4046882028950

LIROS Racer XTR

02008

LIROS Racer XTR with its high-tech construction is ideally suited to coverstripping for the ultimate in weight reduction. A special mixture of heatresistant hybrid fibres, in conjunction with high-tenacity Polyester in the cover, delivers the best in abrasion resistance. A multipurpose rope for high-tech racing yachts and for cruisers, LIROS Racer XTR offers the perfect balance between cover and core guaranteeing the full power transmission to the complete rope. Strip the cover for extreme performance

- Excellent high temperature abrasion resistance
- Hybrid fibre prevents cover melting
- Excellent cohesion between cover and core
- Perfect for halyards and other low stretch applications
- Very low stretch

Ø 16
mm

15200
daN

Price:

02008-1600-263
Racer-XTR, 16mm,
beige-steelblue



4046882028684

Ø 16
mm

15200
daN

Price:

02008-1600-419
Racer-XTR, 16mm,
beige-orange



4046882028714

Ø 16
mm

15200
daN

Price:

02008-1600-420
Racer-XTR, 16mm,
beige-white



4046882028707

Ø 16
mm

15200
daN

Price:

02008-1600-421
Racer-XTR, 16mm,
beige-yellow



4046882028691

Ø 16
mm

15200
daN

Price:

02008-1600-422
Racer-XTR, 16mm,
beige-burgundy



4046882028721

Ø 18
mm

18500
daN

Price:

02008-1800-263
Racer-XTR, 18mm,
beige-steelblue



4046882028981

Ø 18
mm

18500
daN

Price:

02008-1800-419
Racer-XTR, 18mm,
beige-orange



4046882043618

Ø 18
mm

18500
daN

Price:

02008-1800-420
Racer-XTR, 18mm,
beige-white



4046882043601

Ø 18
mm

18500
daN

Price:

02008-1800-421
Racer-XTR, 18mm,
beige-yellow



4046882043595

Ø 18
mm

18500
daN

Price:

02008-1800-422
Racer-XTR, 18mm,
beige-burgundy



4046882028974

Ø 20
mm

21700
daN

Price:

02008-2000-263
Racer-XTR, 20mm,
beige-steelblue



4046882029001

Ø 20
mm

21700
daN

Price:

02008-2000-419
Racer-XTR, 20mm,
beige-orange



4046882043649

Ø 20
mm

21700
daN

Price:

02008-2000-420
Racer-XTR, 20mm,
beige-white



4046882043632

Ø 20
mm

21700
daN

Price:

02008-2000-421
Racer-XTR, 20mm,
beige-yellow



4046882043625

Ø 20
mm

21700
daN

Price:

02008-2000-422
Racer-XTR, 20mm,
beige-burgundy



4046882028998

Ø 22
mm

24600
daN

Price:

02008-2200-263
Racer-XTR, 22mm,
beige-steelblue



4046882029025

Ø 22
mm

24600
daN

Price:

02008-2200-419
Racer-XTR, 22mm,
beige-orange



4046882043670

Ø 22
mm

24600
daN

Price:

02008-2200-420
Racer-XTR, 22mm,
beige-white



4046882043663

Ø 22
mm

24600
daN

Price:

02008-2200-421
Racer-XTR, 22mm,
beige-yellow



4046882043656

Ø 22
mm

24600
daN

Price:

02008-2200-422
Racer-XTR, 22mm,
beige-burgundy



4046882029018

LIROS Racer XTR

02008

LIROS Racer XTR with its high-tech construction is ideally suited to coverstripping for the ultimate in weight reduction. A special mixture of heatresistant hybrid fibres, in conjunction with high-tenacity Polyester in the cover, delivers the best in abrasion resistance. A multipurpose rope for high-tech racing yachts and for cruisers, LIROS Racer XTR offers the perfect balance between cover and core guaranteeing the full power transmission to the complete rope. Strip the cover for extreme performance

- Excellent high temperature abrasion resistance
- Hybrid fibre prevents cover melting
- Excellent cohesion between cover and core
- Perfect for halyards and other low stretch applications
- Very low stretch

**Ø 24
mm**

**28000
daN**

Price:

02008-2400-263
Racer-XTR, 24mm,
beige-steelblue



4046882029049

**Ø 24
mm**

**28000
daN**

Price:

02008-2400-419
Racer-XTR, 24mm,
beige-orange



4046882043700

**Ø 24
mm**

**28000
daN**

Price:

02008-2400-420
Racer-XTR, 24mm,
beige-white



4046882043694

**Ø 24
mm**

**28000
daN**

Price:

02008-2400-421
Racer-XTR, 24mm,
beige-yellow



4046882043687

**Ø 24
mm**

**28000
daN**

Price:

02008-2400-422
Racer-XTR, 24mm,
beige-burgundy



4046882029032

LIROS Racer VP - XTR

02014

LIROS Racer VP-XTR is a high-quality, multi-purpose line with optimal release characteristics, as well as high abrasion and temperature resistance.

Designed for highly demanding sailors, with the ideal balance among all critical attributes.

- grip factor 7
- removable cover for XTReme performance
- maximum abrasion resistance under high temperatures with twisted Vectran[®] /Polyester cover
- Vectran[®] in cover resists melting
- best cover-core attachment / multi-use / very low stretch

Ø 8 mm 4500 daN Price: _____ 02014-0800-263 Racer VP-XTR, 8mm, beige-steelblue  4046882157568	Ø 8 mm 4500 daN Price: _____ 02014-0800-419 Racer VP-XTR, 8mm, beige-orange  4046882104050	Ø 8 mm 4500 daN Price: _____ 02014-0800-422 Racer VP-XTR, 8mm, beige-burgundy  4046882158442	Ø 10 mm 6400 daN Price: _____ 02014-1000-263 Racer VP-XTR, 10mm, beige-steelblue  4046882157599
Ø 10 mm 6400 daN Price: _____ 02014-1000-419 Racer VP-XTR, 10mm, beige-orange  4046882157605	Ø 10 mm 6400 daN Price: _____ 02014-1000-422 Racer VP-XTR, 10mm, beige-burgundy  4046882104081	Ø 12 mm 9900 daN Price: _____ 02014-1200-263 Racer VP-XTR, 12mm, beige-steelblue  4046882157612	Ø 12 mm 9900 daN Price: _____ 02014-1200-419 Racer VP-XTR, 12mm, beige-orange  4046882157629
Ø 12 mm 9900 daN Price: _____ 02014-1200-422 Racer VP-XTR, 12mm, beige-burgundy  4046882104104	Ø 14 mm 12000 daN Price: _____ 02014-1400-263 Racer VP-XTR, 14mm, beige-steelblue  4046882177498	Ø 14 mm 12000 daN Price: _____ 02014-1400-419 Racer VP-XTR, 14mm, beige-orange  4046882157643	Ø 14 mm 12000 daN Price: _____ 02014-1400-422 Racer VP-XTR, 14mm, beige-burgundy  4046882177504
Ø 16 mm 14300 daN Price: _____ 02014-1600-263 Racer VP-XTR, 16mm, beige-steelblue  4046882177511	Ø 16 mm 14300 daN Price: _____ 02014-1600-419 Racer VP-XTR, 16mm, beige-orange  4046882177528	Ø 16 mm 14300 daN Price: _____ 02014-1600-422 Racer VP-XTR, 16mm, beige-burgundy  4046882177535	Ø 18 mm 17500 daN Price: _____ 02014-1800-263 Racer VP-XTR, 18mm, beige-steelblue  4046882177542
Ø 18 mm 17500 daN Price: _____ 02014-1800-419 Racer VP-XTR, 18mm, beige-orange  4046882177559	Ø 18 mm 17500 daN Price: _____ 02014-1800-422 Racer VP-XTR, 18mm, beige-burgundy  4046882177566		

LIROS Magic Race

02016

Sheet and halyard rope with high strength and very low stretch. Compact construction gives great performance in blocks and on winches.

- Stretch characteristics 1,5%
- LIROS-Heat-Stretch-System
- Extreme high strength

Ø 2 mm 270 daN Price: _____ 02016-0200-010 Magic Race, 2mm, blue  4046882037228	Ø 2 mm 270 daN Price: _____ 02016-0200-086 Magic Race, 2mm, green  4046882037235	Ø 2 mm 270 daN Price: _____ 02016-0200-123 Magic Race, 2mm, neonyellow  4046882175661	Ø 2 mm 270 daN Price: _____ 02016-0200-171 Magic Race, 2mm, red  4046882037211
Ø 2 mm 270 daN Price: _____ 02016-0200-188 Magic Race, 2mm, black  4046882037266	Ø 2 mm 270 daN Price: _____ 02016-0200-228 Magic Race, 2mm, white  4046882037242	Ø 2 mm 270 daN Price: _____ 02016-0200-228 Magic Race, 2mm, white  4046882037242	Ø 2,5 mm 390 daN Price: _____ 02016-0250-010 Magic Race, 2,5mm, blue  4046882037280
Ø 2,5 mm 390 daN Price: _____ 02016-0250-086 Magic Race, 2,5mm, green  4046882037297	Ø 2,5 mm 390 daN Price: _____ 02016-0250-123 Magic Race, 2,5mm, neonyellow  4046882177573	Ø 2,5 mm 390 daN Price: _____ 02016-0250-171 Magic Race, 2,5mm, red  4046882037273	Ø 2,5 mm 390 daN Price: _____ 02016-0250-188 Magic Race, 2,5mm, black  4046882037327
Ø 2,5 mm 390 daN Price: _____ 02016-0250-228 Magic Race, 2,5mm, white  4046882037303	Ø 2,5 mm 390 daN Price: _____ 02016-0250-228 Magic Race, 2,5mm, white  4046882037303	Ø 3 mm 550 daN Price: _____ 02016-0300-010 Magic Race, 3mm, blue  4046882037341	Ø 3 mm 550 daN Price: _____ 02016-0300-086 Magic Race, 3mm, green  4046882037358
Ø 3 mm 550 daN Price: _____ 02016-0300-123 Magic Race, 3mm, neonyellow  4046882175784	Ø 3 mm 550 daN Price: _____ 02016-0300-171 Magic Race, 3mm, red  4046882037334	Ø 3 mm 550 daN Price: _____ 02016-0300-188 Magic Race, 3mm, black  4046882037389	Ø 3 mm 550 daN Price: _____ 02016-0300-228 Magic Race, 3mm, white  4046882037365

LIROS Magic Race

02016

Sheet and halyard rope with high strength and very low stretch. Compact construction gives great performance in blocks and on winches.

- Stretch characteristics 1,5%
- LIROS-Heat-Stretch-System
- Extreme high strength



Ø 3 mm 550 daN Price: _____ 02016-0300-228 Magic Race, 3mm, white  4046882037365	Ø 4 mm 800 daN Price: _____ 02016-0400-010 Magic Race, 4mm, blue  4046882037402	Ø 4 mm 800 daN Price: _____ 02016-0400-086 Magic Race, 4mm, green  4046882037419	Ø 4 mm 800 daN Price: _____ 02016-0400-123 Magic Race, 4mm, neonyellow  4046882175760
Ø 4 mm 800 daN Price: _____ 02016-0400-171 Magic Race, 4mm, red  4046882037396	Ø 4 mm 800 daN Price: _____ 02016-0400-188 Magic Race, 4mm, black  4046882037440	Ø 4 mm 800 daN Price: _____ 02016-0400-228 Magic Race, 4mm, white  4046882037426	Ø 4 mm 800 daN Price: _____ 02016-0400-228 Magic Race, 4mm, white  4046882037426
Ø 5 mm 1100 daN Price: _____ 02016-0500-010 Magic Race, 5mm, blue  4046882037464	Ø 5 mm 1100 daN Price: _____ 02016-0500-086 Magic Race, 5mm, green  4046882037471	Ø 5 mm 1100 daN Price: _____ 02016-0500-123 Magic Race, 5mm, neonyellow  4046882175753	Ø 5 mm 1100 daN Price: _____ 02016-0500-171 Magic Race, 5mm, red  4046882037457
Ø 5 mm 1100 daN Price: _____ 02016-0500-188 Magic Race, 5mm, black  4046882037501	Ø 5 mm 1100 daN Price: _____ 02016-0500-228 Magic Race, 5mm, white  4046882037488	Ø 5 mm 1100 daN Price: _____ 02016-0500-228 Magic Race, 5mm, white  4046882037488	

LIROS Max Load Black

02025

The full spectrum black cover is completely visible in dark environments. High-quality, very low-stretch rope. LIROS Max Load Black is very durable and abrasion resistant. Very technical cover braid with a special core of coated Dyneema® SK78.

- Stretch characteristics 1.5%
- High loading capacity, lightweight and durable
- Extremely abrasion resistant due to special Polyester cover
- LIROS-Heat-Stretch-System

Ø 2 mm 270 daN Price: _____ 02025-0200-525 Max Load Black, 2mm, black without flecks  4046882056434	Ø 2,5 mm 390 daN Price: _____ 02025-0250-525 Max Load Black, 2.5mm, black without flecks  4046882056441	Ø 3 mm 550 daN Price: _____ 02025-0300-525 Max Load Black, 3mm, black without flecks  4046882056458	Ø 4 mm 800 daN Price: _____ 02025-0400-525 Max Load Black, 4mm, black without flecks  4046882175982
Ø 5 mm 1100 daN Price: _____ 02025-0500-525 Max Load Black, 5mm, black without flecks  4046882056472	Ø 6 mm 2500 daN Price: _____ 02025-0600-525 Max Load Black, 6mm, black without flecks  4046882104319	Ø 8 mm 3800 daN Price: _____ 02025-0800-525 Max Load Black, 8mm, black without flecks  4046882104326	Ø 10 mm 5000 daN Price: _____ 02025-1000-525 Max Load Black, 10mm, black without flecks  4046882104333
Ø 12 mm 7200 daN Price: _____ 02025-1200-525 Max Load Black, 12mm, black without flecks  4046882104340	Ø 14 mm 9500 daN Price: _____ 02025-1400-525 Max Load Black, 14mm, black without flecks  4046882104357	Ø 16 mm 12800 daN Price: _____ 02025-1600-525 Max Load Black, 16mm, black without flecks  4046882104364	Ø 18 mm 15300 daN Price: _____ 02025-1800-525 Max Load Black, 18mm, black without flecks  4046882104371
Ø 20 mm 18500 daN Price: _____ 02025-2000-525 Max Load Black, 20mm, black without flecks  4046882104388	Ø 22 mm 20000 daN Price: _____ 02025-2200-525 Max Load Black, 22mm, black without flecks  4046882104395	Ø 24 mm 23000 daN Price: _____ 02025-2400-525 Max Load Black, 24mm, black without flecks  4046882104401	



LIROS DynaSoft

02055

LIROS DynaSoft combines excellent grip, low weight, and minimal stretch characteristics. The hybrid braiding combines high-tenacity Grip fibre with Dyneema®. Ideal for sheet or forerunner halyard on competitive boats.

- non-slip grip
- extremely flexible
- LIROS-Heat-Stretch-System for low stretch
- round construction, great handling

Ø 4 mm 500 daN Price: _____ 02055-0400-081 DynaSoft, 4mm, grey-green  4046882054492	Ø 4 mm 500 daN Price: _____ 02055-0400-386 DynaSoft, 4mm, grey-red  4046882054508	Ø 4 mm 500 daN Price: _____ 02055-0400-504 DynaSoft, 4mm, grey-turquoise  4046882054515	Ø 5 mm 850 daN Price: _____ 02055-0500-081 DynaSoft, 5mm, grey-green  4046882054522
Ø 5 mm 850 daN Price: _____ 02055-0500-386 DynaSoft, 5mm, grey-red  4046882054539	Ø 5 mm 850 daN Price: _____ 02055-0500-504 DynaSoft, 5mm, grey-turquoise  4046882054546	Ø 6 mm 1200 daN Price: _____ 02055-0600-081 DynaSoft, 6mm, grey-green  4046882054560	Ø 6 mm 1200 daN Price: _____ 02055-0600-386 DynaSoft, 6mm, grey-red  4046882054577
Ø 6 mm 1200 daN Price: _____ 02055-0600-504 DynaSoft, 6mm, grey-turquoise  4046882054584	Ø 8 mm 2000 daN Price: _____ 02055-0800-081 DynaSoft, 8mm, grey-green  4046882054591	Ø 8 mm 2000 daN Price: _____ 02055-0800-386 DynaSoft, 8mm, grey-red  4046882054607	Ø 8 mm 2000 daN Price: _____ 02055-0800-504 DynaSoft, 8mm, grey-turquoise  4046882054614

LIROS Magic-High-Trim

02080

Pre-stretched, very low stretch high-load adjust line, its special 8-plait cover out of highly resilient Polyester assures a good handling and excellent grip in cleats. Stretch characteristics 1,5%

- high load line
- extremely low stretch quality
- round, hard and very abrasion resistant plait
- LIROS-Heat-Stretch-System

Ø 4 mm 800 daN

Price:

02080-0400-171

Magic-High-Trim,
4mm, red



4046882040037

Ø 4 mm 800 daN

Price:

02080-0400-188

Magic-High-Trim,
4mm, black



4046882040099

Ø 4 mm 800 daN

Price:

02080-0400-228

Magic-High-Trim,
4mm, white



4046882040075

Ø 5 mm 1100 daN

Price:

02080-0500-171

Magic-High-Trim,
5mm, red



4046882040105

Ø 5 mm 1100 daN

Price:

02080-0500-188

Magic-High-Trim,
5mm, black



4046882040167

Ø 5 mm 1100 daN

Price:

02080-0500-228

Magic-High-Trim,
5mm, white



4046882040143

Ø 6 mm 2200 daN

Price:

02080-0600-171

Magic-High-Trim,
6mm, red



4046882040174

Ø 6 mm 2200 daN

Price:

02080-0600-188

Magic-High-Trim,
6mm, black



4046882040235

Ø 6 mm 2200 daN

Price:

02080-0600-228

Magic-High-Trim,
6mm, white



4046882040211

LIROS Control - XTR

02224

The high performance halyard or sheet with best possible gripfactor. For maximum precise control on board. Use assheet or halyard. -Perfect control due to tight braided cover-Developped for ideal Grip in big clutches -Superb abrasion resistance due to mixture of temperature resistant fibres -Very high breaking strength for extreme working loads above deck-Working stretch 1% -Good splicing characteristics

Ø 6
mm

2800
daN

Price:

02224-0600-019
Control-XTR, 6mm,
blue-black



4046882169240

Ø 6
mm

2800
daN

Price:

02224-0600-090
Control-XTR, 6mm,
green-black



4046882169257

Ø 6
mm

2800
daN

Price:

02224-0600-178
Control-XTR, 6mm,
red-black



4046882158466

Ø 6
mm

2800
daN

Price:

02224-0600-239
Control-XTR, 6mm,
white-black



4046882169264

Ø 8
mm

6250
daN

Price:

02224-0800-019
Control-XTR, 8mm,
blue-black



4046882169271

Ø 8
mm

6250
daN

Price:

02224-0800-090
Control-XTR, 8mm,
green-black



4046882169288

Ø 8
mm

6250
daN

Price:

02224-0800-178
Control-XTR, 8mm,
red-black



4046882169295

Ø 8
mm

6250
daN

Price:

02224-0800-239
Control-XTR, 8mm,
white-black



4046882169301

Ø 10
mm

8000
daN

Price:

02224-1000-019
Control-XTR, 10mm,
blue-black



4046882169219

Ø 10
mm

8000
daN

Price:

02224-1000-090
Control-XTR, 10mm,
green-black



4046882169226

Ø 10
mm

8000
daN

Price:

02224-1000-178
Control-XTR, 10mm,
red-black



4046882169233

Ø 10
mm

8000
daN

Price:

02224-1000-239
Control-XTR, 10mm,
white-black



4046882158473

Ø 12
mm

10800
daN

Price:

02224-1200-019
Control-XTR, 12mm,
blue-black



4046882169189

Ø 12
mm

10800
daN

Price:

02224-1200-090
Control-XTR, 12mm,
green-black



4046882169196

Ø 12
mm

10800
daN

Price:

02224-1200-178
Control-XTR, 12mm,
red-black



4046882169172

Ø 12
mm

10800
daN

Price:

02224-1200-239
Control-XTR, 12mm,
white-black



4046882169202

Ø 14
mm

13200
daN

Price:

02224-1400-019
Control-XTR, 14mm,
blue-black



4046882177580

Ø 14
mm

13200
daN

Price:

02224-1400-090
Control-XTR, 14mm,
green-black



4046882177597

Ø 14
mm

13200
daN

Price:

02224-1400-178
Control-XTR, 14mm,
red-black



4046882177603

Ø 14
mm

13200
daN

Price:

02224-1400-239
Control-XTR, 14mm,
white-black



4046882177610

LIROS Control - XTR

02224

The high performance halyard or sheet with best possible gripfactor. For maximum precise control on board. Use assheet or halyard. -Perfect control due to tight braided cover-Developped for ideal Grip in big clutches -Superb abrasion resistance due to mixture of temperature resistant fibres -Very high breaking strength for extreme working loads above deck-Working stretch 1% -Good splicing characteristics

Ø 16 mm 15700 daN Price: _____ 02224-1600-019 Control-XTR, 16mm, blue-black  4046882177627	Ø 16 mm 15700 daN Price: _____ 02224-1600-090 Control-XTR, 16mm, green-black  4046882177634	Ø 16 mm 15700 daN Price: _____ 02224-1600-178 Control-XTR, 16mm, red-black  4046882177641	Ø 16 mm 15700 daN Price: _____ 02224-1600-239 Control-XTR, 16mm, white-black  4046882177658
Ø 18 mm 19000 daN Price: _____ 02224-1800-019 Control-XTR, 18mm, blue-black  4046882177665	Ø 18 mm 19000 daN Price: _____ 02224-1800-090 Control-XTR, 18mm, green-black  4046882177672	Ø 18 mm 19000 daN Price: _____ 02224-1800-178 Control-XTR, 18mm, red-black  4046882177689	Ø 18 mm 19000 daN Price: _____ 02224-1800-239 Control-XTR, 18mm, white-black  4046882177696
Ø 20 mm 20500 daN Price: _____ 02224-2000-019 Control-XTR, 20mm, blue-black  4046882177702	Ø 20 mm 20500 daN Price: _____ 02224-2000-090 Control-XTR, 20mm, green-black  4046882177719	Ø 20 mm 20500 daN Price: _____ 02224-2000-178 Control-XTR, 20mm, red-black  4046882177726	Ø 20 mm 20500 daN Price: _____ 02224-2000-239 Control-XTR, 20mm, white-black  4046882177733
Ø 20 mm 24000 daN Price: _____ 02224-2200-019 Control-XTR, 20mm, blue-black  4046882177757	Ø 20 mm 24000 daN Price: _____ 02224-2200-090 Control-XTR, 20mm, green-black  4046882177764	Ø 20 mm 24000 daN Price: _____ 02224-2200-178 Control-XTR, 20mm, red-black  4046882177771	Ø 20 mm 24000 daN Price: _____ 02224-2200-239 Control-XTR, 20mm, white-black  4046882177788
Ø 24 mm 27500 daN Price: _____ 02224-2400-019 Control-XTR, 24mm, blue-black  4046882177795	Ø 24 mm 27500 daN Price: _____ 02224-2400-090 Control-XTR, 24mm, green-black  4046882177801	Ø 24 mm 27500 daN Price: _____ 02224-2400-178 Control-XTR, 24mm, red-black  4046882177818	Ø 24 mm 27500 daN Price: _____ 02224-2400-239 Control-XTR, 24mm, white-black  4046882177825

LIROS Historic Plaited

03010

Appearance like hemp, however it is softer and has better weather resistance, high strength. Spun Polypropylene cording twine

- UV-resistant
- easy to grip

**Ø 3
mm 60 daN**

Price:

03010-0300-037

Historic Cord, 3mm,
hemp



4046882105620

**Ø 4
mm 120 daN**

Price:

03010-0400-037

Historic Cord, 4mm,
hemp



4046882105644

**Ø 5
mm 190 daN**

Price:

03010-0500-037

Historic Cord, 5mm,
hemp



4046882105651

**Ø 6
mm 320 daN**

Price:

03010-0600-037

Historic Cord, 6mm,
hemp



4046882105668

**Ø 8
mm 500 daN**

Price:

03010-0800-037

Historic Cord, 8mm,
hemp



4046882105675

**Ø 10
mm 800 daN**

Price:

03010-1000-037

Historic Cord, 10mm,
hemp



4046882105682

**Ø 12
mm 1100 daN**

Price:

03010-1200-037

Historic Cord, 12mm,
hemp



4046882105699

**Ø 14
mm 1500 daN**

Price:

03010-1400-037

Historic Cord, 14mm,
hemp



4046882105712

**Ø 16
mm 2000 daN**

Price:

03010-1600-037

Historic Cord, 16mm,
hemp



4046882105729

**Ø 18
mm 2400 daN**

Price:

03010-1800-037

Historic Cord, 18mm,
hemp



4046882105743

**Ø 20
mm 3000 daN**

Price:

03010-2000-037

Historic Cord,
20mm, hemp



4046882105767

				LIROS Vectran-Olympic	04000
High-tech rope manufactured of Vectran®, extremely low stretch, high strength comparable to wire, high durability and resistance to abrasion, its 32-plait cover makes it very resistant in stoppers and cleats, ideal for halyards and backstays. ▪ Stretch characteristics 1 % ▪ extremely low stretch quality ▪ high durability and resistance to abrasion ▪ very resistant in stoppers ▪ Middle cover combines core and outer cover perfectly					
Ø 3 mm 530 daN Price: _____ 04000-0300-423 V-Force, 3mm, silver-red  4046882177832	Ø 3 mm 530 daN Price: _____ 04000-0300-445 V-Force, 3mm, silver-black  4046882177849	Ø 3 mm 530 daN Price: _____ 04000-0300-593 V-Force, 3mm, silver-blue  4046882177856	Ø 4 mm 780 daN Price: _____ 04000-0400-423 V-Force, 4mm, silver-red  4046882177863		
Ø 4 mm 780 daN Price: _____ 04000-0400-445 V-Force, 4mm, silver-black  4046882177870	Ø 4 mm 780 daN Price: _____ 04000-0400-593 V-Force, 4mm, silver-blue  4046882177887	Ø 5 mm 930 daN Price: _____ 04000-0500-423 V-Force, 5mm, silver-red  4046882174206	Ø 5 mm 930 daN Price: _____ 04000-0500-445 V-Force, 5mm, silver-black  4046882174176		
Ø 5 mm 930 daN Price: _____ 04000-0500-593 V-Force, 5mm, silver-blue  4046882174213	Ø 6 mm 1500 daN Price: _____ 04000-0600-423 V-Force, 6mm, silver-red  4046882177894	Ø 6 mm 1500 daN Price: _____ 04000-0600-445 V-Force, 6mm, silver-black  4046882177900	Ø 6 mm 1500 daN Price: _____ 04000-0600-593 V-Force, 6mm, silver-blue  4046882177917		
Ø 8 mm 2700 daN Price: _____ 04000-0800-423 V-Force, 8mm, silver-red  4046882171809	Ø 8 mm 2700 daN Price: _____ 04000-0800-445 V-Force, 8mm, silver-black  4046882171816	Ø 8 mm 2700 daN Price: _____ 04000-0800-593 V-Force, 8mm, silver-blue  4046882171823	Ø 10 mm 3700 daN Price: _____ 04000-1000-423 V-Force, 10mm, silver-red  4046882171847		
Ø 10 mm 3700 daN Price: _____ 04000-1000-445 V-Force, 10mm, silver-black  4046882171854	Ø 10 mm 3700 daN Price: _____ 04000-1000-593 V-Force, 10mm, silver-blue  4046882171861	Ø 12 mm 5200 daN Price: _____ 04000-1200-423 V-Force, 12mm, silver-red  4046882167956	Ø 12 mm 5200 daN Price: _____ 04000-1200-445 V-Force, 12mm, silver-black  4046882167963		

		LIROS Vectran-Olympic 04000		
High-tech rope manufactured of Vectran®, extremely low stretch, high strength comparable to wire, high durability and resistance to abrasion, its 32-plait cover makes it very resistant in stoppers and cleats, ideal for halyards and backstays. ▪ Stretch characteristics 1 % ▪ extremely low stretch quality ▪ high durability and resistance to abrasion ▪ very resistant in stoppers ▪ Middle cover combines core and outer cover perfectly				
Ø 12 mm 5200 daN Price: _____ 04000-1200-593 V-Force, 12 mm, silver-blue  4046882167970				

LIROS V-Plus

04007

creep. Ideal for any application where dimensional stabi-

**Ø 2
mm 350
daN**

Price:

04007-0200-171
V-Plus-XTR, 2mm,
red



4046882177924

**Ø 2
mm 350
daN**

Price:

04007-0200-188
V-Plus XTR, 2mm,
black



4046882106047

**Ø 3
mm 1100
daN**

Price:

04007-0300-171
V-Plus-XTR, 3mm,
red



4046882177931

**Ø 3
mm 1100
daN**

Price:

04007-0300-188
V-Plus-XTR, 3mm,
black



4046882106061

**Ø 4
mm 1400
daN**

Price:

04007-0400-171
V-Plus-XTR, 4mm,
red



4046882177948

**Ø 4
mm 1400
daN**

Price:

04007-0400-188
V-Plus-XTR, 4mm,
black



4046882106085

**Ø 5
mm 2800
daN**

Price:

04007-0500-171
V-Plus-XTR, 5mm,
red



4046882177955

**Ø 5
mm 2800
daN**

Price:

04007-0500-188
V-Plus-XTR, 5mm,
black



4046882106115

**Ø 6
mm 4800
daN**

Price:

04007-0600-171
V-Plus-XTR, 6mm,
red



4046882177962

**Ø 6
mm 4800
daN**

Price:

04007-0600-188
V-Plus-XTR, 6mm,
black



4046882106139

**Ø 8
mm 7000
daN**

Price:

04007-0800-171
V-Plus-XTR, 8mm,
red



4046882177979

**Ø 8
mm 7000
daN**

Price:

04007-0800-188
V-Plus-XTR, 8mm,
black



4046882106160

LIROS Runner Vectran - XTR

04008

RUNNER Vectran-XTR is the perfect solution for every high performance yacht. It has been successfully tested on several racing boats, for example on Maxiracer UCA, the fastest boat in offshore racing 'Daimler Chrysler North Atlantic Challenge'. Features-New NCS Coating-Excellent resistance against abrasion at high temperatures-Prevents surface melting-Excellent power transmission from core to cover-Minimal stretch

Ø 6
mm

2500
daN

Price:

04008-0600-008

Runner Vectran-XTR,
6mm, beige



4046882177986

Ø 8
mm

4500
daN

Price:

04008-0800-008

Runner Vectran-XTR,
8mm, beige



4046882177993

Ø 10
mm

8400
daN

Price:

04008-1000-008

Runner Vectran-XTR,
10mm, beige



4046882178006

Ø 12
mm

9900
daN

Price:

04008-1200-008

Runner Vectran-XTR,
12mm, beige



4046882178013

Ø 14
mm

12000
daN

Price:

04008-1400-008

Runner Vectran-XTR,
14mm, beige



4046882178020

Ø 16
mm

14300
daN

Price:

04008-1600-008

Runner Vectran-XTR,
16mm, beige



4046882178051

		LIROS Grip Protect - XTR		04500
		LIROS Grip Protect-XTR covers lines and provides optimal abrasion protection. The high-grip surface of this cover delivers the best in power transference inside a halyard stopper or jammer and is the perfect solution to avoid stopper slippage. ▪ Grip Factor 10		
Ø 5 mm Price: _____ 04500-0506-188 Grip Protect-XTR, 5mm, black  4046882054249	Ø 8 mm Price: _____ 04500-0810-188 Grip Protect-XTR, 8mm, black  4046882054256	Ø 12 mm Price: _____ 04500-1214-188 Grip Protect-XTR, 12mm, black  4046882054263	Ø 16 mm Price: _____ 04500-1624-188 Grip Protect-XTR, 16mm, black  4046882158480	

LIROS Runner PBO - XTR

05008

RUNNER PBO-XTR is the Formula I tyre of racing sail boats. Specially developed for Grand Prix, Match Racing, to prevent surface melting on winches due to an extremely strong Zylon® cover. Features-New NCS Coating-Cures degradation of Zylon®-Xtremely high temperature resistance up to 650°C-Prevents surface melting-Excellent power transmission from core to cover due to grip coating-Xtreme low stretch

Ø 8
mm

4500
daN

Price:

05008-0800-122
Runner PBO-XTR,
8mm, copper



4046882178068

Ø 10
mm

6400
daN

Price:

05008-1000-122
Runner PBO-XTR,
10mm, copper



4046882178075

Ø 12
mm

9900
daN

Price:

05008-1200-122
Runner PBO-XTR,
12mm, copper



4046882178082

Ø 14
mm

12000
daN

Price:

05008-1400-122
Runner PBO-XTR,
14mm, copper



4046882178099

LIROS Starter Cord

10145

The use of special twist and its elaborate plaited construction assure exceptional resistance to abrasion. 100% Polyamide. nearly no jolts through high stretching characteristics

- durable
- abrasion resistant
- individual lengths and colour-impregnation possible

**Ø 3
mm**

**260
daN**

Price:

10145-0300-228

Starter Cord, 3mm,
white



4046882017695

**Ø 3,5
mm**

**370
daN**

Price:

10145-0350-228

Starter Cord,
3.5mm, white



4046882017718

**Ø 4
mm**

Price:

10145-0400-228

Starter Cord, 4mm,
white



4046882017732

**Ø 4,5
mm**

**460
daN**

Price:

10145-0450-228

Starter Cord,
4.5mm, white



4046882017763

**Ø 5
mm**

Price:

10145-0500-228

Starter Cord, 5mm,
white



4046882017787

**Ø 6
mm**

Price:

10145-0600-228

Starter Cord, 6mm,
white



4046882017800

LIROS Slip Protect - XTR

10148

LIROS Slide Protect-XTR provides a supplemental cover and protects against abrasion in turning blocks and fairleads. Slide Protect-XTR is not suited for protection in stoppers or on winches, the low cover Grip Factor delivers lowest friction.

- Grip Factor 3

Ø 5
mm

Price:

10148-0506-316
Slide Protect-XTR,
5mm, carbongrey



4046882174442

Ø 8
mm

Price:

10148-0810-316
Slide Protect-XTR,
8mm, carbongrey



4046882172592

Ø 12
mm

Price:

10148-1214-316
Slide Protect-XTR,
12mm, carbongrey



4046882178112

Ø 16
mm

Price:

10148-1624-316
Slide Protect-XTR,
16mm, carbongrey



4046882175654

LIROS Safety Line

10150

LIROS Safety Line was specially engineered for safety equipment applications, and is optimised for stretch and shock loading compensation. Developed to deliver the ultimate in safety.

- working stretch < 25%
- excellent damping capabilities
- good spliceability

**Ø 4
mm 100
daN**

Price:

10150-0400-228

Safety Line
Polyamide, 4mm,
white



4046882107921

**Ø 4,5 150
mm daN**

Price:

10150-0450-228

Safety Line
Polyamide, 4,5mm,
white



4046882107938

LIROS Starter Cord

10445

The use of special twist and its elaborate plaited construction assure exceptional resistance to abrasion. 100% Polyamide. nearly no jolts through high stretching characteristics

- durable
- abrasion resistant
- individual lengths and colour-impregnation possible

**Ø 3
mm**

**220
daN**

Price:

10445-0300-418

Starter Cord, 3mm,
white-impregnated



4046882108263

**Ø 3,5
mm**

Price:

10445-0350-418

Starter Cord,
3.5mm, white-
impregnated



4046882108287

**Ø 4
mm**

Price:

10445-0400-418

Starter Cord, 4mm,
white-impregnated



4046882108300

**Ø 4,5
mm**

**480
daN**

Price:

10445-0450-418

Starter Cord,
4.5mm, white-
impregnated



4046882108324

**Ø 5
mm**

Price:

10445-0500-418

Starter Cord, 5mm,
white-impregnated



4046882108348

**Ø 6
mm**

Price:

10445-0600-418

Starter Cord, 6mm,
white-impregnated



4046882108362

LIROS Skittle Rope

10845

Skittle Rope made of Polyamide, high tenacity with core, natural or specially impregnated for better glide and less abrasion. glides very well

- highly abrasion resistant

**Ø 3,5
mm**

Price:

10845-0350-228

Skittle Rope, 3,5mm,
white



4046882108898

**Ø 4
mm**

Price:

10845-0400-228

Skittle Rope, 4mm,
white



4046882108904

**Ø 4,5
mm**

Price:

10845-0450-228

Skittle Rope, 4,5mm,
white



4046882108911

**Ø 5
mm**

Price:

10845-0500-228

Skittle Rope, 5mm,
white



4046882108935

**Ø 6
mm**

Price:

10845-0600-228

Skittle Rope, 6mm,
white



4046882108966

LIROS Skittle Rope

10945

High-strength Polyamide skittle rope with core, available in plain or specially impregnated for better glide and improved abrasion resistance.

- excellent glide
- high abrasion resistance
- additional impregnation upon request (Ref. 10945)

**Ø 3,5
mm**

Price:

10945-0350-418
Skittle Rope, 3.5mm,
white-impregnated



4046882108980

**Ø 4
mm**

Price:

10945-0400-418
Skittle Rope, 4mm,
white-impregnated



4046882109000

**Ø 4,5
mm**

Price:

10945-0450-418
Skittle Rope, 4.5mm,
white-impregnated



4046882109024

**Ø 5
mm**

Price:

10945-0500-418
Skittle Rope, 5mm,
white-impregnated



4046882109048

**Ø 6
mm**

Price:

10945-0600-418
Skittle Rope, 6mm,
white-impregnated



4046882109093

		LIROS Poly-Hemp and Natural Hemp Ropes 1140D		
Cable twist, especially designed for hand rails on stairways and for roping off areas. Grip like hemp, but softer and more weather resistant. UV-stabilised ▪ abrasion resistant ▪ easy to splice ▪ Individual adaptation concerning length ▪ 28-30 mm Ø ▪ 34-36 mm Ø				
Ø 28 mm 5640 daN Price: 1140D-2830-037 Barrier Classic, 28mm, hemp 4046882038256				

LIROS AntiTorsion EVO

11442

The LIROS anti torque rope for replacing certain high load luff ropes.- Stretch characteristics 1%- Extremely stiff, non kinking construction- Extremely low stretch and high break load caused by Aramide core

Ø 6
mm

1300
daN

Price:

11442-0600-188
AntiTorsion EVO,
6mm, black



4046882109444

Ø 8
mm

3000
daN

Price:

11442-0800-188
AntiTorsion EVO,
8mm, black



4046882109451

Ø 10,5
mm

3700
daN

Price:

11442-1050-188
AntiTorsion EVO,
10,5mm, black



4046882109468

Ø 11
mm

4200
daN

Price:

11442-1100-188
AntiTorsion EVO,
11mm, black



4046882109475

Ø 13
mm

5000
daN

Price:

11442-1300-188
AntiTorsion EVO,
13mm, black



4046882109482

Ø 16,5
mm

8000
daN

Price:

11442-1650-188
AntiTorsion EVO,
16,5mm, black



4046882109499

LIROS Venetian Blind Cord

20140

- shape stable, round plait
- abrasion resistant
- UV-resistant
- individual lengths and colour-impregnation possible

Ø 0,8 mm 14 daN Price: _____ 20140-0080-228 Venetian Blind Cord, 0,8mm, white  4046882110051	Ø 1 mm 25 daN Price: _____ 20140-0100-228 Venetian Blind Cord, 1mm, white  4046882110075	Ø 1,5 mm 45 daN Price: _____ 20140-0150-228 Venetian Blind Cord, 1,5mm, white  4046882052535	Ø 1,7 mm 57 daN Price: _____ 20140-0170-228 Venetian Blind Cord, 1,7mm, white  4046882110112
Ø 2 mm 85 daN Price: _____ 20140-0200-228 Venetian Blind Cord, 2mm, white  4046882110143			

LIROS Venetian Blind Cord

20145

Polyester, cord from Ø 2,5 mm upwards contains core, tight braided. shape stable, round plait

- abrasion resistant
- UV-resistant
- individual lengths and colour-impregnation possible

Ø 2,5
mm

132
daN

Ø 3
mm

180
daN

Ø 3,5
mm

210
daN

Price:

20145-0250-228

Venetian Blind Cord,
2,5mm, white



4046882110228

Price:

20145-0300-228

Venetian Blind Cord,
3mm, white



4046882110259

Price:

20145-0350-228

Venetian Blind Cord,
3,5mm, white



4046882110273



LIROS AntiTorsion Top Down

21442

Proven, ideal top down furling.

- working stretch < 1%
- stiff
- high-tenacity Aramid core for extremely low-stretch and high breaking load
- non-splicing construction
- available in custom lengths

**Ø 11
mm**

Price:

21442-1100-130
AntiTorsion Top
Down, 11mm, navy



4046882110464

**Ø 13
mm**

**5000
daN**

Price:

21442-1300-130
AntiTorsion Top
Down, 13mm, navy



4046882110471

**Ø 16,5
mm**

**8000
daN**

Price:

21442-1650-130
AntiTorsion Top
Down, 16,5mm, navy



4046882110488

LIROS Venetian Blind Cord

22140

Compact braided Polyester.

- round, dimensionally stable braid
- abrasion resistant
- UV resistant
- custom lengths and colours available

**Ø 0,8
mm**

15 daN

Price:

22140-0080-188

Venetian Blind Cord,
0,8mm, black



4046882110549

**Ø 1
mm**

25 daN

Price:

22140-0100-188

Venetian Blind Cord,
1mm, black



4046882110570

**Ø 1,5
mm**

49 daN

Price:

22140-0150-188

Venetian Blind Cord,
1,5mm, black



4046882057028

**Ø 1,7
mm**

57 daN

Price:

22140-0170-188

Venetian Blind Cord,
1,7mm, black



4046882110648

**Ø 2
mm**

85 daN

Price:

22140-0200-188

Venetian Blind Cord,
2mm, black



4046882110679

LIROS Venetian Blind Cord

22145

Compact braided Polyester.

- round, dimensionally stable braid
- abrasion resistant
- UV resistant
- custom lengths and colours available

Ø 2,5
mm

120
daN

Ø 3
mm

180
daN

Ø 3,5
mm

210
daN

Price:

22145-0250-188

Venetian Blind Cord,
2,5mm, black



4046882110792

Price:

22145-0300-188

Venetian Blind Cord,
3mm, black



4046882110822

Price:

22145-0350-188

Venetian Blind Cord,
3,5mm, black



4046882110846

LIROS DC

DC000

Dyneema®-Competition line easy to splice

- outstanding, precise control of kite
- controlled manoeuvres
- lines are very consistent in length even after high loading
- LIROS-Heat-Stretch-System

Ø 0,5 mm 40 daN Price: _____ DC000-0040-010 DC 40, 0.5mm, blue  4046882111560	Ø 0,5 mm 40 daN Price: _____ DC000-0040-059 DC 40, 0.5mm, yellow  4046882111577	Ø 0,5 mm 40 daN Price: _____ DC000-0040-086 DC 40, 0.5mm, green  4046882111584	Ø 0,5 mm 40 daN Price: _____ DC000-0040-171 DC 40, 0.5mm, red  4046882111591
Ø 0,5 mm 40 daN Price: _____ DC000-0040-228 DC 40, 0.5mm, white  4046882111607	Ø 0,5 mm 40 daN Price: _____ DC000-0040-316 DC 40, 0.5mm, carbongrey  4046882111614	Ø 0,6 mm 60 daN Price: _____ DC000-0060-010 DC 60, 0.6mm, blue  4046882039628	Ø 0,6 mm 60 daN Price: _____ DC000-0060-059 DC 60, 0.6mm, yellow  4046882039635
Ø 0,6 mm 60 daN Price: _____ DC000-0060-086 DC 60, 0.6mm, green  4046882039659	Ø 0,6 mm 60 daN Price: _____ DC000-0060-171 DC 60, 0.6mm, red  4046882039611	Ø 0,6 mm 60 daN Price: _____ DC000-0060-228 DC 60, 0.6mm, white  4046882039666	Ø 0,6 mm 60 daN Price: _____ DC000-0060-316 DC 60, 0.6mm, carbongrey  4046882039642
Ø 0,8 mm 100 daN Price: _____ DC000-0100-010 DC 100, 0.8mm, blue  4046882039697	Ø 0,8 mm 100 daN Price: _____ DC000-0100-059 DC 100, 0.8mm, yellow  4046882039703	Ø 0,8 mm 100 daN Price: _____ DC000-0100-086 DC 100, 0.8mm, green  4046882039727	Ø 0,8 mm 100 daN Price: _____ DC000-0100-171 DC 100, 0.8mm, red  4046882039680
Ø 0,8 mm 100 daN Price: _____ DC000-0100-228 DC 100, 0.8mm, white  4046882039734	Ø 0,8 mm 100 daN Price: _____ DC000-0100-316 DC 100, 0.8mm, carbongrey  4046882039710	Ø 0,85 mm 120 daN Price: _____ DC000-0120-010 DC 120, 0.85mm, blue  4046882039765	Ø 0,85 mm 120 daN Price: _____ DC000-0120-059 DC 120, 0.85mm, yellow  4046882039772

LIROS DC

DC000

Dyneema®-Competition line easy to splice

- outstanding, precise control of kite
- controlled manoeuvres
- lines are very consistent in length even after high loading
- LIROS-Heat-Stretch-System

Ø 0,85 mm 120 daN Price: _____ DC000-0120-086 DC 120, 0.85mm, green  4046882039796	Ø 0,85 mm 120 daN Price: _____ DC000-0120-171 DC 120, 0.85mm, red  4046882039758	Ø 0,85 mm 120 daN Price: _____ DC000-0120-228 DC 120, 0.85mm, white  4046882039802	Ø 0,85 mm 120 daN Price: _____ DC000-0120-316 DC 120, 0.85mm, carbongrey  4046882039789
Ø 1,1 mm 160 daN Price: _____ DC000-0160-059 DC 160, 1.1mm, yellow  4046882039840	Ø 1,1 mm 160 daN Price: _____ DC000-0160-086 DC 160, 1.1mm, green  4046882039864	Ø 1,1 mm 160 daN Price: _____ DC000-0160-171 DC 160, 1.1mm, red  4046882039826	Ø 1,1 mm 160 daN Price: _____ DC000-0160-188 DC 160, 1.1mm, black  4046882039871
Ø 1,1 mm 160 daN Price: _____ DC000-0160-228 DC 160, 1.1mm, white  4046882039888	Ø 1,1 mm 160 daN Price: _____ DC000-0160-316 DC 160, 1.1mm, carbongrey  4046882039857	Ø 1,6 mm 200 daN Price: _____ DC000-0200-010 DC 200, 1.6mm, blue  4046882032568	Ø 1,6 mm 200 daN Price: _____ DC000-0200-059 DC 200, 1.6mm, yellow  4046882032575
Ø 1,6 mm 200 daN Price: _____ DC000-0200-086 DC 200, 1.6mm, green  4046882032582	Ø 1,6 mm 200 daN Price: _____ DC000-0200-171 DC 200, 1.6mm, red  4046882032551	Ø 1,6 mm 200 daN Price: _____ DC000-0200-228 DC 200, 1.6mm, white  4046882032599	Ø 1,6 mm 200 daN Price: _____ DC000-0200-316 DC 200, 1.6mm, carbongrey  4046882039895
Ø 1,1 mm 260 daN Price: _____ DC000-0201-228 DC 201, 1.1mm, white  4046882165983	Ø 1,1 mm 260 daN Price: _____ DC000-0201-594 DC 201, 1.1mm, .0182 red  4046882165990	Ø 1,1 mm 260 daN Price: _____ DC000-0201-595 DC 201, 1.1mm, .0182 yellow  4046882144780	Ø 1,1 mm 260 daN Price: _____ DC000-0201-596 DC 201, 1.1mm, .0183 black  4046882166003

LIROS DC

DC000

Dyneema®-Competition line easy to splice

- outstanding, precise control of kite
- controlled manoeuvres
- lines are very consistent in length even after high loading
- LIROS-Heat-Stretch-System

Ø 1,1 mm 260 daN Price: _____ DC000-020I-616 DC 20I, 1,1mm, .0182 green 4046882166010	Ø 1,8 mm 300 daN Price: _____ DC000-0300-010 DC 300, 1,8mm, blue 4046882039918	Ø 1,8 mm 300 daN Price: _____ DC000-0300-059 DC 300, 1,8mm, yellow 4046882039925	Ø 1,8 mm 300 daN Price: _____ DC000-0300-086 DC 300, 1,8mm, green 4046882039949
Ø 1,8 mm 300 daN Price: _____ DC000-0300-071 DC 300, 1,8mm, red 4046882039901	Ø 1,8 mm 300 daN Price: _____ DC000-0300-228 DC 300, 1,8mm, white 4046882039956	Ø 1,8 mm 300 daN Price: _____ DC000-0300-316 DC 300, 1,8mm, carbon grey 4046882039932	Ø 1,5 mm 300 daN Price: _____ DC000-030I-228 DC 30I, 1,5mm, white 4046882166027
Ø 1,5 mm 300 daN Price: _____ DC000-030I-594 DC 30I, 1,5mm, .0182 red 4046882144797	Ø 1,5 mm 300 daN Price: _____ DC000-030I-595 DC 30I, 1,5mm, .0182 yellow 4046882166034	Ø 1,5 mm 300 daN Price: _____ DC000-030I-596 DC 30I, 1,5mm, .0183 black 4046882166041	Ø 1,5 mm 300 daN Price: _____ DC000-030I-616 DC 30I, 1,5mm, .0182 green 4046882144803
Ø 1,6 mm 400 daN Price: _____ DC000-040I-228 DC 40I, 1,6mm, white 4046882166065	Ø 1,6 mm 400 daN Price: _____ DC000-040I-594 DC 40I, 1,6mm, .0182 red 4046882166072	Ø 1,6 mm 400 daN Price: _____ DC000-040I-595 DC 40I, 1,6mm, .0182 yellow 4046882166096	Ø 1,6 mm 400 daN Price: _____ DC000-040I-596 DC 40I, 1,6mm, .0183 black 4046882144803
Ø 1,6 mm 400 daN Price: _____ DC000-040I-616 DC 40I, 1,6mm, .0182 green 4046882166089	Ø 2,05 mm 500 daN Price: _____ DC000-0500-010 DC 500, 2,05mm, blue 4046882039970	Ø 2,05 mm 500 daN Price: _____ DC000-0500-059 DC 500, 2,05mm, yellow 4046882039987	Ø 2,05 mm 500 daN Price: _____ DC000-0500-086 DC 500, 2,05mm, green 4046882040006

LIROS DC

DC000

Dyneema®-Competition line easy to splice

- outstanding, precise control of kite
- controlled manoeuvres
- lines are very consistent in length even after high loading
- LIROS-Heat-Stretch-System

Ø 2,05 mm 500 daN Price: DC000-0500-171 DC 500, 2.05mm, red  4046882039963	Ø 2,05 mm 500 daN Price: DC000-0500-228 DC 500, 2.05mm, white  4046882040013	Ø 2,05 mm 500 daN Price: DC000-0500-316 DC 500, 2.05mm, carbongrey  4046882039994	

		LIROS DFL				DFL00
		Covered Frame line for paragliders. Light weight ▪ good knot tenacity				
Ø 1,4 mm 115 daN		Ø 1,4 mm 115 daN		Ø 1,4 mm 115 daN		
Price: _____		Price: _____		Price: _____		
DFL00-0115-059 DFL 115, 1,4mm, yellow  4046882111874		DFL00-0115-150 DFL 115, 1,4mm, orange  4046882111898		DFL00-0115-171 DFL 115, 1,4mm, red  4046882111928		
Ø 2,7 mm 350 daN		Ø 2,7 mm 350 daN				
Price: _____		Price: _____				
DFL00-0350-150 DFL 350, 2,7mm, orange  4046882111973		DFL00-0350-171 DFL 350, 2,7mm, red  4046882111980		DFL00-0350-059 DFL 350, 2,7mm, yellow  4046882111966		



LIROS DFL

DFLPO

Covered Frame line for paragliders. Light weight
▪ good knot tenacity

Ø 1,9 mm 200 daN Price: _____ DFLPO-0232-059 DFLP 232, 1,9mm, yellow  4046882111997	Ø 1,9 mm 200 daN Price: _____ DFLPO-0232-150 DFLP 232, 1,9mm, orange  4046882112000	Ø 1,9 mm 200 daN Price: _____ DFLPO-0232-171 DFLP 232, 1,9mm, red  4046882112017	

LIROS DFLS

DFLSO

Covered Frame line for paragliders. Light weight

- good knot tenacity

**Ø 2
mm 200
daN**

Price:

DFLSO-0200-059
DFLS 200, 2mm,
yellow



4046882112031

**Ø 2
mm 200
daN**

Price:

DFLSO-0200-150
DFLS 200, 2mm,
orange



4046882112048

**Ø 2
mm 200
daN**

Price:

DFLSO-0200-171
DFLS 200, 2mm, red



4046882112055

LIROS DSL DSLOO ▪ optimated reset ▪ lowstretch characteristics ▪ easy identification ▪ long life span ▪ LIROS-Heat-Stretch-System				
Ø 0,9 mm 25 daN Price: _____ DSLOO-0025-010 DSL 25, 0.9mm, blue	Ø 0,9 mm 25 daN Price: _____ DSLOO-0025-011 DSL 25, 0.9mm, blue-yellow	Ø 0,9 mm 25 daN Price: _____ DSLOO-0025-059 DSL 25, 0.9mm, yellow	Ø 0,9 mm 25 daN Price: _____ DSLOO-0025-086 DSL 25, 0.9mm, green	
Ø 0,9 mm 25 daN Price: _____ DSLOO-0025-159 DSL 25, 0.9mm, pink-yellow	Ø 0,9 mm 25 daN Price: _____ DSLOO-0025-171 DSL 25, 0.9mm, red	Ø 0,95 mm 35 daN Price: _____ DSLOO-0035-010 DSL 35, 0.95mm, blue  4046882194952	Ø 0,95 mm 35 daN Price: _____ DSLOO-0035-011 DSL 35, 0.95mm, blue-yellow	
Ø 0,95 mm 35 daN Price: _____ DSLOO-0035-059 DSL 35, 0.95mm, yellow	Ø 0,95 mm 35 daN Price: _____ DSLOO-0035-086 DSL 35, 0.95mm, green	Ø 0,95 mm 35 daN Price: _____ DSLOO-0035-159 DSL 35, 0.95mm, pink-yellow	Ø 0,95 mm 35 daN Price: _____ DSLOO-0035-171 DSL 35, 0.95mm, red  4046882112239	
Ø 0,95 mm 70 daN Price: _____ DSLOO-0070-010 DSL 70, 0.95mm, blue  4046882112260	Ø 0,95 mm 70 daN Price: _____ DSLOO-0070-011 DSL 70, 0.95mm, blue-yellow  4046882112277	Ø 0,95 mm 70 daN Price: _____ DSLOO-0070-059 DSL 70, 0.95mm, yellow  4046882112284	Ø 0,95 mm 70 daN Price: _____ DSLOO-0070-086 DSL 70, 0.95mm, green  4046882112314	
Ø 0,95 mm 70 daN Price: _____ DSLOO-0070-159 DSL 70, 0.95mm, pink-yellow  4046882112352	Ø 0,95 mm 70 daN Price: _____ DSLOO-0070-171 DSL 70, 0.95mm, red  4046882112369	Ø 1,25 mm 140 daN Price: _____ DSLOO-0140-010 DSL 140, 1.25mm, blue  4046882112482	Ø 1,25 mm 140 daN Price: _____ DSLOO-0140-011 DSL 140, 1.25mm, blue-yellow  4046882112499	

LIROS DSL

DSL00

- optimatized reset
- lowstretch characteristics
- easy identification
- long life span
- LIROS-Heat-Stretch-System

Ø 1,25 mm 140 daN Price: _____ DSL00-0140-059 DSL 140, 1,25mm, yellow  4046882112505	Ø 1,25 mm 140 daN Price: _____ DSL00-0140-086 DSL 140, 1,25mm, green  4046882112536	Ø 1,25 mm 140 daN Price: _____ DSL00-0140-159 DSL 140, 1,25mm, pink-yellow  4046882112550	Ø 1,25 mm 140 daN Price: _____ DSL00-0140-171 DSL 140, 1,25mm, red  4046882112567
Ø 2 mm 350 daN Price: _____ DSL00-0350-010 DSL 350, 2mm, blue  4046882112604	Ø 2 mm 350 daN Price: _____ DSL00-0350-011 DSL 350, 2mm, blue-yellow  4046882112666	Ø 2 mm 350 daN Price: _____ DSL00-0350-059 DSL 350, 2mm, yellow  4046882112628	Ø 2 mm 350 daN Price: _____ DSL00-0350-086 DSL 350, 2mm, green  4046882112635
Ø 2 mm 350 daN Price: _____ DSL00-0350-159 DSL 350, 2mm, pink-yellow  4046882112659	Ø 2 mm 350 daN Price: _____ DSL00-0350-171 DSL 350, 2mm, red  4046882112666	Ø 2,4 mm 645 daN Price: _____ DSL00-0600-010 DSL 600, 2,4mm, blue  4046882112680	Ø 2,4 mm 645 daN Price: _____ DSL00-0600-011 DSL 600, 2,4mm, blue-yellow  4046882112697
Ø 2,4 mm 645 daN Price: _____ DSL00-0600-059 DSL 600, 2,4mm, yellow  4046882112703	Ø 2,4 mm 645 daN Price: _____ DSL00-0600-086 DSL 600, 2,4mm, green  4046882112710	Ø 2,4 mm 645 daN Price: _____ DSL00-0600-159 DSL 600, 2,4mm, pink-yellow  4046882112727	Ø 2,4 mm 645 daN Price: _____ DSL00-0600-171 DSL 600, 2,4mm, red  4046882112734

Lirolen Braided Cords and Lines

E1070

- Stretch characteristics 12%
- UV-stabilized
- floats
- individual lengths and format is possible



Ø 2 mm 75 daN Price: _____ E1070-0200-228 LIROLEN Braid, 2mm, white 4046882113120	Ø 3 mm 140 daN Price: _____ E1070-0300-228 LIROLEN Braid, 3mm, white 4046882113144	Ø 4 mm 280 daN Price: _____ E1070-0400-228 LIROLEN Braid, 4mm, white 4046882113151	Ø 5 mm 390 daN Price: _____ E1070-0500-228 LIROLEN Braid, 5mm, white 4046882113182
Ø 6 mm 550 daN Price: _____ E1070-0600-228 LIROLEN Braid, 6mm, white 4046882113199	Ø 8 mm 1000 daN Price: _____ E1070-0800-228 LIROLEN Braid, 8mm, white 4046882113236	Ø 10 mm 1300 daN Price: _____ E1070-1000-228 LIROLEN Braid, 10mm, white 4046882113250	Ø 12 mm 1600 daN Price: _____ E1070-1200-228 LIROLEN Braid, 12mm, white 4046882113281
Ø 14 mm 2000 daN Price: _____ E1070-1400-228 LIROLEN Braid, 14mm, white 4046882113311	Ø 16 mm 2600 daN Price: _____ E1070-1600-228 LIROLEN Braid, 16mm, white 4046882113328		

 LIROS LTC LTC00 ▪ minimum stretch ▪ minimum creep characteristics ▪ Double Nanocoating ▪ High Performance ▪ LIROS-Heat-Stretch-System				
Ø 0,55 mm 45 daN Price: LTC00-0045-008 LTC 45, 0.55mm, beige 4046882113861	Ø 0,55 mm 45 daN Price: LTC00-0045-010 LTC 45, 0.55mm, blue 4046882178129	Ø 0,55 mm 45 daN Price: LTC00-0045-086 LTC 45, 0.55mm, green 4046882178143	Ø 0,55 mm 45 daN Price: LTC00-0045-171 LTC 45, 0.55mm, red 4046882113878	
Ø 0,65 mm 65 daN Price: LTC00-0065-008 LTC 65, 0.65mm, beige 4046882113892	Ø 0,65 mm 65 daN Price: LTC00-0065-010 LTC 65, 0.65mm, blue 4046882113908	Ø 0,65 mm 65 daN Price: LTC00-0065-086 LTC 65, 0.65mm, green 4046882178150	Ø 0,65 mm 65 daN Price: LTC00-0065-171 LTC 65, 0.65mm, red 4046882113922	
Ø 0,7 mm 80 daN Price: LTC00-0080-008 LTC 80, 0.7mm, beige 4046882057769	Ø 0,7 mm 80 daN Price: LTC00-0080-010 LTC 80, 0.7mm, blue 4046882113946	Ø 0,7 mm 80 daN Price: LTC00-0080-086 LTC 80, 0.7mm, green 4046882178174	Ø 0,7 mm 80 daN Price: LTC00-0080-171 LTC 80, 0.7mm, red 4046882113960	
Ø 1,1 mm 120 daN Price: LTC00-0120-008 LTC 120, 1.1mm, beige 4046882113984	Ø 1,1 mm 120 daN Price: LTC00-0120-010 LTC 120, 1.1mm, blue 4046882178181	Ø 1,1 mm 120 daN Price: LTC00-0120-086 LTC 120, 1.1mm, green 4046882178198	Ø 1,1 mm 120 daN Price: LTC00-0120-171 LTC 120, 1.1mm, red 4046882178204	
Ø 1,2 mm 160 daN Price: LTC00-0160-008 LTC 160, 1.2mm, beige 4046882114004	Ø 1,2 mm 160 daN Price: LTC00-0160-010 LTC 160, 1.2mm, blue 4046882178211	Ø 1,2 mm 160 daN Price: LTC00-0160-086 LTC 160, 1.2mm, green 4046882114011	Ø 1,2 mm 160 daN Price: LTC00-0160-171 LTC 160, 1.2mm, red 4046882114028	

	LIROS LTC			LTC00
	▪ minimum stretch ▪ minimum creep characteristics ▪ Double Nanocoating ▪ High Performance ▪ LIROS-Heat-Stretch-System			
Ø 1,3 mm200 daN Price: _____ LTC00-0200-008 LTC 200, 1,3mm, beige  4046882114042		Ø 1,3 mm200 daN Price: _____ LTC00-0200-010 LTC 200, 1,3mm, blue  4046882178228		Ø 1,3 mm200 daN Price: _____ LTC00-0200-086 LTC 200, 1,3mm, green  4046882178235
Ø 1,75 mm350 daN Price: _____ LTC00-0350-008 LTC 350, 1,75mm, beige  4046882114066		Ø 1,75 mm350 daN Price: _____ LTC00-0350-010 LTC 350, 1,75mm, blue  4046882178259		Ø 1,75 mm350 daN Price: _____ LTC00-0350-086 LTC 350, 1,75mm, green  4046882178266
Ø 1,9 mm400 daN Price: _____ LTC00-0400-008 LTC 400, 1,9mm, beige  4046882114073		Ø 1,9 mm400 daN Price: _____ LTC00-0400-010 LTC 400, 1,9mm, blue  4046882178280		Ø 1,9 mm400 daN Price: _____ LTC00-0400-086 LTC 400, 1,9mm, green  4046882178297

LIROS LTP

LTP00

LIROS LTP series is the latest generation of sheathed paraglider lines. Representing further optimized diameters and coated core. Those guarantee longer service intervals than conventional paraglider lines. The LIROS LCS COATING protects the core from UV radiation and extends the lifespan up to 20%. -Minimum stretch-Minimized drag-Increased life span-Very good Handling-Low cover-core-slippage -Modern colour scheme -LIROS Heat-Stretch-System

Ø 1,15 mm 100 daN Price: _____ LTP00-0100-010 LTP 100, 1,15mm, blue  4046882178310	Ø 1,15 mm 100 daN Price: _____ LTP00-0100-011 LTP 100, 1,15mm, blue-yellow  4046882178327	Ø 1,15 mm 100 daN Price: _____ LTP00-0100-059 LTP 100, 1,15mm, yellow  4046882178334	Ø 1,15 mm 100 daN Price: _____ LTP00-0100-171 LTP 100, 1,15mm, red  4046882178341
Ø 1,22 mm 140 daN Price: _____ LTP00-0140-010 LTP 140, 1,22mm, blue  4046882178365	Ø 1,22 mm 140 daN Price: _____ LTP00-0140-011 LTP 140, 1,22mm, blue-yellow  4046882178372	Ø 1,22 mm 140 daN Price: _____ LTP00-0140-059 LTP 140, 1,22mm, yellow  4046882178389	Ø 1,22 mm 140 daN Price: _____ LTP00-0140-171 LTP 140, 1,22mm, red  4046882178396
Ø 1,4 mm 190 daN Price: _____ LTP00-0190-010 LTP 190, 1,4mm, blue  4046882176385	Ø 1,4 mm 190 daN Price: _____ LTP00-0190-011 LTP 190, 1,4mm, blue-yellow  4046882176392	Ø 1,4 mm 190 daN Price: _____ LTP00-0190-059 LTP 190, 1,4mm, yellow  4046882176392	Ø 1,4 mm 190 daN Price: _____ LTP00-0190-171 LTP 190, 1,4mm, red  4046882176378
Ø 1,63 mm 230 daN Price: _____ LTP00-0230-010 LTP 230, 1,63mm, blue  4046882176408	Ø 1,63 mm 230 daN Price: _____ LTP00-0230-011 LTP 230, 1,63mm, blue-yellow  4046882176415	Ø 1,63 mm 230 daN Price: _____ LTP00-0230-059 LTP 230, 1,63mm, yellow  4046882176415	Ø 1,63 mm 230 daN Price: _____ LTP00-0230-171 LTP 230, 1,63mm, red  4046882176422
Ø 1,72 mm 280 daN Price: _____ LTP00-0280-010 LTP 280, 1,72mm, blue  4046882176439	Ø 1,72 mm 280 daN Price: _____ LTP00-0280-011 LTP 280, 1,72mm, blue-yellow  4046882055116	Ø 1,72 mm 280 daN Price: _____ LTP00-0280-059 LTP 280, 1,72mm, yellow  4046882055116	Ø 1,72 mm 280 daN Price: _____ LTP00-0280-171 LTP 280, 1,72mm, red  4046882176446

LIROS LTP

LTP00

LIROS LTP series is the latest generation of sheathed paraglider lines. Representing further optimized diameters and coated core. Those guarantee longer service intervals than coventional paraglider lines. The LIROS LCS COATING protects the core from UV radiation and extends the lifespan up to 20%.-Minimum stretch-Minimized drag-Increased lief span-Very good Handling-Low cover-core-slippage -Modern colour scheme -LIROS Heat-Stretch-System

Ø 2 mm 390 daN

Price:

LTP00-0390-010
LTP 390, 2mm, blue



4046882176460

Ø 2 mm 390 daN

Price:

LTP00-0390-011
LTP 390, 2mm, blue-yellow

Ø 2 mm 390 daN

Price:

LTP00-0390-059
LTP 390, 2mm, yellow



4046882176477

Ø 2 mm 390 daN

Price:

LTP00-0390-171
LTP 390, 2mm, red



4046882176453

Ø 2,35 mm 550 daN

Price:

LTP00-0550-010
LTP 550, 2,35mm, blue



4046882176491

Ø 2,35 mm 550 daN

Price:

LTP00-0550-011
LTP 550, 2,35mm, blue-yellow

Ø 2,35 mm 550 daN

Price:

LTP00-0550-059
LTP 550, 2,35mm, yellow



4046882176507

Ø 2,35 mm 550 daN

Price:

LTP00-0550-171
LTP 550, 2,35mm, red



4046882176484

LIROS PPSL

PPSLO

- optimized reset
- lowstretch characteristics
- top performance, long life span
- no reduction of breaking load due to bending.
- LIROS-Heat-Stretch-System

Ø 1,15 mm 120 daN Price: _____ PPSLO-D120-D10 PPSL 120, 1,15mm, blue 4046882040563	Ø 1,15 mm 120 daN Price: _____ PPSLO-D120-D11 PPSL 120, 1,15mm, blue-yellow 4046882040594	Ø 1,15 mm 120 daN Price: _____ PPSLO-D120-D59 PPSL 120, 1,15mm, yellow 4046882040570	Ø 1,15 mm 120 daN Price: _____ PPSLO-D120-D86 PPSL 120, 1,15mm, green 4046882040587
Ø 1,15 mm 120 daN Price: _____ PPSLO-D120-I59 PPSL 120, 1,15mm, pink-yellow 4046882040600	Ø 1,15 mm 120 daN Price: _____ PPSLO-D120-I71 PPSL 120, 1,15mm, red 4046882040556	Ø 1,4 mm 160 daN Price: _____ PPSLO-D160-D10 PPSL 160, 1,4mm, blue 4046882040631	Ø 1,4 mm 160 daN Price: _____ PPSLO-D160-D11 PPSL 160, 1,4mm, blue-yellow 4046882040662
Ø 1,4 mm 160 daN Price: _____ PPSLO-D160-D59 PPSL 160, 1,4mm, yellow 4046882040648	Ø 1,4 mm 160 daN Price: _____ PPSLO-D160-D86 PPSL 160, 1,4mm, green 4046882178426	Ø 1,4 mm 160 daN Price: _____ PPSLO-D160-I59 PPSL 160, 1,4mm, pink-yellow 4046882040686	Ø 1,4 mm 160 daN Price: _____ PPSLO-D160-I71 PPSL 160, 1,4mm, red 4046882040624
Ø 1,2 mm 200 daN Price: _____ PPSLO-D191-D10 PPSL 191, 1,2mm, blue 4046882166102	Ø 1,2 mm 200 daN Price: _____ PPSLO-D191-D11 PPSL 191, 1,2mm, blue-yellow 4046882166126	Ø 1,2 mm 200 daN Price: _____ PPSLO-D191-D59 PPSL 191, 1,2mm, yellow 4046882166126	Ø 1,2 mm 200 daN Price: _____ PPSLO-D191-D86 PPSL 191, 1,2mm, green 4046882166133
Ø 1,2 mm 200 daN Price: _____ PPSLO-D191-I59 PPSL 191, 1,2mm, pink-yellow 4046882166157	Ø 1,2 mm 200 daN Price: _____ PPSLO-D191-I71 PPSL 191, 1,2mm, red 4046882166157	Ø 1,42 mm 200 daN Price: _____ PPSLO-D200-D10 PPSL 200, 1,42mm, blue 4046882040723	Ø 1,42 mm 200 daN Price: _____ PPSLO-D200-D11 PPSL 200, 1,42mm, blue-yellow 4046882040754

LIROS PPSL

PPSLO

- optimized reset
- lowstretch characteristics
- top performance, long life span
- no reduction of breaking load due to bending.
- LIROS-Heat-Stretch-System

Ø 1,42 mm 200 daN Price: _____ PPSLO-0200-059 PPSL 200, 1,42mm, yellow  4046882040730	Ø 1,42 mm 200 daN Price: _____ PPSLO-0200-086 PPSL 200, 1,42mm, green  4046882040747	Ø 1,42 mm 200 daN Price: _____ PPSLO-0200-159 PPSL 200, 1,42mm, pink-yellow  4046882040761	Ø 1,42 mm 200 daN Price: _____ PPSLO-0200-171 PPSL 200, 1,42mm, red  4046882040716
Ø 1,9 mm 275 daN Price: _____ PPSLO-0275-010 PPSL 275, 1,9mm, blue  4046882040815	Ø 1,9 mm 275 daN Price: _____ PPSLO-0275-011 PPSL 275, 1,9mm, blue-yellow  4046882040846	Ø 1,9 mm 275 daN Price: _____ PPSLO-0275-059 PPSL 275, 1,9mm, yellow  4046882040839	Ø 1,9 mm 275 daN Price: _____ PPSLO-0275-086 PPSL 275, 1,9mm, green  4046882040822
Ø 1,9 mm 275 daN Price: _____ PPSLO-0275-159 PPSL 275, 1,9mm, pink-yellow  4046882040853	Ø 1,9 mm 275 daN Price: _____ PPSLO-0275-171 PPSL 275, 1,9mm, red  4046882040808	Ø 2,25 mm 400 daN Price: _____ PPSLO-0350-010 PPSL 350, 2,25mm, blue  4046882115018	Ø 2,25 mm 400 daN Price: _____ PPSLO-0350-011 PPSL 350, 2,25mm, blue-yellow  4046882115025
Ø 2,25 mm 400 daN Price: _____ PPSLO-0350-059 PPSL 350, 2,25mm, yellow  4046882115032	Ø 2,25 mm 400 daN Price: _____ PPSLO-0350-086 PPSL 350, 2,25mm, green  4046882115049	Ø 2,25 mm 400 daN Price: _____ PPSLO-0350-159 PPSL 350, 2,25mm, pink-yellow  4046882115056	Ø 2,25 mm 400 daN Price: _____ PPSLO-0350-171 PPSL 350, 2,25mm, red  4046882115063



LIROS SL

SLO00

Towing line without cover for paraglide and winch tow. easy to splice

- enormous weight Reduction

**Ø 2,5
mm**

**375
daN**

**Ø 3,2
mm**

**500
daN**

Price:

Price:

SLO00-0375-228

SL 375, 2.5mm,
white



4046882040877

SLO00-0500-228

SL 500, 3.2mm,
white



4046882040884

LIROS TSL

TSLOO

The TSL series is the covered paragliding line with the best diameter to load capacity ratio. Very good aerodynamics, due to optimized construction. Minimum stretch and creep characteristics, due to high tenacity Technora fibers and LIROS Heat Stretch System. The braided water-repellent cover guarantees easy handling before launch.- Optimized diameter at equal breaking strength- Lowest creep and stretch - good resistance after bending- LIROS Heat Stretch System

Ø 1,25 mm 115 daN Price: _____ TSLOO-0115-010 TSL 115, 1,25mm, blue  4046882040983	Ø 1,25 mm 115 daN Price: _____ TSLOO-0115-011 TSL 115, 1,25mm, blue-yellow  4046882041027	Ø 1,25 mm 115 daN Price: _____ TSLOO-0115-059 TSL 115, 1,25mm, yellow  4046882040990	Ø 1,25 mm 115 daN Price: _____ TSLOO-0115-171 TSL 115, 1,25mm, red  4046882040976
Ø 1,3 mm 140 daN Price: _____ TSLOO-0140-010 TSL 140, 1,3mm, blue  4046882041096	Ø 1,3 mm 140 daN Price: _____ TSLOO-0140-011 TSL 140, 1,3mm, blue-yellow  4046882041126	Ø 1,3 mm 140 daN Price: _____ TSLOO-0140-059 TSL 140, 1,3mm, yellow  4046882041102	Ø 1,3 mm 140 daN Price: _____ TSLOO-0140-171 TSL 140, 1,3mm, red  4046882041089
Ø 1,55 mm 190 daN Price: _____ TSLOO-0190-010 TSL 190, 1,55mm, blue  4046882041164	Ø 1,55 mm 190 daN Price: _____ TSLOO-0190-011 TSL 190, 1,55mm, blue-yellow  4046882041195	Ø 1,55 mm 190 daN Price: _____ TSLOO-0190-059 TSL 190, 1,55mm, yellow  4046882115148	Ø 1,55 mm 190 daN Price: _____ TSLOO-0190-171 TSL 190, 1,55mm, red  4046882041157
Ø 1,65 mm 220 daN Price: _____ TSLOO-0220-010 TSL 220, 1,65mm, blue  4046882041287	Ø 1,65 mm 220 daN Price: _____ TSLOO-0220-011 TSL 220, 1,65mm, blue-yellow  4046882041317	Ø 1,65 mm 220 daN Price: _____ TSLOO-0220-059 TSL 220, 1,65mm, yellow  4046882041294	Ø 1,65 mm 220 daN Price: _____ TSLOO-0220-171 TSL 220, 1,65mm, red  4046882041270
Ø 1,8 mm 280 daN Price: _____ TSLOO-0280-010 TSL 280, 1,8mm, blue  4046882041386	Ø 1,8 mm 280 daN Price: _____ TSLOO-0280-011 TSL 280, 1,8mm, blue-yellow  4046882041423	Ø 1,8 mm 280 daN Price: _____ TSLOO-0280-059 TSL 280, 1,8mm, yellow  4046882041393	Ø 1,8 mm 280 daN Price: _____ TSLOO-0280-171 TSL 280, 1,8mm, red  4046882041379

LIROS TSL

TSL00

The TSL series is the covered paragliding line with the best diameter to load capacity ratio. Very good aerodynamics, due to optimized construction. Minimum stretch and creep characteristics, due to high tenacity Technora fibers and LIROS Heat Stretch System. The braided water-repellent cover guarantees easy handling before launch.- Optimized diameter at equal breaking strength- Lowest creep and stretch - good resistance after bending- LIROS Heat Stretch System

Ø 2,2 mm 380 daN Price: _____ TSL00-0380-010 TSL 380, 2,2mm, blue  4046882041492	Ø 2,2 mm 380 daN Price: _____ TSL00-0380-011 TSL 380, 2,2mm, blue-yellow  4046882041539	Ø 2,2 mm 380 daN Price: _____ TSL00-0380-059 TSL 380, 2,2mm, yellow  4046882041508	Ø 2,2 mm 380 daN Price: _____ TSL00-0380-171 TSL 380, 2,2mm, red  4046882041485
Ø 2,37 mm 500 daN Price: _____ TSL00-0500-010 TSL 500, 2,37mm, blue  4046882115179	Ø 2,37 mm 500 daN Price: _____ TSL00-0500-011 TSL 500, 2,37mm, blue-yellow  4046882115186	Ø 2,37 mm 500 daN Price: _____ TSL00-0500-059 TSL 500, 2,37mm, yellow  4046882041591	Ø 2,37 mm 500 daN Price: _____ TSL00-0500-171 TSL 500, 2,37mm, red  4046882041584